

FOR USE ON	TO CONTROL	IN 100 GAL.	IN 1 GAL.	COMMENTS
Apples, Pear, Cherry	European Red Mite 3-4 pt. Two Spotted Mite	2 lb.		Make two or more applications, as needed for mites, one or more for aphids. At harvest or pick stage of bloom or when aphids appear. Do not use within 3 days of harvest.
	Woolly Apple Aphis 1 pt. Furrow Scale Green Apple Aphis 3 1/2 pt. Red Apple Aphis	1 pt. 1 1/2 pt. 1 1/2 pt.	1 lb.	
Tomatoes	Spider Mites, Aphids	1 1/2 pt. 1 1/2 pt. 3 pt.	1 1/2 pt. 2 lb.	Make one or more applications as needed. Do not use within 3 days of harvest.
Beans	Bean Beetle, Soldier Mite, Leafhopper	2 pt.	2 lb.	
Peanut	Peanut Aphid	2 pt.	2 lb.	Make one or more applications. Do not use within 3 days of harvest. Do not use pea vines for feed.
Peas	Aphids	2 pt.	2 lb.	Make two or more applications. Repeat as needed. Do not use within 3 days of harvest or 30 days of others.
Cabbage, Broccoli, Kale, Mustard, Turnip	Aphids, Imported Cabbage Worm	2 pt.	2 lb.	Do not apply within 7 days of harvest or when in bloom. Apply in warm weather. Infestation occurs in 10 days.
Alfalfa for Seed	Aphids	2 pt. per acre in at least 40 gal. water.		
Flowers, Dracunculids, etc.	Drift Scale, Eucalyptus Scale	1 pt.	1 lb.	



50% MALATHION

Emulsifiable Concentrate

FOR CONTROL OF ANIMAL AND PLANT PESTS

ACTIVE INGREDIENTS:

Malathion* 50%
Xylene 45%

INERT INGREDIENTS

*0,0-dimethyl dithiophosphate of diethyl mercaptosuccinate. 5%

WARNING: Keep Out of Reach of Children
See Side Panels for Additional Warnings

NET CONTENTS 1 QUART



MANUFACTURED BY
GORDON CORPORATION
KANSAS CITY, KANSAS

DIRECTIONS FOR USE

LIQUID FLY BAIT: To control House and Stable Flies in Barns, Feed Lots, Poultry Houses, Utility Buildings and around food disposals, mix 3 ounces with 5 ounces of corn syrup and add to 2 gallons of water. Paint or spray on desired surfaces.

BEEF CATTLE: For control of Lice, add 1 gallon to 100 gallons of water. Apply a complete coverage spray. Repeat applications at two week intervals if needed. For control of Ticks, apply 1 to 2 gallons per 100 gallons of water. Apply a complete coverage spray. Repeat applications at two week intervals if needed.

SWINE: For control of Lice, apply 1 gallon per 100 gallons of water. Apply a complete spray to animals, pens and litter. One treatment may be sufficient. Repeat application only if needed.

BACK RUBBING DEVICES: For the reduction of Lice on Beef Cattle, apply a 2% mixture (1 quart in 7 1/2 gallons of fuel oil or kerosene) to the back rubbing device. There may also be a reduction in Horn Flies. Make rubbing device accessible one to 35 or 45 head of cattle. Retreat the oiler every 2 or 3 weeks. Do not use on dairy animals.

CAUTION: Do not apply during lactation or within two weeks of freshening. Do not treat calves under one month of age. When applying sprays, avoid contamination of feed, food containers and watering troughs. Do not use where milk is processed or stored. Do not use in dwelling or in reach of children.

WARNING: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist or dust. Avoid contact with eyes or skin. If contact occurs, wash thoroughly with water. If contact occurs with eyes, flush immediately and wash thoroughly. If contact occurs with skin, wash thoroughly. If contact occurs with clothing, remove clothing and wash thoroughly. If contact occurs with food, remove food and wash thoroughly. If contact occurs with feed, remove feed and wash thoroughly. If contact occurs with water, remove water and wash thoroughly. If contact occurs with other surfaces, wash thoroughly. If contact occurs with other animals, wash thoroughly. If contact occurs with other people, wash thoroughly. If contact occurs with other surfaces, wash thoroughly. If contact occurs with other animals, wash thoroughly. If contact occurs with other people, wash thoroughly.

NOTICE: This product is a restricted use pesticide. It is not to be used by anyone who is not a licensed applicator. It is not to be used in a manner that is inconsistent with the label. It is not to be used in a manner that is inconsistent with the label. It is not to be used in a manner that is inconsistent with the label.

FD-302 (Rev. 1-27-60)

Our Name Is Your
Guarantee
of
Quality

2017-345 9-15-69
Best Available copy

1 of 2

ALL INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED

ACCEPTED

SEP 15 1969

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTE-
ED UNDER NO. ~~24725~~ SUBJECT
TO ATTACHED COMMENTS.

2042