

**DAIRY and  
LIVESTOCK DUST**

Ready to Use

**FOR HORN FLY CONTROL**

**On Dairy and Beef Cattle and Sheep Also Controls Lice and Ticks**

**ACTIVE INGREDIENTS:**

Technical Methoxychlor* .....	5.0%
Malathion: O,O-dimethyl phosphorodithioate of diethyl mercaptosuccinate .....	4.0%
INERT INGREDIENTS .....	<u>91.0%</u>
TOTAL	100.0%

\*Equivalent to 4.4% 2,2-bis(p-methoxyphenyl)-1,1,1-trichloroethane and 0.6% other isomers and related compounds.


**KEEP OUT OF REACH OF CHILDREN  
CAUTION**  
See side panels for additional precautionary statements.

NET WEIGHT 4 POUNDS

516/1288 AP

EPA REG. NO. 2217-347  
EPA EST. NO. 2217-KS-x

**ACCEPTED**  
JUN 22 1989  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under  
EPA Reg. No. 2217-347



Mfd. by PBI/GORDON CORPORATION  
KANSAS CITY, KS 6118

**STOP! READ THE ENTIRE LABEL FIRST.  
OBSERVE ALL PRECAUTIONS AND  
FOLLOW DIRECTIONS CAREFULLY.**

### **PRECAUTIONARY STATEMENTS**

#### **Hazards to Humans and Domestic Animals**

**CAUTION:** Harmful if swallowed. Avoid breathing of dust. Avoid contact with skin. Wash thoroughly after using. Avoid contamination of feed or foodstuffs, or feed or water troughs.

#### **Environmental Hazards**

This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water or wetlands (i.e., swamps, bogs, marshes, and potholes). Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### **STORAGE & DISPOSAL**

**STORAGE:** Store in original container in a locked storage area inaccessible to children or pets.

**PESTICIDE DISPOSAL:** Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Do not reuse empty container. Dispose of container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Use only with adequate ventilation. After using this product indoors, ventilate thoroughly before occupying enclosed spaces. Do not allow contact with treated surface until sprays have dried.

**GORDON'S DAIRY AND LIVESTOCK DUST** is a combination of two highly effective fly-control chemicals. To prevent the number of horn flies from increasing rapidly on dairy animals begin dusting animals in the spring when flies first appear.

**DAIRY ANIMALS -- HORN FLIES** (on beef cattle also): Use 2 heaping tablespoons (2 oz.) per animal for control of horn flies. Dust on poll, neck, and back. Rub in lightly to insure that the material is worked down beneath the hair. If application is made by dust gun, apply against the grain of hair to force material into the hair. Do not repeat applications within 3-week time period. Do not contaminate water troughs. Do not apply during lactation or within 2 weeks of freshening.

**BEEF CATTLE -- LICE, TICKS, AND HORN FLIES:** For control of lice, ticks, and horn flies make application to all parts of the animal's body. Rub into hair as application is made. Repeat treatment as necessary to control infestation. Repeat at 10 to 14 day intervals.

**HOGS -- LICE:** Make application of dust to hogs, pens, and litter. One treatment may be sufficient; if not, repeat in 10 days or thereafter as needed for control. May be dusted on baby pigs and farrowing-house litter. Apply 1/4 to 1/2 tablespoonful on pigs less than one month of age.

**SHEEP -- LICE AND KEDS:** Make thorough application to entire animal. Treatment just after shearing is preferred. Repeat as necessary for control.

**LIMITED WARRANTY:** Manufacture warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled use when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed.

**Exclusion of Other Warranties and Remedies.** Except where such disclaimers and exclusions are specifically prohibited by applicable law. THE FOREGOING IS THE ONLY GUARANTEE OR WARRANTY APPLICABLE TO THIS PRODUCT AND IS GIVEN EXPRESSLY AND IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ALL SUCH WARRANTIES WHICH EXCEED OR DIFFER FROM SAID LIMITED WARRANTY ARE DISCLAIMED BY MANUFACTURER, and, upon Manufacturer's compliance with said limited warranty, BUYER SHALL HAVE NO REMEDY AGAINST MANUFACTURER FOR ANY TYPE OF DAMAGE OR LOSS, and, IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL DAMAGE OR LOSS.

