DAIRY and LIVESTOCK DUST

Ready to Use

FOR HORN FLY CONTROL On Dairy and Beef Cattle and Sheep Also Controls Lice and Ticks


ACTIVE INGREDIENTS:		
Technical Methoxychlor*	*	5.0%
Malathion: 0,0-dimethyl	l phosphorodithioate of diethyl	
mercaptosuccinate	· · · · · · · · · · · · · · · · · · ·	4.0%
INERT INGREDIENTS	••••••••••••••••••••••••••••••••••••••	1.0%
	TOTAL 100	0.0%

*Equivalent to 4.4% 1,1,1-trichloro-2,2-bis(p-methoxyphenyl) ethane and 0.6% other isomers and related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panels for additional Precautionary Statements.



NET WEIGHT 4 POUNDS

516/1089 AP


₹

(

(

ZPA REG. NO. 221. 47 FPA EST. NO. 2217-KS-1

Mfd. by PBI/GORDON CORPORATION KANSAS CITY, KS 6118



STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid breathing of dust. Avoid contact with skin. Wash thoroughly after using. Avoid contamination of feed or toodstuffs, or feed or water troughs.

Environmental Hazards

This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water or wetlands (i.e., swamps, bogs, marshes, and potnoles). Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

STORAGE: Store in original container in a locked storage area inaccessible to children or pets. PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL: Completely empty bag into application equipment. Do not reuse empty container. Dispose of container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Use only with adequate ventilation. After using this product indoors, ventilate thoroughly before occupying enclosed spaces. Do not allow contact with treated surface until dusts have settled.

GORDON'S DAIRY AND LIVESTOCK DUST is a combination of two highly <u>fective fly-control chemicals</u>. To prevent the number of horn flies from increasing rapidly on dairy animals begin dusting animals in the spring when flies first appear.

DAIRY ANIMALS (Non-lactating) -- HORN FLIES (on beef cattle also): Use 2 neaping tablespoonfuls (2 oz.) per animal for control of horn flies. Dust on poll, neck, and back of upper sides. Rub in lightly to insure that the material is worked down beneath the hair. If application is made by dust gun, apply against the grain of hair to force material into the hair. Do not repeat applications within 3-week time period. Do not contaminate water troughs. Do not treat calves under 30 days of age. Do not apply during lactation or within 2 weeks of freshening.

BEEF CATTLE -- LICE, TICKS, AND HORN FLIES: For control of lice, ticks, and horn rlies make application to all parts of the animal's body. Rub into hair as application is made. Repeat treatment as necessary to control infestation. Repeat at 10 to 14 day intervals. Do not treat calves under CC days of age.

HOGS -- LICE: Apply for complete coverage to hogs, pens, and litter. Use 2 tablespoonfulls per animal and dilute with talc for thorough coverage. One treatment is usually sufficient. Repeat in 10 day intervals or as needed. Do not treat pigs under 1 month of age. Avoid contamination of feed, feed containers, and watering troughs.

2

SHEEP - LICE AND KEDS: Apply 2 tablespoons per animal and make thorough application to entire animal. Treatment just after shearing is preferred. Repeat after 14-21 day intervals if needed. Do not apply within 14 days of freshening. Do not treat animals under 1 month of age.

LIMITED WARRANTY: Manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled use when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed.

Exclusion of Other Warranties and Remedies. Except where such disclaimers and exclusions are specifically prohibited by applicable law. THE FOREGOING IS THE ONLY GUARANTEE OR WARRANTY APPLICAELE TO THIS PRODUCT AND IS GIVEN EXPRESSLY AND IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, OF MERCHANTAELITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ALL SUCH WARRANTIES WHICH EXCEED OR DIFFER FROM SAID LIMITED WARRANTY ARE DISCLAIMED BY MANUFACTURER, and, upon Manufacturer's compliance with said limited warranty, BUYER SHALL HAVE NO REMEDY AGAINST MANUFACTURER FOR ANY TYPE OF DAMAGE OR LOSS, and, IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL DAMAGE OR LOSS.

í