

DIRECTIONS FOR USE

Silvex-T Brush Killer is formulated especially for foliage application spray control of certain woody plants such as Blackjack Oak, Post Oak, Wild Blackberry and Poison Ivy. This application will also control certain undesirable broad-leaved weeds in brush areas such as Chickweed, Plantain and Ground Ivys, thus giving pasture grasses an opportunity to become established. Silvex-T may be used in ditch banks, rights-of-way, areas over grown with brush and other non-crop land.

GROUND SPRAY APPLICATION—As a foliage spray, using hydraulic or tractor driven spray, use 3 to 4 quarts of Silvex-T Brush Killer in 100 gallons of water (4 ounces for 3 gallons water). Cover all foliage, limbs, trunks and basal area of brush growth that is up to 6 to 8 feet in height. Make the applications when the leaves are fully developed and new stem growth is active. For Poison Ivy and Wild Blackberry, use 3 quarts per 100 gallons.

A second application the following year may be useful in controlling any new resprouting or growth that may occur due to poor spray coverage of the brush.

SMALL AREAS OF BRUSH OR INDIVIDUAL TREES: Use 4 ounces (½ cup) in 3 gallons of water and treat the entire foliage area wetting all surfaces.

LAWNS AND GOLF COURSES—To control Common and Mouse-Eared Chickweed, Plantain, Buckhorn, Dandelion and Clover (if desired), use 3 pints in 25 to 30 gallons of water per acre (1 sp. per gallon per 1,000 sq. ft.) Treat in fall or spring when temperatures are cool (35° to 65°). Do not treat weeds in Bent, Bermuda or St. Augustine Grass. Treat fall seeded lawns in spring after the second cutting. Don't overdose since damage may result to turf.

Possible injury may result if used on Centipede grass or Dichondra in lawns.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment, will vary, Seller makes no claims other than those stated on this label.

875-567
U.S.D.A. Reg. No. 2217-318

**SILVEX-T
BRUSH KILLER
LOW VOLATILE ESTER**

Contains 4 pounds of 2,4,5-TP per gallon

ACTIVE INGREDIENT:

INERT INGREDIENTS:

Contains 4 Lbs. Silvex per Gallon

WARNING: Keep Out of Reach of Children

NET CONTENTS ONE GALLON

DIRECTIONS FOR USE

AERIAL SPRAY APPLICATION—In areas of brush that are inaccessible to ground equipment, it will be necessary to use an aerial spray unit. Use 2 quarts in 1 gallon of diesel oil and then mix with 2½ to 3½ gallons of water (or add 2 quarts to 3½ to 4½ gallons of diesel oil) and apply to one acre. Make application only after foliage is fully developed, in May or June. Repeat an application in the following year, using 1 to 2 quarts diluted as above. This second spray will take care of any possible resprouting or portions of plants not covered with the spray during the first application.

PRECAUTIONS—Treat only in accordance with local and state laws governing the use of chemical weed control in bodies of water. Do not use in irrigation water, water being used for spraying pesticides or domestic water supplies used for human or animal consumption. Silvex-T, when used as directed, is not normally harmful to aquatic animals, however, some fish kill may result in shallow coves where overdosage may occur. Do not apply chemicals for Algae control within 3 days before or after using Silvex-T.

WARNING

DO NOT apply to nor allow to contact or drift to any crop plants or ornamental plants. Even minute quantities of spray mist may cause severe damage during both growing and dormant stages. Coarse sprays are less likely to drift. Apply while the air is calm to avoid drift.

Vapors from this product may injure susceptible plants in the immediate vicinity. Airplane application should be done only by qualified personnel.

DO NOT contaminate irrigation ditches or water used for domestic purposes.

DO NOT store near fertilizers, seed, insecticides or fungicides.

DO NOT contaminate equipment used to apply other agricultural chemicals.

CAUTION

This product and sprays containing it may cause skin irritation. Avoid contact with eyes, skin and clothing. If exposed, wash thoroughly with warm water and soap. In case of eye contact, drench eyes with clean, clear water for 10 minutes and obtain medical attention promptly.

Harmful if swallowed. Avoid breathing spray mist.

Do not reuse container. Destroy by burying in a safe place. Do not burn.

875-567



MANUFACTURED BY
GORDON CORPORATION
KANSAS CITY, KANSAS