

LAWN WEED

KILLER

GRANULES

READY TO USE

PL 22  
211-11  
7-1-9

NO MIXING — NO SPRAYING

Apply Directly From Can

CONTROLS LAWN WEEDS SUCH AS  
DANDELIONS, PLANTAIN, RAGWEED

ACTIVE INGREDIENT:

*Isooctyl ester of 2,4-Dichlorophenoxyacetic acid . . .	30.17%
INERT INGREDIENTS . . . . .	69.83%
TOTAL	100.00%

THIS PRODUCT CONTAINS

\*Equivalent to 20% 2,4-Dichlorophenoxyacetic acid.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel for Additional Precautionary Statements  
and Statement of Practical Treatment

NET WEIGHT 1½ POUNDS

/590 AP100267\*

EPA REG. NO. 2217-354  
EPA EST. NO. 2217-KS-1

NOTIFICATION  
LABEL NOT REVIEWED  
PER PRI NOTICE 88-8

DATE. **AUG 22 1990**

Mfd. by PBI/GORDON CORPORATION  
KANSAS CITY, KANSAS 66118

STOP! READ THE ENTIRE LABEL FIRST.  
OBSERVE ALL PRECAUTIONS AND  
FOLLOW DIRECTIONS CAREFULLY.

#### PRECAUTIONARY STATEMENTS

##### Hazards to Humans and Domestic Animals

**CAUTION:** Harmful if swallowed. Avoid contact with skin, eyes or clothing. When handling this product, wear chemical resistant gloves. Wash thoroughly after handling. Harmful if inhaled. Avoid inhalation of dust. Remove contaminated clothing and wash before reuse.

#### Statement of Practical Treatment

**IF SWALLOWED:** Do not induce vomiting. Call a physician immediately.

**IF ON SKIN:** Wash with soap and water. Get medical attention if irritation persists.

**IF IN EYES:** Flush with water for 15 minutes. Call a physician immediately.

**ENVIRONMENTAL HAZARDS:** This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water except as specified on this label. Do not contaminate water when disposing of equipment washwaters.

#### DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### STORAGE AND DISPOSAL

**STORAGE:** Store in original container in a locked storage area inaccessible to children or pets.

**PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse container. Rinse thoroughly before discarding in trash.

**USE PRECAUTIONS**

Do not apply or allow the granules to contact susceptible plants such as tomatoes, roses, flowering plants, grapes, fruit trees or other desirable plants. Do not apply to newly seeded turf areas or creeping grasses such as Bent. Do not contaminate irrigation ditches or water used for domestic purposes or for spraying. Do not use for other purposes than shown on this label. Do not contaminate lakes or ponds where water is used for spraying. Vapors from this product may injure susceptible plants in the immediate vicinity.

**FOR LAWNS AND TURF**

Punch holes in lid. For spot treatment, apply directly to weeds. A second treatment one month later may be needed to control those weeds that did not receive application. Kills dandelions, plantain, shepherdspurse, ragweed, dock, henbit, lambsquarter, pennywort, and dog fennel. Do not overdose since injury to turf may result. Treatment should be kept three feet from desirable plants. Do not treat spring seeded lawns until after second cutting. Weeds over 6 inches high should be sprayed using our "Lawn Weed Killer" spray. Do not use on St. Augustine grass. Weed killing effect is shown within 10 days and plants will be dead within 20 to 25 days. Possible injury may occur to clover lawns.

**FOR WATER WEEDS**

Use only in ponds and lakes where water is still. Spread evenly over ice or water surface in late winter or early spring at the rate of 1 pound per 430 square feet. or 100 pounds per acre. Weed kill is accomplished through roots of water weeds since granules settle to the bottom. Reaction is slow but effect is seen 4 to 8 weeks after granules reach bottom with an expected control up to 1 1/2 years. Retreat as new weeds appear. This application will kill water lilies, milfoil, pondweed, fanwort, cattails, spatterdock and arrowhead. Do not use this product in irrigation water. If weed infestation is heavy, do not treat entire body of water at one time since the decaying vegetation may deplete the oxygen supply, this suffocating the fish. Treat other portions of water in 2 to 3 months. Treat only 1/3 to 1/2 of the water area in a single operation.

**LIMITED WARRANTY.** Manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled use when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed.

EXCLUSION OF OTHER WARRANTIES AND REMEDIES. Except where such disclaimers and exclusions are specifically prohibited by applicable law. THE FOREGOING IS THE ONLY GUARANTEE OR WARRANTY APPLICABLE TO THIS PRODUCT AND IS GIVEN EXPRESSLY AND IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ALL SUCH WARRANTIES WHICH EXCEED OR DIFFER FROM SAID LIMITED WARRANTY ARE DISCLAIMED BY MANUFACTURER, and, upon Manufacturer's compliance with said limited warranty. BUYER SHALL HAVE NO REMEDY AGAINST MANUFACTURER FOR ANY TYPE OF DAMAGE OR LOSS, and, IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL DAMAGE OR LOSS.