| , | YV. 9 | | , , , | | | | Nol | Approval expires 11-30 93 |
|--|---|--|--|---|-------------------|---|------------------|--|
| (A) United States Environmental Prote Office of Pesticide Programs (I Washington, DC 2045) Application for Pe | | | s (H7505 1460 | ction Agency H7505C) 0 Re Ar | | Registra Amendi Other | ation | Approval expires 11-30 93 OPP Identifier Number 192027 |
| | | Section | n I | | | | | |
| 1. Company/Product Numbe | <u></u> | | | PA Product Ma | nager | | 3. Pr | oposed Classification |
| 2217-366 | <u> </u> | | | <u>Dennis Edw</u> | ards | <u>.</u> | | |
| 4. Company/Product (Name |) | | PM# | | | | ╎└─┘ | None Restricted |
| Sevin ^e 50W Insection | cide | | | (PM 19) | | | | |
| 5. Name and Address of Ap | plicant (Include ZIP Code) | | | | | | | FIFRA Section 3(c)(3) |
| PBI/Gordon Corporation PO Box 4090 | | | (b)(i), my product is similar or identical in composition and labeling to: | | | | | |
| 1217 West 12th Struet | | | EPA Reg. No | | | | | |
| Kansas City, MO 64 | 4101 is a new address | | Product Name | | | | | |
| | | Section | | | | | | |
| | | Section | <u>''</u> |] <u></u> | . <u></u> | • | | |
| | Amendment - Explain below | | | Final printed labels in response to Agency letter dated | | | | |
| Resubmission in respor | ise to Agency letter dated | | [| "Me Too" Ap | Too" Application. | | | ATION |
| X Notification Explain be | low. | | | Other - explain below. LABEL NOT NEVIEWED PER PR NOTICE 80-6 | | | | |
| 1. Material This Product W | Ili Be Packaged in: | Section II | 1 | ~ | | | | |
| Child-Resistant Packaging | Unit Packaging | Wa | ter Solub | e Packaging | | 2. Type of | Container | |
| Yes* | T Yes | r- | ۲es | | | |] Metal | |
| | | | | | | | Plastic Glass | |
| LI No | | 0. per lf** | No Yes,* | No. | | 4 🗁 | Paper | |
| * Certification must be | | | ckage wg | | tainer | |]Other (S | pecify) |
| submitted. 3. Location of Net Contents | Information 4. S | ize(s) of Retai | Contain | i | 5.1 | ocation of La | | tions |
| | ontainer | ~ | | | | On Label On Labeling accompanying product | | |
| 6. Manner In Which Label Is | | Lithograph Paper glued Stenciled | d | [] Oth | ier (| | |) |
| | | Section | | | | | | · · · · · · · · · · · · · · · · · · · |
| 1. Contact Point (Complete | items directly below for ide | | ndividual | to be contacted | d, il nee | cessary, to p | | |
| James A. Armbi | nieter Dh D | Title | Mar | Regulator | v 90 | Nicos | | ie No, (include Area Code) 6)421-4370 |
| | - <u></u> | | | | , 00 | 1003 | | |
| | ls I have made on this form nowingly false or misleadi | | | | | | | 6. Date Application Received (Stamped) |
| 2. Signature | Junhuster | 3. Tit | | Regulator | ry Se | ervices | <u></u> | · · · · |
| 4. Typed Name James A. Armb | | 5. Da | - | 20, 1993 | | | | ••• |
| PA Form 8570-1 (Rev. 12- | 90) Previous editions | are obsolete. | <u>.</u> | White - EF | PA File | e Copy (origi | nal) | Yellow - Applicant copy |

SEVIN® 50W INSECTICIDE

Controls

TOMATO HORNWORM, BEAN BEETLES, APHIDS, SQUASH BUGS, SCALE, FRUIT AND ORNAMENTAL PESTS.

| ACTIVE INGREDIENT: | | |
|---|-------|---------|
| Carbaryl (1-napthyl N-methylcarbamate). | | . 50.0% |
| INERT INGREDIENTS | | |
| | TOTAL | 100.0% |

SEVIN[®] is the registered trademark of Rhone Poulenc for carbaryl insecticide.

KEEP OUT OF REACH OF CHILDREN DATE. _7

CAUTION

See side panel for Precautionary Statements and Statement of Practical Treatment

NET WEIGHT 6 OUNCES

620/ AP052093

EPA REG. NO. 2217-366 EPA EST 'JO. 2217-KS-1

Mfd. by PBI/GORDON CORPORATION KANSAS CITY, MISSOURI 64101



IOTIFICATION

2

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed. Avoid breathing vapors[dust or spray mist]. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

Statement of Practical Treatment

IF SWALLOWED: Induce vomiting and seek medical attention immediately. IF IN EYES OR ON SKIN: Flush eyes thoroughly with water: wash skin thoroughly with soap and water.

NOTE TO PHYSICIAN: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal. Do not use 2-PAM, opiates or cholinesterase inhibiting drugs.

Environmental Hazards

This pesticide is extremely toxic to aquatic and estuarine invertebrates. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

STORAGE: Do not contaminate water, food, or feed by storage or disposal. Store in original container in a locked storage area inaccessible to children or animals.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

Subsequent planting of food and feed crops in treated soil must be make with crops on this or other carbaryl label(s).

Use SEVIN[•] 50W INSECTICIDE as a spray. Keep mixtures well agitated. Not effective if used with alkaline chemicals such as Bordeaux, but is compatible with most all fungicides and miticides. Spray thoroughly to cover upper and lower sides of foliage, fruits and vegetables. Do not spray open blossoms since SEVIN[•] is toxic to honey bees. For continued insect control through the season, plan on a regular spray schedule every 7 to 10 days on all fruits.

APPLES AND PEARS - codling moth, plum curculio, aople aphids, green fruit worms, Japanese beetles, leaf rollers, and San Jose scale - As insects appear, spray, using 2 tablespoonfuls per gallon of water, repeat as needed for control, up to one day before harvest. To avoid fruit thinning, delay use until at least 30 days after bloom (not before second cover).

PEACHES, APRICOTS, PLUMS, AND CHERRIES - plum curculio, Oriental fruit moth, lesser peach tree borer, peach twig borer, cat facing bugs, and San Jose scale - Mix 2 tablespoonfuls per gallon of water. Allow one day between spraying and harvest; three days on Apricots.

SWEET CORN - <u>corn earworm, corn borer, flea beetles, and grasshoppers</u> - Use 2 tablespoonfuls per gallon. Spray every 2 to 3 days for earworms until silks are dry. For other pests, thoroughly treat entire plant every 2 weeks, starting when corn is knee high.

GRAPES - Use 2 tablespoonfuls per gallon for grape leaf folder, grape leaf skeletonizer, grape berry moth, and June beetles. Apply as needed when insects appear. Use up until 7 days before harvest.

STRAWBERRIES - Use 2 tablespoonfuls per gallon for <u>meadow</u> <u>spittlebug</u>, <u>strawberry leaf</u> <u>roller</u> <u>and</u> <u>strawberry weevil</u>. Repeat at 7 to 10 day intervals, or as necessary until one day before harvest.

BEANS - green beans, lima and snap - Use 2 tablespoonfuls per gallon for <u>Mexican bean beetle</u>, <u>bean</u> leaf beetle, flea beetle and stink bugs. Use up until harvest time.

TOMATOES, EGG PLANTS, PEPPERS - For tomato hornworm and inuitworm, Fall armyworm, stink bugs and lace bugs, use 2 tablespoonfuls per gallon. Thoroughly treat. Use until day of picking.

CUCUMBERS, MELONS AND SQUASH - For <u>pickleworm</u>, <u>melonworm</u>, <u>cucumber beetles</u>, <u>flea beetles</u>, <u>leafhoppers</u>, <u>and squash bugs</u>, use 2 tablespoonfuls per gallon. Avoid excessive applications since leaf injury may occur on tender foliage when wet and humidity is high. Allow 3 days before harvest.


CABBAGE, BROCCOLI AND CAULIFLOWER - For control of <u>small</u> <u>cabbage</u> <u>loopers</u>, <u>flea</u> <u>beetles</u>, <u>armyworms</u> and <u>com</u> <u>earworms</u> - use 2 tablespoonfuls per gallon on a 7 to 10 day spray schedule</u>, allowing 3 days before picking.

ORNAMENTALS - On plants such as roses, gladiolus, lilacs, juniper, elm, boxelder and willow, use 2 tablespoonfuls per gallon and aprly when insects appear. Controls <u>bagworms</u>, <u>blister beetles</u>, <u>bcxelder</u> <u>bugs</u>, <u>elm leaf beetle</u>, <u>June beetles</u>, <u>leaf rollers</u>, <u>mimosa webworm</u>, <u>periodical cicada</u>, <u>scale insects and</u> <u>willowleaf beetles</u>. Do not use on Boston ivy or Virginia creeper. Repeat as needed.

LIMITED WARRANTY AND DISCLAIMER The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of products or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.





1217 W. 12тн STREET P.O. BOX 4090 KANSAS CITY, MO 64101 .

June 29, 1993

Document Processing Desk (LIP) Office of Pesticide Programs (H7504C) US Environmental Protection Agency 401 M Street, SW Washington, D.C. 20460

Attention: Dennis Edwards Product Management Team 19

Subject: Notifications for Revised Labeling according to Pesticide Regulation (PR) Notice 93-3.

Dear Mr. Edwards:

We are submitting notifications for revised labeling to comply with <u>Pesticide Regulation (PR) Notice 93-3</u>, Labeling Statement Prohibiting Application to Water. Fifteen product registrations have been revised:

| EPA Reg. No. | Product Name | |
|------------------|---|--|
| 2217-366 | Sevin 50W Insecticide | |
| 2217-383 | Sevin Dust 5% | |
| 2217-389 | Gordon's Sevin 50W Spray, A Wettable Powder | |
| 2217-527 | Methoxychlor Tree Spray | |
| 2217-572 | Gordon's Sevin Dust 5%, A Multi Purpose Insecticide | |
| 2217-600 | Liquid Sevin Spray | |
| 2217-6 46 | Gordon's Dursban Turf Insecticide | |
| 2217-664 | Spreader King Dursban Insecticide | |
| 33955-408 | Acme Fruit Tree Spray | |
| 33955-450 | Acme Sevin 50W Insecticide | |
| 33955-462 | Acme Sevin 5% Dura-Dust | |
| 33955-533 | Acme Sevin Brand Carbaryl Insecticide Liquid Dura-Spray | |
| 33955-541 | Acme Dursban Granular Insecticide | |
| 33955-547 | Acme Dursban Insecticide for Lawns and Ornamentals | |
| 33955-555 | Acme Bendiocarb 1% Homeowner Dust | |
| | | |

Enclosed for each of the products shown above are the following:

- a) Three copies of revised labeling.
- b) Application for Pesticide Amendment (EPA Form 8570-1).

If you have any questions, please call me at 816/421-4070.

Sincerely,

•

,

Himbursta

James A. Armbruster, Ph.D. Manager, Regulatory Services

JAA/slh



0