	'	i9 à	ر ندر				N	of first in	
(A) SEP	United State Office o	rs Environmental Prote f Pesticide Programs (I Washington, DC 2046 Sication for Pe	H7505 0	gency C)	F	om <u>8 No. 207</u> legistrat Amendm Other	ion	Approval expires 11-39-93 OPP Identifier Number 192028	
		Section I		<u></u>	41,			102020	
Company/Product Number)r	Section I	2. El	PA Product Mana	ager		3. Pro	oposed Classification	
2217-383			D	Dennis Edwards					
4. Company/Product (Name) Sevin® Dust 5%			PM# None Restrictéd (PM 19)						
PBI/Gordon Corporation PO Box 4090 1217 West 12th Street Kansas City, MO 64101			(b)(i to: EPA	EPA Reg. No					
		0	Proc	luct Name			=		
Amendment - Explain below				Final printed labels in response to Agency letter dated					
Resubmission in respon	nse to Agency letter o	dated	.	"Me Too" Appli					
Notification - Explain below.				Other - explain below.					
		Cacilar III	·- <u>-</u> -		<u>.</u> .	L	ABEL I	IFICATION NOT REVIEWED R NOTICE 98-6	
Material This Product V	Vill Be Packaged In:	Section III				DAT	E /	1/12/93	
Child-Resistant Packaging	Unit Packaging	Water	Solub	le Packaging		2. Type of Co	ontainer		
Yes*	`.es		Yes				Metal Nostin		
□ No	No No		No				Plastic Blass		
	if "Yes,"	No. per If "Yes	s,"	· No. p			Paper Other (S	pecify)	
* Certification must be submitted.	Unit Package wgt.	container Packa	ige wg	t, contai · I	iner		- •		
Location of Net Contents	ontain	ntainer 5. Location of Label Directions							
	ontainer					On Label On Labeling	accom	panying product	
6. Manner in Which Label Is	s Affixed To Product	Lithograph Paper glued		Other	r (
		Stenciled				-		••••	
Contact Point (Complete	r items directly below	Section I'd Section I'd Section I'd Section I'd Section of Indi		to be contacted.	if nece	ssary, to p.o.	cecs ini	s application.)	
James A. Armbru		Title		egulatory (-	Īī	şlephpn	e No. (Include Area Code))421-4070	
		Certification						6. Date Application	
I certify that the statemen I acknowledge that any li both under applicable lav	unowingly false or mis							Received (Starkped)	
2 Signature	Simbuet	es .	gr. F	Regulatory S	Servi	ices		``.;	
4 Typed Name James A. Armbru	uster, Ph.D.	5 Date	ay 2	0, 1993					
EPA Form 8570-1 (Rev. 12-	90) Previous edi	tions are obsolete.		White EPA	File (Copy (origina	nl)	Yellow - Applicant copy	

SEVIN® DUST 5%

AN INSECTICIDE VEGETABLES - SMALL FRUITS - FLOWERING PLANTS

For Home Garden Use

CONTROLS TICKS AND FLEAS ON PETS

ACTIVE INGREDIENT:

Carbaryl (1-naphthyl N-methylcarbamate) 5.00% INERT INGREDIENTS 95.00%

TOTAL 100.00%

*SEVIN • is the registered trademark of Rhöne-Poulenc for carbaryl insecticide.

KEEP OUT OF REACH OF CHILDREN

NOTIFICATION
LABEL NOT REVIEWED
PER PA NOTICE 86-6

CAUTION

See back panel for Precautionary Statements and Statement of Practical Treatment

NET WEIGHT ONE POUND

AP052393

EPA REG NO 2217-383 EPA EST NO 2217-KS-1

Mfd by: PBI/GORDON CORPORATION KANSAS CITY, MISSOURI 64101

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: May be harmful if swallowed. Avoid breathing vapors (dust or spray mist). Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

Statement of Practical Treatment

IF SWALLOWED: Induce vomiting and seek medical attention immediately.

IF IN EYES OR ON SKIN: Flush eyes thoroughly with water: wash skin thoroughly with soap and water. Note to Physician: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal. Do not use 2-PAM, opiates, or cholinesterase inhibiting drugs.

Environmental Hazards

This pesticide is toxic to aquatic and estuarine invertebrates. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weds. Do not apply this product or allow it to drift to blooming crops or weeds if pees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

STORAGE: Do not contaminate water, food, or feed by storage or disposal. Store in original container in a locked storage area inaccessible to children or pets. Keep in a cool dry place.

PESTICIDE DISPOSAL: Securely wrap original container (bag) in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

Apply SEVIN® DUST 5% when insects or their damage appear. Make application in the morning or evening when it is cool. Treat upper and lower surface of all foliage for complete coverage. Repeat as necessary, generally at 7-day intervals. For best results apply with a dust gun. Do not apply in excess. Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl labels.

- VEGETABLE INSECT CONTROL -

Asparagus: To control Asparagus Beetle and Apache Cicada. Do not repeat application within three days.

Beans (Green Beans, Lima Beans, Snap Beans, Cowpeas, Black-eyed): To control Mexican Bean Beetle, Bean Leaf Beetle, Cucumber Beetles, Flea Beetles, Japanese Beetle, Leafhoppers, Velvetbean Caterpillar, Western Bean Cutworm, Armyworms, Com Earworm, Stink Bugs and Tarnish Plant Bugs.

Sweet Com: To control Com Earworm, Com Rootworm adults. European Corn Berer, Pall Armyworm, Flea Beetles, Japanese Beetles, Sap Beetles, and Leafhoppers. For larvae in Whoft (budworm damage) and foliage feeders, apply to entire plant. Repeat as necessary.

For insects attacking silks and ears, apply at 2 to 3 day intervals starting when first silks appear, and continuing until silks begin to dry. Three or more applications may be required depending on severity of infestation. Timing and good coverage are essential for effective control.

Cucumber, Melons, Pumpkin, Squash: To control Pickleworm, Melonworm, Cucumber Beetles, Frea Beetles, Leafhoppers and Squash Bugs. Avoid excessive applications. Some leaf injury may occur if

treatments are made when tender foliage is wet or in the presence of prolonged high humidity. Do not use on watermelons in Florida.

<u>Potato, Tomato, Eggplant, Pepper:</u> To control Colorado Potato Beetle, Flea Beetles, Leafhoppers, European Corn Borer, Fall Armyworm, Lace Bugs, Tomato Fruitworm, Tomato Hornworm, Tarnish Plant Bugs, Stink Bugs.

Okra: To control Corn Earworm and Stink Bugs.

<u>Head Lettuce and Carrots:</u> To control Flea Beetles, Harlequin Bug, Leafhoppers, Armyworms, Cabbage Caterpillar, Com Earworm, Spittlebugs, Tarnished Plant Bugs and Stink Bugs. To control small Cabbage Loopers use on a 5 to 7 day schedule.

<u>Cabbage, Broccoli, Brussels Sprouts, Cauliflower, Kohlrabi:</u> To control Flea Beetles, Harlequin Bug, Armyworms, Cabbage Caterpillars, Com Earworm. To control small Cabbage Loopers, use on a 5 to 7 day schedule.

- SMALL FRUIT INSECT CONTROL -

<u>Grapes:</u> To control Grape Berry Moth, Japanese Beetles, June Beetles, Red-banded Leafroller, Grape Leaf Folder, Grape Leaf Skeletonizer. Apply just before first brood Leaf Folder larvae emerge form rolls and as needed for Leafhoppers.

<u>Strawberries:</u> To control Meadow Spittlebug, Strawberry Leafroller and Strawberry Weevil. Do not apply within one day of harvest.

- GRASSHOPPERS ON THE ABOVE CROPS -

Apply SEVIN® DUST 5% as often as necessary on crops to control grasshoppers.

- PET USE -

<u>Dogs and Cats:</u> For ticks and fleas dust liberally over the entire animal, avoiding the eyes, and rub thoroughly into the skin. Comb out dead ticks a few hours after treatment. Repeat at weekly intervals if needed. Do not treat kittens less than 4 weeks of age. Do not treat puppies less than four weeks of age. Do not use on pregnant dogs. In and around dog and cat quarters: For ticks and fleas dust liberally in and around sleeping quarters, kennels and dog houses by means of a shaker can, hand, or dust gun.

- FLOWERING PLANTS -

Roses, Camations, Gladiolus, Mums, Azalea: For control of Flea Beetles, Blister Beetles, June Beetles, Lace Bugs, Leafhoppers, Mealy Bugs, Plant Bugs, Rose Aphid, Rose Aphid, Rose Slug, Scale Insects, and Thrips. Apply dust when air is calm. Cover upper and lower surfaces of leaves as well as stems and buds. Repeat at 7 day intervals, or as needed.

NOTE: Allow 1 day between dusting and harvest of Asparagus and Strawberries. Three days on Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Head Lettuce and Kohlrabi. Do not use on Leaf Lettuce within 14 days of harvest. Injury to young tender foliage may occur if plants are wet or in the presence of high humidity of several days duration following treatment.

LIMITED WARRANTY AND DISCLAIMER The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tomadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of products or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

