

### DIRECTIONS FOR LIVESTOCK PEST CONTROL

For control of stable flies, horn flies, lice, lone star ticks on dairy cattle, beef cattle, sheep, goats or hogs. (1 pt. to 25-33 gallons water)

Mix 1½-3 quarts of CIODRIN 382 Insecticide Emulsible Concentrate per 100 gallons of water. (1 pt. to 25-33 gallons water) Spray to thoroughly cover all parts of the animal using 2-4 quarts of spray for large animals and proportionately less for smaller animals. Treatment of premises such as barn walls, eaves, fences and other breeding or resting places with the above spray will aid in reducing the fly population in the area. Apply 1 gallon of spray mix per 1,000 square feet. Repeat above applications as necessary to maintain control, but no more often than once weekly.

# CIODRIN® INSECTICIDE EMULSIBLE CONCENTRATE

type found suitable by the U. S. Bureau of Mines for protection against CIODRIN 382 insecticide. Use this material only for recommended purposes and at recommended dosages.

WARNING! HAZARDOUS IF SWALLOWED, IN-HALED, OR ABSORBED THROUGH SKIN.

Wash thoroughly with soap and water after handling and before eating and smoking. Wear clean clothing. In case of spillage on person or clothing, immediately remove clothing and flush skin or eyes with plenty of water; for eyes, get medical attention.

WARNING FLAMMABLE!
KEEP AWAY FROM HEAT OR
OPEN FLAME.

MANUFACTURED BY
PBI - GORDON CORPORATION
KANSAS CITY, KANSAS

#### GENERAL DIRECTIONS

ciodrine 382 insecticide Emulsible Concentrate is suitable for use in conventional hydraulic sprayers or low pressure knapsack sprayers. Mix the required amount in sufficient water and apply in accordance with state and Federal Recommendations.

### DIRECTIONS FOR LIVESTOCK PEST CONTROL

For control of state flies continues continue star ticks on dairy cattle beef cattle sheep goats or hogs of pt it 25-33 galons water).

Mix 11:-3 quarts of C C DRIN 482 in-ecticide Emulsible Concentrate per 100 garlons of water (1 pt to 25-33 gallons water) Spray to thoroughly cover all parts of the animal using 2-4 quarts of spray for large animals and proportionately less for smaller animals. Treatment of premises such as harn walls eaves forces and theretoed no or resting places with the above spray will aid in reducing the fly population in the area. Apply 1 gallon of spray mix per 1,000 square feet. Repeat above applications as necessary to maintain control but no more often than once weekly

For control of lice and winter ticks on cattle

Mix 1 (.1% to 2½ (.25%) quarts of CIODRIN 382 Insecticide Emulsible Concentrate per 100 gallons of water. Spray animals thoroughly using up to 2 gallons of water for the 0.1% level and up to 1 gallon of water for the 0.25% level. Apply a second application 14 days later. Repeat applications as necessary to maintain control.

#### **BACK-RUBBER APPLICATIONS**

For use in back-rubbers or face-rubbers, for the control of horn files; mix 1 yallon of CIODRIN 382 insecticide Emulsible Concentrate in 50 gallons of back-rubber base oil. This may be diesel fuel or combinations of diesel fuel and motor oil in accordance with local recommendations.

948-772

# CIODRIN 382 CIODRIN INSECTICIDE EMULSIBLE CONCENTRATE

#### (Contains 3.2 lbs. Ciodrin Insecticide per gal.)

ACTIVE INGREDIENTS		,		0		WEIGHT
	ر-مراماد	neth	ibenyvi	,( <sup>2</sup> ),		#EIGH!
Dimethyl phosphate of a 3-hydroxy-cis-crotonate		•=••••	······································			. 38.20%
Lancianiu LianocalDoli	B		**********			. 44,50%
INERT INGREDIENTS	********				: 	. 17.30%
•	T	OTAL	5 <i> </i>			100.00%

WARNING: Keep Out of Reach of Children
See Side Panel for Additional Warnings

NET CONTENTS 1 GALLON

44-772

#### PRECAUTIONS IN USING

Do not contaminate feed or foodstuffs. During commercial exposure in spray-mixing and loading operations, wear clean synthetic rubber gloves and a mask or respirator of a type found suitable by the U. S. Bureau of Mines for protection against CIODRIN 382 insecticide. Use this material only for recommended purposes and at recommended dosages

WARNING! HAZARDOUS IF SWALLOWED, IN-HALFD, OR ABSORBED THROUGH SKIN

Wash thoroughly with soap and water after handling and before eating and smoking. Wear clean clothing. In case of spillage on person or clothing, immediately remove clothing and frish skin or clean ath plenty of water for eyen get medical afterfore.

## WARNING FLAMMABLE! KEEP AWAY FROM HEAT OR OPEN FLAME.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the tabel. Since conditions of use, such as weather, compatibility with other chemicals and condition of application equipment, will vary, Seller makes no claims other than those stated on this label.

E. P. A. Reg. No. 2217-412

948-772