

ACCEPTED
 MAY 19 1967
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTERED
 UNDER NO. 2017-434 SUBJECT
 TO ATTACHED COMMENTS.

C R A B G R A S S K I L L E R

CONTROLS CRABGRASS IN KENTUCKY, NERTON BLUE, AND ZOYSIA GRASSES

ACTIVE INGREDIENTS:

Disodium Methanearsonate	
Anhydrous	12.5%
INERT INGREDIENTS	<u>87.5%</u>
TOTAL	
	100.0%

Total Arsenic as elemental, all in water
 soluble form 5.0%
 Equivalent to 20.0% Disodium Methyl
 Arsonate Hexahydrate

(14 pt) *10 pt*
 CAUTION: Keep Out of Reach of Children
 See Side Panel for Additional Cautions

NET CONTENTS 1 QUANT

NET CONTENTS 1 GALLON

Packed by and under license granted to Private Brands, Inc.

Distributed by
 Various Private Brands, Inc. Customers
 As Subregistered

Directions for Use

The sward sward is moist and lush healthy before treating. Crabgrass will appear several days in advance during drought and sward turf to exhibit green color with fertilizer before treatment. During treatment keep sward mowed to about 1 1/2 inches. The amount of this product to be applied is as follows: Place the amount of this product to be applied in a jar with water. Shake evenly over the sward. The sward may be mowed with a lawn mower.

For use on lawns: Add amount of this product with 3 gallons water. Spray evenly over the 1,000 square foot area. Mow after the sward has retained water after using.

For Use on Lawns

Apply in early summer when crabgrass is young. Follow with two or more treatments at 7 day intervals. Repeated applications may be necessary if new crabgrass growth appears later in season.

1,000 square feet - 1 cup
250 square feet - 1/4 tablespoons

For Use on Lawns

Make applications at 7 day intervals.

1,000 square feet - 1 1/2 cups
250 square feet - 3/8 tablespoons

For Use on Lawns

Make two applications at 7 day intervals. This application may discolor, but won't permanently injure the sward grasses. If directions are followed, crab grasses will be reduced to normal.

1,000 square feet - 2 cups
250 square feet - 1/2 tablespoons

NOTE: This product is a selective crabgrass killer at recommended rates of application in the presence of Kentucky, Orion Blue, and Loyola grasses. Under ideal weather and turf conditions, such as cool days and moist turf, it is also selective in the presence of sensitive grasses, such as fescues and bent. Discoloration may occur in fescues and bent grass areas, however, the young crabgrass' damage is recommended when these grasses predominate. This will require a series of treatments if necessary, to be applied until crabgrass is absent in these areas. If necessary, August 1, 1967, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31.

ACCEPTED
May 19-1967
2317-
434