

ACCEPTED

Dec-10-1967

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
EPA REGISTRATION NUMBER 101-1017
EPA UNDER REG. NO. 101-1017. SUBJECT
TO ATTACHED COMMENTS 441

HOW MUCH TO USE:
Contains DICAMBA plus 2,4-D. IT IS NOT NECESSARY
TO DOUBLE THE DOSE TO CONTROL HARD-TO-KILL
WEEDS.

TO SPRAY ENTIRE LAWN
1 Plot covers up to 3,500 sq. ft. of Lawn Area
Dilute with water as indicated below.

2 oz. in 1/2 gallon	1 gallon for 3,500 sq. ft.
4 oz. in 1 gallon	2 gallons for 7,000 sq. ft.
8 oz. in 2 gallons	4 gallons for 14,000 sq. ft.
16 oz. in 4 gallons	8 gallons for 28,000 sq. ft.

For Lawn Mow Sprayers dilute the amount shown
above with enough water to fill the sprayer bottle to
the 2 gal. level for 300 sq. ft.—to the 8 gal. level
for 1300 sq. ft.—to the 12 gal. level for 2700 sq. ft.
DO NOT SPRAY WINDS.

Lawn Mow Sprayers are not suited for this type of
treatment. Use a hand pressure sprayer. Mix 8 oz. in
3 gals. of water and spray each weed to point of spray
runoff. Make sure to use a Spreader Sticker so that
each weed will be thoroughly wet.
CAUTION: Avoid contact with skin, eyes, and clothing.
In case of contact flush with plenty of water; for eyes
get medical attention. Do not take internally. Keep out
of reach of children. Avoid drift of spray mist onto
vegetables, flowers, ornamental plants, shrubs, trees
and other desirable plants. Do not contaminate domes-



EXIT

LAWN WEED KILLER
Contains DICAMBA

CAUTION: Keep Out of Reach of Children
See Side Panels for Additional Cautions

Active Ingredients	
Dimethylamine salt of Dicamba (3,6 di-chloro-o-anisic acid)*	3.43%
Dimethylamine salt of related acids*	.61%
Dimethylamine salt of 2,4-dichlorophenoxyacetic acid**	13.72%
Inert Ingredients	82.24%
Total 100.00%	

*3,6-dichloro-o-anisic acid equivalent 2.85% or 1.1 pounds per gal.
**2,4-dichlorophenoxyacetic acid equivalent 11.4% or 1 pound per gal.
NET CONTENTS ONE QUART

MADE IN U.S.A.
GORDON CORPORATION
KANSAS CITY, KANSAS

Approved
Chickweed
KILLS
Controlled
Sharp to Top
Meadow
DIRECTIONS FOR USE

WHERE TO USE:
May be used on bluegrass, bermuda and Zoysia lawns,
vacant lots, play grounds and other similar areas where
HARD-TO-KILL weeds are present. Effective against
these weeds such as SHEEP SORE, KNOTWEED,
SPOTTED SPURGE, CHICKWEED, OXALIS and HENBIT.
In addition to these it kills a large number of weeds,
some of which are listed below.
Do not allow spray to get on vegetables or ornamental
plants since injury may result. Do not use on Centaurea
or St. Augustine Grass or on lawns or turf where
desirable Bentgrass or Clovers are present.

- | | | |
|----------------|---------------|--------------|
| Cockspur | Mallow | Spurred |
| Clover | Morning Glory | Wild Carrot |
| Dandelion | Peppercorn | Wild Garlic |
| Dock | Pigweed | Wild Lettuce |
| Ground Ivy | Plantain | Wild Onion |
| Heal-all | Poison Ivy | Yarrow |
| Lamb's-quarter | Poison Oak | |
| | Rustgrass | |

WHEN TO USE:
Spray at any time during the growing season when

Our Name
Guaran
of
Quali

18



EXIT
LAWN WEED KILLER
Contains DICAMBA

CAUTION: Keep Out of Reach of Children
See Side Panels for Additional Cautions

Active Ingredients	
Dimethylamine salt of Dicamba (3,6 dichloro-o-anisic acid)*	3.43%
Dimethylamine salt of related acids*	.61%
Dimethylamine salt of 2,4-dichlorophenoxyacetic acid**	13.72%
Inert Ingredients	82.24%
Total	100.00%

*3,6 dichloro-o-anisic acid equivalent 2.85% or 1.4 pounds per gal.
**2,4 di chloro phenoxyacetic acid equivalent 11.4% or 1 pound per gal.

NET CONTENTS ONE QUART

GORDON CORPORATION
KANSAS CITY, KANSAS

ALLS
Spotted Spurge
Sheep Sorrel
Oxalis
Henbit

DIRECTIONS FOR USE:
WHERE TO USE: May be used on bluegrass, bermuda and Zoysia lawns, vacant lots, play grounds and other similar areas where HARD-TO-KILL weeds are present. Effective against these weeds such as SHEEP SORREL, KNOTWEED, SPOTTED SPURGE, CHICKWEED, OXALIS and HENBIT. In addition to these it kills a large number of weeds, some of which are listed below. Do not allow spray to get on vegetables or ornamental plants since injury may result. Do not use on Centipede or St. Augustine Grass or on lawns or turf where desirable Bentgrass or Clovers are present.

Buckhorn	Mallow	Speedwell
Chicory	Morning glory	Nagweed
Clover	Peppergrass	Wild Carrot
Dandelion	Pigweed	Wild Garlic
Dock	Plantain	Wild Lettuce
Ground Ivy	Poison Ivy	Wild Onion
Healfall	Poison Oak	Yarrow
Lamb'squarter	Purslane	

WHEN TO USE: Spray at any time during the growing season when

*Our Name Is Your
Guarantee
of
Quality*

ACCEPTED
 Dec-10-1969
 2217

HOW MUCH TO USE:
 Contains DICAMBA plus 2,4-D. IT IS NOT NECESSARY TO DOUBLE THE DOSE TO CONTROL HARD-TO-KILL WEEDS.

TO SPRAY ENTIRE LAWN
 1 Pint covers up to 5,500 sq. ft. of Lawn Area. Dilute with water as indicated below.

Pressure Sprayers	Lawn Hose Sprayers**	Area to Spray
2 oz. in 1/2 gallon	2 oz. per 2 gal.	300 sq. ft.
4 oz. in 1 1/2 gallons	4 oz. per 4 gal.	1300 sq. ft.
6 oz. in 3 gallons	6 oz. per 6 gal.	2700 sq. ft.
1 pint in 6 gallons	1 pint per 12 gal.	5500 sq. ft.

**For Lawn Hose Sprayers dilute the amount shown above with enough water to fill the sprayer bottle to the 2 gal. level for 300 sq. ft.—to the 6 gal. level for 1300 sq. ft.—to the 12 gal. level for 2700 sq. ft.

TO SPOT SPRAY WEEDS
 Lawn Hose Sprayers are not suited for this type of treatment. Use a hand pressure sprayer. Mix 8 oz. in 3 gals. of water and spray each weed to point of spray runoff. Make sure to use a Spreader Sticker so that each weed will be thoroughly wet.

CAUTION: Avoid contact with skin, eyes, and clothing. In case of contact flush with plenty of water. For eyes get medical attention. Do not take internally. Keep out of reach of children. Avoid drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not contaminate dunes.



EXIT
LAWN WEED KILLER
 Contains DICAMBA

CAUTION: Keep Out of Reach of Children
 See Side Panels for Additional Cautions

Active ingredients:	
Dimethylamine salt of Dicamba (3,6 dichloro- <i>p</i> -aminic acid)	3.43%
Dimethylamine salt of related acids*	.61%
Dimethylamine salt of 2,4-dichlorophenoxyacetic acid**	13.72%
Inert ingredients	82.24%
Total	100.00%

*3.6 dichloro-*p*-aminic acid equivalent 2.85% or 1/3 pound per gallon.
 **2,4-dichlorophenoxyacetic acid equivalent 11.4% or 1 pound per gallon.

NET CONTENTS ONE QUART

KILLS
 Knotweed
 Chickweed
 Spotted Spurge
 Sheep Sorrel
 Oxalis
 Henbit

DIRECTIONS FOR USE
WHERE TO USE:
 May be used on bluegrass, bermuda and Zoysia lawns, vacant lots, play grounds and other similar areas where HARD-TO-KILL weeds are present. Effective against these weeds such as SHEEP SORREL, KNOTWEED, SPOTTED SPURGE, CHICKWEED, OXALIS and HENBIT. In addition to these it kills a large number of weeds, some of which are listed below. Do not allow spray to get on vegetables or ornamental plants since injury may result. Do not use on Centipede or St. Augustine Grass or on lawns or turf where desirable Bentgrass or Clovers are present.

Buckhorn	Mallow	Speedwell
Chicory	Morning Glory	Wagweed
Clover	Peppercorn	Wild Carrot
Dandelion	Pigweed	Wild Garlic
Dock	Plantain	Wild Lettuce
Ground Ivy	Poison Ivy	Wild Onion
Healall	Poison Oak	Yarrow
Lambsquarters	Purslane	

WHEN TO USE:
 Spray at any time during the growing season when

MANUFACTURED BY
GORDON CORPORATION
 KANSAS CITY, KANSAS

ACCEPTED
 10-10-1969
 SUBJECT 441



EXIT
 LAWN WEED KILLER
 Contains DICAMBA

CAUTION: Keep Out of Reach of Children
 See Side Panels for Additional Cautions

Active Ingredients:
 Dimethylamine salt of Dicamba (3,6 di-
 chloroaniline acid) 3.43%
 Dimethylamine salt of related acids* .61%
 Dimethylamine salt of
 2,4-dichlorophenoxyacetic acid** 13.72%
 Inert Ingredients 82.24%
 Total 100.00%
 *3.6 di chloro aniline acid equivalent 2.65% or 1:
 10.70% P.P.G.
 **2.4 di chlorophenoxy acetic acid equivalent 11.4% or
 1 pound P.P.G.

NET CONTENTS ONE QUART

MANUFACTURED BY
GORDON CORPORATION
 KANSAS CITY, KANSAS

KILLS
 Knotweed, Chickweed, Spotted Spurge, Sheep Sorrel, Oxalis, Henbit

WHERE TO USE:
 May be used on bluegrass, bermuda and Zoysia lawns, vacant lots, play grounds and other similar areas where HARD-TO-KILL weeds are present. Effective against these weeds such as SHEEP SORREL, KNOTWEED, SPOTTED SPURGE, CHICKWEED, OXALIS and HENBIT. In addition to these it kills a large number of weeds, some of which are listed below.
 Do not allow spray to get on vegetables or ornamental plants since injury may result. Do not use on Centipede or St. Augustine Grass or on lawns or turf where desirable Bentgrass or Clovers are present.

- | | | |
|--------------|---------------|--------------|
| Buckhorn | Mallow | Spotted |
| Chicory | Morning Glory | Spurge |
| Clover | Pepperglass | Wild Carrot |
| Dandelion | Pigweed | Wild Garlic |
| Doak | Plantain | Wild Lettuce |
| Ground Ivy | Poison Ivy | Wild Onion |
| Healall | Poison Oak | Yarrow |
| Lambsquarter | Purslane | |

WHEN TO USE:
 Spray at any time during the growing season when

*Our Name Is Your
 Guarantee
 of
 Quality*

CAUTION: Avoid contact with:
Avoid contamination of food of
children and animals
with hands after using.

KEEP OUT OF REACH OF
children.

ANTIDOTE: If taken internally
at once.

NON-WARRANTY: Seller makes no
regarding this product except
ingredient statement herein.
possession, handling, or use in
any directions contained hereon.

Licensed for use in the concrete
method of Patent 2,674,215 by
purchase price of a royalty.
to use the patented method will
will be granted upon request to
P. O. Box 204, Summit, N. J.

U.S.P. Pat. No. 2,674,215-

AC
M

ACCEPTED

Dec-10-1969

2217- SUBJECT TO ATTACHED COMMENTS. 441

HOW MUCH TO USE:

Contains DICAMBA plus 2,4-D. IT IS NOT NECESSARY TO DOUBLE THE DOSE TO CONTROL HARD-TO-KILL WEEDS.

TO SPRAY ENTIRE LAWN

1 Pint covers up to 5,500 sq. ft. of Lawn Area Dilute with water as indicated below.

Pressure Sprayers **Lawn Hose Sprayers** Area to Spray**
2 tblsp. in 1/2 gallon 2 tblsp. for 2 gals. 300 sq. ft.
4 oz. (8 tblsp.) in 1 1/2 gal. 8 tblsp. for 6 gals. 1300 sq. ft.
8 oz. in 3 gallons 16 tblsp. for 12 gals. 2700 sq. ft.
1 pint in 6 gallons 1 pint for 24 gals. 5500 sq. ft.

* For Lawn Hose Sprayers dilute the amount shown above with enough water to fill the sprayer bottle to the 2 gal. level for 300 sq. ft.—to the 6 gal. level for 1300 sq. ft.—to the 12 gal. level for 2700 sq. ft.

TO SPOT SPRAY WEEDS

Lawn Hose Sprayers are not suited for this type of treatment. Use a hand pressure sprayer. Mix 8 oz. in 3 gals. of water and spray each weed to point of spray runoff. Make sure to use a Spreader Sticker so that each weed will be thoroughly wet.

CAUTION: Avoid contact with skin, eyes, and clothing. In case of contact flush with plenty of water; for eyes get medical attention. Do not take internally. Keep out of reach of children. Avoid drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not contaminate domes-



EXIT

LAWN WEED KILLER

Contains DICAMBA

CAUTION: Keep Out of Reach of Children
See Side Panels for Additional Cautions

Active Ingredients	
Dimethylamine sale of Dicamba (3,6 di-chloro-o-anisic acid)*	3.43%
Dimethylamine salt of related acids**	.61%
Dimethylamine salt of 2,4-dichlorophenoxyacetic acid**	13.72%
Inert Ingredients	82.24%
Total 100.00%	

*3,6-dichloro-o-anisic acid equivalent 2.85% or 1/4 pounds per gal.
**2,4-dichlorophenoxyacetic acid equivalent 11.4% or 1 pound per gal.

NET CONTENTS ONE QUART



MANUFACTURED BY
GORDON CORPORATION
KANSAS CITY, KANSAS

KILLS
Knotweed Spotted Spurge Oxalis
Chickweed Sheep Sorrel Henbit

DIRECTIONS FOR USE

WHERE TO USE:

May be used on bluegrass, bermuda and Zoysia lawns, vacant lots, play grounds and other similar areas where HARD-TO-KILL weeds are present. Effective against these weeds such as SHEEP SORREL, KNOTWEED, SPOTTED SPURGE, CHICKWEED, OXALIS and HENBIT. In addition to these it kills a large number of weeds, some of which are listed below.

Do not allow spray to get on vegetables or ornamental plants since injury may result. Do not use on Centipede or St. Augustine Grass or on lawns or turf where desirable Bentgrass or Clovers are present.

Buckhorn	Mallow	Speedwell
Chicory	Morning Glory	Ragweed
Clover	Peppergrass	Wild Carrot
Dandelion	Pigweed	Wild Garlic
Dock	Plantain	Wild Lettuce
Ground Ivy	Poison Ivy	Wild Onion
Healall	Poison Oak	Yarrow
Lambsquarter	Purslane	

WHEN TO USE:

Spray at any time during the growing season when

Our Name Is Your

Guarantee

of

Quality

Doc 1969

2217-441

HOW MUCH TO USE:
 Contains DICAMBA plus 2,4-D. IT IS NOT NECESSARY TO DOUBLE THE DOSE TO CONTROL HARD-TO-KILL WEEDS.


TO SPRAY ENTIRE LAWN
 1 Pint covers up to 5,500 sq. ft. of Lawn Area Dilute with water as indicated below.

Pressure Sprayers	Lawn Hose Sprayers	Area to Spray
2 tblsp. in 1/2 gallon	2 tblsp. for 2 gals.	300 sq ft.
1 oz. (8 tblsp.) in 1 1/2 gal.	8 tblsp. for 6 gals.	1300 sq ft.
8 oz. in 3 Gallons	16 tblsp. for 12 gals.	2700 sq ft.
1 pint in 6 Gallons	1 pint for 24 gals.	5500 sq ft.

For Lawn Hose Sprayers dilute the amount shown above with enough water to fill the sprayer bottle to the 2 gal. level for 300 sq. ft.—to the 6 gal. level for 1300 sq. ft.—to the 12 gal. level for 2700 sq. ft.

TO SPOT SPRAY WEEDS
 Lawn Hose Sprayers are not suited for this type of treatment. Use a hand pressure sprayer. Mix 8 oz. in 3 gals. of water and spray each weed in point of spray runoff. Make sure to use a Spreader/Striker so that each weed will be thoroughly wet.

CAUTION: Avoid contact with skin, eyes, and clothing. In case of contact flush with plenty of water. For eyes get medical attention. Do not take internally. Keep out of reach of children. Avoid drift or spray mist onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not contaminate domes-



EXIT

LAWN WEED KILLER

Contains **DICAMBA**

CAUTION: Keep Out of Reach of Children
 See Side Panels for Additional Cautions

Active ingredients:
 Dimethylamine salt of Dicamba 3.6 di- 3.14
 eth crochloans, and 1.7
 Dimethylamine salt of related acids 1.7
 Dimethylamine salt of 1.7
 2,4-Dichlorophenoxyacetic acid 13.7
 Total ingredients 20.2

NET CONTENTS ONE QUART

MANUFACTURED BY
GORDON CORPORATION
 KANSAS CITY, KANSAS

KILLS
 Knotweed, Chickweed, Spotted Spurge, Sheep Sorrel, Oxalis, Henbit

DIRECTIONS FOR USE
WHERE TO USE:
 May be used on bluegrass, bermuda and Zoysia lawns, vacant lots, play grounds and other similar areas where HARD-TO-KILL weeds are present. Effective against these weeds such as SHEEP SORREL, KNOTWEED, SPOTTED SPURGE, CHICKWEED, OXALIS and HENBIT. In addition to these it kills a large number of weeds, some of which are listed below.
 Do not allow spray to get on vegetables or ornamental plants since injury may result. Do not use on Centipede or St. Augustine Grass or on lawns or turf where desirable Bentgrass or Clovers are present.

- | | | |
|---------------|-----------------|--------------|
| Buckhorn | Mallow | Speedwell |
| Chicory | Morning Glory | Ragweed |
| Clover | Peppercorn | Wild Carrot |
| Dandelion | Plantain | Wild Garlic |
| Crab | Red Top | Wild Lettuce |
| Ground Ivy | Sheep Sorrel | Wild Onion |
| Heavenly Blue | Smartweed | Yarrow |
| Lamb'squarter | St. John's Wort | |

WHEN TO USE:
 Spray at any time during the growing season when

*Our Name Is Your
 Guarantee
 of*

Quality