

ACCEPTED
10-17-74
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO..... SUBJECT
TO ATTACHED COMMENTS.

2277-456



bagworm bomb

kills
bagworms on evergreens


bag that can be seen. Large droplets of spray will reach six to eight feet from spray tip. Trees up to eight feet in height can be covered adequately. Do not over apply. Always water and fertilize damaged trees.

RED SPIDERS — On evergreens, spider mites appear in damaging numbers as summer temperatures increase and rainfall is sparse. They over winter as an adult mite rather than an egg. To detect mite presence, hold white paper beneath foliage and shake foliage, observe paper for crawling mites. Treat area where damage appears (browning of foliage) and repeat on foliage as needed for control. Always water and fertilize damaged trees.

CAUTION

MANUFACTURED FOR
PBI - GORDON CORPORATION
KANSAS CITY, KANSAS 66118

10-17-74



bagworm bomb

kills
bagworms on evergreens

also kills

Red Spider

ACTIVE INGREDIENTS:

O, O-dimethyl O-(2-isopropyl-4-methyl-5-pyridinyl) phosphorothioate	0.900%
Pyrethrin	0.002%
Technical piperonyl butoxide (equivalent to 0.280% butylcarbityl (0-propylpiperonyl) ether and 0.02% other related compounds)	0.281%
Petroleum distillate	98.187%
	79.990%
INERT INGREDIENTS	20.010%
Total	100.000%

WARNING: CONTENTS UNDER PRESSURE

Keep Out of Reach of Children

See Side Panel for Additional Warnings

E.P.A. Reg. No. 2217-456-AA

681-974

NET WEIGHT 14 OUNCES

BAGWORM BOMB

DIRECTIONS FOR APPLICATION

BAGWORMS — In the midwest, bagworms hatch about the 2nd week in June. They leave the old bag in which they spent the winter as an egg and immediately spin a bag about themselves to begin feeding on the plant foliage. Large numbers of worms can defoliate a tree and cause evergreen plants to die. Direct the spray lightly at each tree that can be seen. Large droplets of spray will reach six to eight feet from spray tip. Tree up to 100 feet in height can be covered. The entire tree should be sprayed, including the trunk and lower branches.

RED SPIDERS

Red spiders are a common pest of evergreen plants. They are small, eight-legged insects that feed on the leaves of evergreen plants. They are most common in the fall and winter months. They can be controlled by spraying with Bagworm Bomb. The spray should be directed at the leaves of the plant. The entire plant should be sprayed, including the trunk and lower branches.

CAUTION

Harmful if swallowed. Keep out of reach of children. Avoid contamination of feed and foodstuffs. Avoid inhalation and skin contacts; wash thoroughly after using. Do not use on household pets or humans. Remove pets, birds, and fish bowls before spraying.

Use this material only on evergreen plants since leaf burn damage may result on deciduous plants having broad leaves.

WARNING: Contents under pressure. Do not use or store near heat or open flame. Exposure to temperatures above 130° F. may cause bursting. Never throw container into fire incinerator.

Remove Pets, Birds, and Fish Bowls before spraying.

Do not allow children in treated areas until surfaces are dry.

COMBUSTIBLE MIXTURE—DO NOT SPRAY NEAR OPEN FLAME. DO NOT SMOKE WHILE USING.

NOTICE — Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment will vary, seller makes no claims other than those stated on this label.

E.P.A. Est. No. 11715-TN-1

681-974

*T.M. Registered, P.B.I.