

SUPER LAWN WEED KILLER

CONTROLS EVEN HARD-TO-KILL WEEDS

ACTIVE INGREDIENTS:

Dimethylamine salt of Dicamba (3,6-Dichloro-o-anisic acid)*.....	3.43%
Dimethylamine salt of related compounds*.....	.61%
Dimethylamine salt of 2,4-dichloro- phenoxyacetic acid**.....	13.72%
INERT INGREDIENTS	<u>82.24%</u>
	100.00%


* 3,6-dichloro-o-anisic acid equivalent 2.85% or $\frac{1}{4}$ pound per gal.

** 2,4-dichlorophenoxyacetic acid equivalent 11.4% or $\frac{1}{2}$ pound per gal.

14 pt *10 pt*
CAUTION: Keep Out of Reach of Children
See back panel for additional cautions

NET CONTENTS 1 QUART

Distributed by
Various Private Brands, Inc. Customers
As Subregistered



BEST DOCUMENT AVAILABLE

9

plants. Do not store in contact with fertilizers, seeds, insecticides, or fungicides. Do not spray on dichondra nor lawns or turf where desirable Bent Grass or clover is present. When container is empty wash thoroughly and destroy. Never re-use. Use only lawn sprayers for this use. Coarse sprays are less likely to drift. Do not spray areas overlaid with roots of desirable plants. Do not apply within the drip line of small trees and shrubs.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment, will vary, Seller makes no claims other than those stated on this label.

U.S.D.A. REG. NO. 2217-

912-

BEST DOCUMENT AVAILABLE

WATER-SOLUBLE WEED KILLER

CONTROL, EVEN HARD-TO-KILL WEEDS

ACTIVE INGREDIENTS:


Dimethylamine salt of Dicamba (3,6-Dichloro-o-anisic acid)*.....	3.43%
Dimethylamine salt of related compounds*.....	.61%
Dimethylamine salt of 2,4-dichloro- phenoxyacetic acid**.....	13.72%
INERT INGREDIENTS	82.24%
	<u>100.00%</u>

- * 3,6-dichloro-o-anisic acid equivalent 2.85% or 1/4 pound per gal.
- ** 2,4-dichlorophenoxyacetic acid equivalent 11.4% or 1/2 pound per gal.

14/11 *10 p/p*
CAUTION: Keep Out of Reach of Children
See back panel for additional cautions

NET CONTENTS 1 QUART

Distributed by
Various Private Brands, Inc. Customers
As Subregistered



BEST DOCUMENT AVAILABLE

Directions For Use

Apply to ^{LAWNS} Bluegrass, Bermuda, and Zoysia lawns, vacant lots, play grounds and other areas where weeds are present. This spray is especially effective against:

Chickweed	Knotweed	Sheep Sorrel
Henbit	Oxalis	Spotted Spurge

It is not necessary to increase the dose for these hard-to-kill weeds.

Also, spray as directed for the control of the following weeds:

Witcham	Narrow	Ragweed
Chicory	Morning Glory	Speedwell
Clover	Peppergrass	Wild Carrot
Dandelion	Pigweed	Wild Garlic
Doan	Plantain	Wild Lettuce
Ground Ivy	Poison Ivy	Wild Onion
Healall	Poison Oak	Yarrow
Lambquarter	Purslane	

TO SPRAY EFFECTIVELY--Spray at all time during the season when weeds are actively growing. Chickweed, Henbit, Wild Onion, and Garlic should be treated in the fall and, if needed, again in the spring. Wait until new grass has reached a height of 2 inches before making an overall spray treatment.

Area to Spray	Super		Water	
	Lawn Weed Killer	Pressure Sprayer - Lawn Hose Sprayer		
330 300 Sq. Ft.	2 tablespoons	$\frac{1}{2}$ gallon	2 gallons	
1320 1200 Sq. Ft.	3 tablespoons ($\frac{1}{2}$ c)	$1\frac{1}{2}$ gallons	6 gallons	
2640 2400 Sq. Ft.	10 tablespoons (1 c)	3 gallons	12 gallons	
5280 4800 Sq. Ft.	1 Pint (2 cups)	6 gallons	24 gallons	

Do not spray weeds during drought periods unless the lawn has been thoroughly watered 2-3 days previously. Wait 2 weeks before putting new grass seed or stolens in the bare spots. Do not allow Super Lawn Weed Killer to get on vegetables or ornamental plants as injury may result. Do not apply to Centipede or St. Augustine Grass or on lawns or turfs where desirable Bent Grass or Clover is present. For best results, always use a spreader sticker when making application.

TO SPOT-SPRAY--Spot spray weed treatment may be made at any time with a small pressure sprayer. Mix 2 ounces (1 cup) of Super Lawn Weed Killer in 3 gallons water. Spray each weed at ground level to a point of spray run-off. Do not use a Lawn Hose Sprayer for this type of treatment.

CAUTION: Avoid contact with skin, eyes, and clothing. In case of contact, flush with plenty of water; for eyes get medical attention. Do not take internally. Keep out of reach of children.

Avoid drift of spray mist into vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not contaminate domestic or irrigation water. Do not pour spray solutions near these

plants. Do not store in contact with fertilizers, seeds, insecticides, or fungicides. Do not spray on dandelion nor lawn or turf where desirable bent Grass or clover is present. When control is desired, spray thoroughly and destroy. Never re-use. Use only lawn mowers for this use. Coarse sprays are less likely to drift. Do not spray areas underlain with roots of desirable plants. Do not apply within the drip line of small trees and shrubs.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment, will vary, Seller makes no claims other than those stated on this label.

U.S.D.A. REG. NO. 2217-

912-

BEST DOCUMENT AVAILABLE

100-10-KIL

100-10-KIL

ACTIVE INGREDIENTS:

- Diethylamine salt of Dicamba
(3,6-dichloro-o-anisic acid)*
- Diethylamine salt of related
Diethylamine salt of 2,4-dic
hloroacetic acid**.....

INERT INGREDIENTS

* 3,6-dichloro-o-anisic acid eq
per gal.

** 2,4-dichlorophenyl acetic acid
1 pound per gal.

14, 1 *10, 1/2*
CAUTION: Keep out of reach of
See back panel for ad

NET CONTENTS, 1 QUART

Distributed by
Various Private Brands
as Registered

Directions For Use

Apply to ^{LAWNS} bluegrass, Bermuda and Zoysia lawns, vacant lots, play grounds and similar areas where weeds are present. This spray is especially effective against:

Chickweed	Knotweed	Sheep Sorrel
Henbit	Oxalis	Footed Spurge

It is not necessary to increase the dose for these hard-to-kill weeds.

Also, spray is effective for the control of the following weeds:

Wormwood	Mallow	Ragweed
Chicory	Morning Glory	Speedwell
Clover	Peppergrass	Wild Carrot
Yonkilon	Pigweed	Wild Garlic
Doc	Plantain	Wild Lettuce
Ground Ivy	Poison Ivy	Wild Onion
Healall	Poison Oak	Yarrow
Partridge	Purslane	

TO SPRAY EFFECTIVELY--Spray at all time during the season when weeds are actively growing. Chickweed, Henbit, Wild Onion, and Garlic should be treated in the fall and, if needed, again in the spring. Wait until new grass has reached a height of 2 inches before making an overall spray treatment.

Area to Spray	Super		Water	
	Lawn Weed Killer	Pressure Sprayer - Lawn Hose Sprayer	Pressure Sprayer	Lawn Hose Sprayer
330 300 Sq. Ft.	2 tablespoons	$\frac{1}{2}$ gallon		2 gallons
1320 1000 Sq. Ft.	6 tablespoons ($\frac{1}{2}$ c)	$1\frac{1}{2}$ gallons		6 gallons
2640 2000 Sq. Ft.	12 tablespoons (1 c)	3 gallons		12 gallons
5280 4000 Sq. Ft.	1 pint (2 c)	6 gallons		24 gallons

Do not spray weeds during drought periods unless the lawn has been thoroughly watered 2-3 days previously. Wait 2 weeks before putting new grass seed or stolons in the bare spots. Do not allow Super Lawn Weed Killer to get on vegetables or ornamental plants as injury may result. Do not apply to Centipede or St. Augustine Grass or on lawns or turfs where desirable Bent Grass or Clover is present. For best results, always use a spreader stickler when making application.

TO APPLY BY HAND--Spot spray weed treatment may be made at any time with a small pressure sprayer. Mix 3 ounces (1 cup) of Super Lawn Weed Killer in 1 gallon water. Spray each weed at ground level to point of spray run-off. Do not use a Lawn Hose Sprayer for this type of treatment.

CAUTION: Avoid contact with skin, eyes, and clothing. In case of contact, flush with plenty of water; for eyes get medical attention. Do not take internally. Keep out of reach of children.

Avoid drift or splash into vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not contaminate domestic or irrigation water. Do not pour spray solutions near these