
SUPER LAWN WEF' KILLER



CONTROLS EVEN HARD-TO-KILL WEEDS

THIS PRODUCT CONTAINS:

*1.00 lb. 2,4-dichlorophenoxyacetic acid equivalent per gallon or 11.4%.

**0.25 lb. 3,6-dichloro-o-anisic acid equivalent per gallon
or 2.85%.

KEEP OUT OF REACH OF CHILDREN

CAUTION

In case of contact, wash skin with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention.

See side panels for additional Precautionary Statements

NET CONTENIS ONE GALLON

1

912/590 AP-110567-

EPA REG. NC. 2217-457 EPA EST. NO. 2217-RS-1

Mfd. By PRI/GORDON CORPORATION FANSAS CITY, FANSAS 66118



BEST AVAILABLE CON

S.

8 13 90

. STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animal

CAUTION: Harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin, eyes, or clothing. When handling this product, wear chemical resistant gloves. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS: This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

OTHER USE PRECAUTIONS: Do not allow drift onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result. Do not pour spray solutions near these plants. Whether using a hose-end sprayer or pressure-sprayer, do not use sprays that are fine because they can drift and cause damage to non-target plants. Coarse droplet sprays are less likely to drift. Use only lawn-type sprayers. Do not spray on bentgrass, carpetgrass, centipede, dichondra, St. Augustinegrass nor on lawns or turf where desirable clovers are present. Do not spray roots of trees and ornamentals. No not exceed specified dosages for any area; be particularly careful within dripline of tree and other ornamental species. Do not apply this product through any type of irrigation system.

WHERE TO USE:

May be used on bluegrass, Bernuda and Zoysia lawns, vacant lots, playgrounds and other similar areas where HARD-TO-KILL weeds are present. Effective against these weeds such as SHEEP SORREL, KNOTWEED, SPOTTED SPURGE, CHICKWEED, OXALIS and HENBIT. It is not necessary to increase the dose for these hard-to-kill weeds.

2

BEST AVAILABLE COPY

Pg.2.44

Also, spray as directed for the control of the following weeds: $p_{m{A}_{i}} \otimes {\cal A}_{i} + p_{m{A}_{i}} \otimes {\cal A}_{i} + p_{m{A}_{i}} \otimes {\cal A}_{i}$

- Mallow Buckhorn Chicory Morningglory Peppergrass Clover Dandelion Pigweed Plantain Dock Ground Ivy Poison Ivy Poison Oak Heal-All Purslane Lambsquarter
- Ragweed Speedwell Wild Carrot Wild Garlic Wild Lettuce Wild Onion Yarrow

н

WHEN TO USE:

Spray at any time during the growing season when weeds are actively growing. Treat Chickweed, Henbit, Wild Onion and Garlic in the fall and again in the spring if needed. On new grass lawns wait until the turf has reached a height of 2 inches before making an overall spray treatment. Spot spray weed treatment, however, may be made at any time with a small pressure sprayer spraying only the weeds at ground level. Wait 2 weeks before putting new grass seed or stolens down in the bare spots. Do not spray weeds during drought periods unless the lawn has been thoroughly watered 2-3 days before.

TO SPRAY ENTIRE LAWN

ଚ.

For Pressure Sprayers	Lawn Hose Sprayers [#]	<u>Area to Spray</u>
2 tblsp. in $\frac{1}{2}$ gal.	2 tblsp. for 2 gals.	330 sq. ft.
4 oz. (8 tblsp) in $1\frac{1}{2}$ gal.	8 tblsp. for 6 gals.	1320 sq. ft.
8 oz. (16 tbsp) in 3 gals.	16 tblsp. for 12 gals.	2640 sq. ft.
1 pint in 6 gals.	1 pint for 24 gals.	5280 sq. ft.

[#]For Lawn Hose Sprayers dilute the amount shown above with enough water to fill the sprayer bottle to the 2 gal. level for 330 sq. ft. — to the 6 gal. level for 1320 sq.ft. — to the 12 gal. level for 2640 sq. ft.

TO SPOT-SPRAY WEEDS

Lawn Hose Sprayers are no: suited for this type of treatment. Use a pressure sprayer. Mix 8 oz. of this product in 3 gais of water and spray each weed to point of spray run-off.

For best results use a spreader sticker when making application.

LIMITED WARRANTY. Manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled use when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed.

3

EXCLUSION OF OTHER WARRANTIES AND REMEDIES. Except where $\operatorname{such}_{i}^{A}$, $\operatorname{4e}_{i}^{A}$ disclaimers and exclusions are specifically prohibited by applicable law. THE FOREGOING IS THE ONLY GUARANTEE OR WARRANTY APPLICABLE TO THIS PRODUCT AND IS GIVEN EXPRESSLY AND IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ALL SUCH WARRANTIES WHICH EXCEED OR DIFFER FROM SAID LIMITED WARRANTY ARE DISCLAIMED BY MANUFACTURER, and, upon Manufacturer's compliance with said limited warranty. BUYER SHALL HAVE NO KEMEDY AGAINST MANUFACTURER FOR ANY TYPE OF DAMAGE OR LOSS, and, IN NO EVENT SHALL MANUFAC-TURER BE LIABLE FOR CONSEQUENTIAL DAMAGE OR LOSS.

8

4