

**DIRECTIONS FOR CLEANING
UTENSILS AND EQUIPMENT:**

1. Scrape and prewash dishes, glasses, utensils and equipment whenever possible.
2. Wash with Gordon's Sani-Udder using 1 ounce to each 5 gallons of warm water.
3. Rinse with clean water.
4. Sanitize in a solution of 1 ounce Gordon's Sani-Udder to 5 gallons of water. Immerse all utensils for at least two minutes, or for contact time specified by governing sanitary code.
5. Place sanitized utensils on rack or drain board to air dry.

*Change washing and sanitizing solutions when the brown iodine color disappears. Make fresh solution each time used.

TABLE OF DILUTIONS:

1 ounce Gordon's Sani-Udder to 5 U. S. Gallons.....25 ppm titratable iodine



133-368

U.S.D.A. Reg. No. 2217-460



SANI-UDDER

DETERGENT & SANITIZER

**FOR
UTENSILS-EQUIPMENT-UDDERS**

ACTIVE INGREDIENTS:	
Nonylphenoxypolyoxyethylene	1.00%
ethanol Iodine (available iodine)	1.75%
Iodine	0.25%
Phosphoric Acid	0.25%
Glycolic Acid	1.00%
INERT INGREDIENTS:	
Total	100.00%

CAUTION: Keep Out of Reach of Children
See Side Panels for Additional Cautions

NET CONTENTS 1 U. S. GALLON
133-368



**MANUFACTURED BY
GORDON CHEMICAL CO., INC.**
KANSAS CITY, KANSAS

**DIRECTIONS
FOR WASHING**

1. For one contact titration
 2. Wash towels
 3. Examine cup
 4. After iodine
- *An iodine solution is used for the sponges

Gordon's product—It kills contaminants recommended dilutions of 1 part and eyes. or eyes will get medicated

SANI-UDDER

WASHING & SANITIZER

FOR
EQUIPMENT-UDDERS

INGREDIENTS:
Sodium Hypochlorite
Sodium Chloride
Sodium Bicarbonate
Water

1.25%
1.75%
11.00%
14.50%
100.00%

Keep Out of Reach of Children
See Side Panels for Additional Cautions

CONTAINS 1 U. S. GALLON
133-368

PRODUCED BY
CHEMICAL CO., INC.
WICHITA, KANSAS

DIRECTIONS FOR UDDER WASHING AND SANITIZING:

1. For each cow to be milked, place one clean towel in plastic bucket containing fresh, warm 25 ppm titratable iodine solution.
2. Wash udder and teats, then discard towel in second bucket.
3. Examine each quarter with strip cup.
4. After milking, dip each teat in dip cup containing 25 ppm titratable iodine solution.

*An efficient automatic proportioning sprayer may be used to wash the udder in place of towel or sponge.

CAUTION

Gordon's Sani-Udder is a concentrated product—Harmful If Swallowed. Avoid contamination of foods. Use in recommended dilutions not to exceed temperatures of 115°F. Avoid contact with skin and eyes. In case of contact, flush skin or eyes with plenty of water; for eyes, get medical attention.

133-368

Our Name Is Your

Guarantee

of

Quality