

DIRECTIONS FOR USE

NEVER USE OR STORE IN OR AROUND THE HOME

FLY MAGGOTS: To control fly maggots in such maggot breeding areas as garbage dump and manure piles, mix 1 quart of Vapona Insecticide with 1½ quarts of water and apply the diluted solution in a coarse, wet spray. Apply 2 quarts of the diluted solution to each 100 square feet.

ANIMAL BUILDINGS: To control flies, mosquitoes, roaches, ants and wasps in Horse Barns, Dairy Barns, Shelter Sheds, Milk Sheds, and Feedlots, mix 1 quart of Vapona Insecticide with 7½ gallons of water. Dilute the diluted solution in a coarse, wet spray. Apply 1 quart of the diluted solution to each 1,000 square feet. Treat around doors, feed bins, storage areas, windowsills, and window sills. Animals may remain during treatment. Do not contaminate feed, drinking water, or other feeding utensils.


DAIRY AND BEEF CATTLE: For horn flies, Blue Fly, Horn Fly, Stable Fly, Face Fly and mosquitoes, mix 1 quart of Vapona Insecticide with 1½ quarts of water. Apply 2 quarts of this diluted solution per head of animal directly with hand or automatic sprayer. Spray to coat the lower 25% of the animal, including the legs, but do not spray the face or any other sensitive parts of the animal.

DOG KENNELS: To control cockroaches, window bugs, and bed bugs in kennels and dog houses, mix 1 quart of Vapona Insecticide with 1½ quarts of water and spray 1 quart of the diluted solution to each 100 square feet.

NOTICE: It is important that the directions conform to the ingredient label on the product. Since good times of use, such as weather conditions, with other chemicals and variations of application equipment will vary, the user should take care to follow those stated on the label.

© 1962 E.I. du Pont de Nemours & Co., Inc.

806-673



See separate document for complete directions on use.

DANGER: Poisonous if swallowed, inhaled, or absorbed through the skin or eyes. Do not get on skin, in eyes, or on clothing. Do not breathe fumes. Avoid breathing of spray mist. In case of contact remove contaminated clothing and wash skin thoroughly with soap and water. For eyes, flush with plenty of water and get medical attention. Wear natural rubber gloves, protective clothing and goggles when handling concentrate to prepare emulsions. During logging or mist spraying applications, wear a mask or respirator approved by the U.S. Bureau of Mines for use with DDVP. Wash thoroughly after handling and before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use. Do not contaminate feed, foodstuffs, or processed.

IF POISONING SHOULD OCCUR CALL A PHYSICIAN IMMEDIATELY. ATROPINE IS ANTIDOTAL.

This product is toxic to fish and wildlife. Keep out of lakes, streams and ponds. Birds feeding on treated areas may be killed. Do not spray where weather conditions favor drift or residues treated. Do not spray where runoff is likely to occur. Do not contaminate water by rinsing of equipment, or disposal of wastes.

DO NOT USE, SPILL, OR STORE NEAR HEAT, FLAMES, FLICKERS,

ANTIDOTE AND FIRST AID TREATMENT: Atropine is the emergency antidote for Vapona poisoning. Consult your physician about the availability of an adequate supply of 1-100 grain Atropine tablets. For more details, see **IF POISONING.**

INTERNAL: If the material has been swallowed, induce vomiting immediately. This may be done by introducing a glass of water into the throat or by giving warm salt water in tablespoonfuls or a glass of water. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

EXTERNAL: If the material has been spewed on the skin, immediately remove the patient from the vicinity of the spill. Remove all contaminated clothing, and wash skin thoroughly with running water. If the material gets into the eyes, flush immediately with running water for at least ten minutes.

IF WARNING SYMPTOMS APPEAR: Administer two 100 mg. grain Atropine tablets immediately. NEVER ADMINISTER ATROPINE UNLESS SEVERAL WARNING SYMPTOMS APPEAR; see warning symptoms below. Keep the patient calm and quiet. Start artificial respiration immediately. Atropine is also antidiarrheal and may be administered in addition to the Atropine.

NOTE TO PHYSICIAN—WARNING SYMPTOMS: Symptoms of atropine poisoning include: flushed skin, dry mouth, dilated pupils, salivation, sweating, raised blood pressure, tachycardia, and animal cramps.

CONTAINER DISPOSAL: Remove equipment and containers containing residues of wastes by burying in non-drain land away from water supplies. Do not reuse container. After rinsing, break and bury in the trash. EPA Reg. No. 2217-463-ZA

VAPONA INSECTICIDE 15-E

FOR CONTROL OF FLIES, GNATS, MOSQUITOES,
MAGGOTS, ROACHES, FLEAS, ANTS, SOWBUGS, BROWN ROACHES, COM

ACTIVE INGREDIENTS:	
2, 2-dichlorovinyl dimethyl phosphate	13.95%
Related Compounds	1.05%
Xylene	80.00%
INERT INGREDIENTS	5.00%
TOTAL	100.00%

*Equivalent to 15% of VAPONA® Insecticide.
®A Shell Registered Trademark

NET CONTENTS ONE GALLON

© 1970 by Shell Chemical Company, Inc.

See antidote statement and other precautions on right panel.