

ALFA-SPRAY

ACTIVE INGREDIENTS:

Technical Methoxychlor*	23.787%
Malathion: O,O-dimethyl phosphorodithioate of diethyl mercaptosuccinate	23.807%
INERT INGREDIENTS	<u>52.406%</u>
TOTAL	100.000%

This product contains:

2.1 lbs. 1,1,1-trichloro-2,2-bis(p-methoxyphenyl)ethane per gallon.

2.1 lbs. O,O-dimethyl phosphorodithioate of diethyl mercaptosuccinate per gallon.

*Equivalent to 20.814% 1,1,1-trichloro-2,2-bis(p-methoxyphenyl) ethane and 2.973% other isomers and reaction products.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panels for additional Precautionary Statements.

ACCEPTED
DEC 21 1990
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 2217-470

NET CONTENTS ONE GALLON

805/1089 AP

EPA REG. NO. 2217-470

EPA EST. NO. 2217-KS-1

Mfd. by PBI/GORDON CORPORATION

KANSAS CITY, KS 66118

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid breathing of dust or spray mist. Avoid contact with skin. Wash thoroughly after using.

Statement of Practical Treatment

IF SWALLOWED: Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF IN EYES: Flush eyes with plenty of water. Get medical attention.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air and apply artificial respiration if indicated. Get medical attention.

NOTE TO PHYSICIAN: Malathion upon repeated, prolonged or careless exposure may cause cholinesterase inhibition. Atropine is antidotal. Aromatic solvent may present aspiration hazard. Gastric lavage is indicated if product was swallowed.

Environmental Hazards

This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water or wetlands (i.e., swamps, bogs, marshes, and potholes). Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

Physical or Chemical Hazards

Do not use or store near heat and open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not enter or allow entry into treated areas until sprays have dried and vapors have dispersed to perform hand labor tasks. A person may enter the area to perform other tasks only if the person is wearing the personal protective equipment listed on the label for a pesticide handler.

Do not apply this product in a way that will contact unprotected workers, either directly or through drift. Only protected handlers wearing long pants, long sleeved shirts, socks, shoes and chemical resistant gloves may be in the area during application.

STORAGE & DISPOSAL

STORAGE: Store in original container in a locked storage area inaccessible to children or pets.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

ALFALFA: For control of alfalfa weevil, spittlebug, leafhopper and aphids.

PROHIBITION: Do not apply this product through any type of irrigation system.

AERIAL APPLICATION: Use recommended amount of ALFA-SPRAY for each specific crop with a minimum of 3 gallon of water per acre consistent with crop growth and good coverage.

FIRST CUTTING: Apply 2-3 quarts per acre as soon as weevil damage appears in the field. Early application is desired to control the weevil when they are small. Do not apply within 7 days of harvest. Do not apply after full bloom.

STUBBLE SPRAYING: In areas where weevil appears at cutting time, remove the first cutting and apply 2-3 quarts per acre to the stubble to control weevil larvae and aphids.

SECOND AND SUBSEQUENT CUTTINGS: Apply 2 to 3 quarts per acre to control alfalfa weevil, leafhopper and aphids as these insects appear. Do not apply within 7 days of harvest.

LIMITED WARRANTY: Manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled use when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed.

Exclusion of Other Warranties and Remedies. Except where such disclaimers and exclusions are specifically prohibited by applicable law. THE FOREGOING IS THE ONLY GUARANTEE OR WARRANTY APPLICABLE TO THIS PRODUCT AND IS GIVEN EXPRESSLY AND IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ALL SUCH WARRANTIES WHICH EXCEED OR DIFFER FROM SAID LIMITED WARRANTY ARE DISCLAIMED BY MANUFACTURER, and, upon Manufacturer's compliance with said limited warranty, BUYER SHALL HAVE NO REMEDY AGAINST MANUFACTURER FOR ANY TYPE OF DAMAGE OR LOSS, and, IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL DAMAGE OR LOSS.