

**FIRST AID TREATMENT**

**CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED PARATHION POISONING!**

If symptoms or signs of poisoning include (see Physician's Note) blurred vision, abdominal cramps and tightness in the chest, don't wait for a doctor but give 2 atropine tablets (each 1/100 gr.) at once. Remove contaminated clothing and wash skin clean with copious application of soap and water to remove all traces of Parathion. Remove patient immediately from the area where Parathion is present. If swallowed, induce vomiting by giving warm salty or soapy water. Have victim lie down and keep quiet.

**NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PATIENT!**

**Physician's Note:**

Warning symptoms include weakness, headache, tightness in the chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

Treatment: Give atropine, preferably by injection, grains 1/100 two or three tablets at once and parenterally or orally every hour as required up to 30 tablets or until pupils dilate. Never give morphine. Clear chest by postural drainage. Artificial respiration and/or oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood tests.

**WARNING! WARNING!**

**EXTREMELY HAZARDOUS IF INHALED OR ABSORBED THROUGH THE SKIN. RAPIDLY ABSORBED THROUGH THE SKIN. REPEATED INHALATION OR SKIN CONTACT MAY PROGRESSIVELY INCREASE SUSCEPTIBILITY TO PARATHION POISONING, WITHOUT SYMPTOMS IF YOU SUSPECT EXCESSIVE EXPOSURE, SEE A DOCTOR. DO NOT BREATHE DUST OR VAPOR. WEAR A RESPIRATOR PROPER. DO NOT GET ON SKIN, IN EYES, OR ON CLOTHING. IF SPILLED ON SKIN, IMMEDIATELY WASH THOROUGHLY WITH SOAP AND WATER. DO NOT CONTAMINATE FEED OR FOODSTUFF.**

Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed by punching holes in them and burying with wastes.

This product will kill fish and wildlife. Keep out of any body of water.

Do not apply when weather conditions favor drift of spray from areas treated.

**CAUTION**

Whenever handling or applying Parathion wear clean natural rubber gloves and goggles and clean water-proof or freshly laundered protective clothing (coveralls, caps, etc.) covering exposed surfaces. Clothing must not get wet through. Destroy and replace gloves frequently. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for Parathion protection. (Airplane pilots should wear a full-face canister-type mask). For any handling indoors provide mechanical exhaust ventilation. Burn or destroy

074-348

**ACCEPTED**  
*May 17, 1968*  
UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. .... SUBJECT TO ATTACHED COMMENTS.  
2217-472

Rinse containers and equipment with an alkali solution (washing soda or household lye--use care with the latter) before disposal.

**ETHYL PARATHION  
2 LB. CONCENTRATE**

**ACTIVE INGREDIENTS:**

Parathion*	25%
Xylene	70%
<b>INERT INGREDIENTS:</b>	<b>5%</b>
Total	100%

\*O,O-diethyl O-p-nitrophenyl thiophosphate.

**DANGER**

Poisonous by skin contact!  
Poisonous by inhalation!  
Repeated exposure may, without symptoms, be increasingly hazardous!

Poisonous by swallowing!  
Rapidly absorbed through the skin!

*Red* {



**DANGER  
POISON**

**Keep Out of Reach of Children**

See Side Panels for Additional Warnings and Antidote

**DANGER: Before using, study safety and use instructions carefully. Consult physician about obtaining an adequate supply of 1/100 gr. atropine tablets for emergency use.**

} 1 pt. to  
2 pts. }

**Net Contents**

**Gallons**

074-348

Manufactured by  
Private Brands, Inc.  
300 South Third Street  
Kansas City, Kansas 66118

for various customers as sub-registered

**FIRST AID TREATMENT (Cont)**

containers; never re-use. Stay out of smoke or fumes. Bury spillage; clean up area with strong lye solution. Rinse promptly with soap and water after using or handling. Wash clothing with soap and hot water before re-use. Remove unprotected persons and domestic animals from operating and adjacent areas where insecticides may drift and prohibit re-entry until drift and vapor dissipate.

**DIRECTIONS—READ precautions before using.**

**AERIAL APPLICATION:** Use recommended amount of Ethyl Parathion 2 lb. Concentrate for each specific crop with a minimum of 3 gallons of water per acre consistent with crop growth and good coverage.

**"GREEN-SUB" (APHIDS) on WHEAT, OATS, BARLEY:** Apply 1 pt. per acre in 2 gals. of spray in airplane applications or 5-10 gals. per acre in power sprayer application. One application should give control but if infestation persists, repeat treatment in 10-14 days. Applications to the above grains are to be made only before heads begin to form.

**PEA APHIDS:** Apply 1 pt. per acre in sufficient water for coverage. Treat at first sign of infestation and repeat in 10-14 days if infestation warrants. Do not apply to peas within 15 days before picking or harvest, which is earlier.

**EUROPEAN CORN BORER:** For second brood corn borer on canning corn, apply 1 qt. per acre in sufficient water for coverage. Make application when first "black-head" or hatched eggs are found, provided there are 20 or more egg masses per 100 plants. Repeat at 5-7 day intervals as long as egg count remains at this level or higher. Stop applications at least 12 days before harvest or forage use.

**BEANS and POTATOES:** For MEXICAN BEAN BEETLE, LEAFROLLER, RED SPIDER, and ARMY-WORMS on beans, COLORADO POTATO BEETLE and FLEABEETLE on potatoes, APHIDS, LEAFHOPPERS and SERPENTINE LEAFMINER on both crops, apply \_\_\_\_\_ per acre in sufficient water for coverage. Repeat applications as necessary. Include with regular fungicide program. Do not apply within 21 days of harvest.

**COTTON:** For control of COTTON LEAFWORM, APHIDS, FLEAHOPPERS, GARDEN WEBWORM, RED SPIDER MITES and THRIPS, use 1 pt. per acre in water sufficient for coverage. Treat at first sign of infestation and repeat as needed. Do not apply within 15 days of handpicking. **NOTE:** Only persons experienced in the handling and use of hazardous insecticides should make application of the spray. Do not use except in airplane or power operated ground equipment.

**NOTICE:** Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment, will vary, Seller makes no claims other than those stated on this label.

074-348

U.S.D.A. Reg No 2217-