

FIRST AID TREATMENT

CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED PARATHION POISONING!

If symptoms or signs of poisoning include (see Physician's Note) blurred vision, abdominal cramps and tightness in the chest, don't wait for a doctor but give 2 atropine tablets (each 1/100 gr.) at once. Remove contaminated clothing and wash skin clean with copious application of soap and water to remove all traces of Parathion. Remove patient immediately from the area where Parathion is present. If swallowed, induce vomiting by giving warm salty or soapy water. Have victim lie down and keep quiet.

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PATIENT!

Physician's Note:

Warning symptoms include weakness, headache, tightness in the chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

Treatment: Give atropine, preferably by injection, grains 1/100 two or three tablets at once and periodically or every hour as required up to 30 tablets or until pupils dilate. Never give morphine. Clear chest by postural drainage. Artificial respiration and/or oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood tests.

WARNING! WARNING!

EXTREMELY HAZARDOUS IF INHALED OR ABSORBED THROUGH THE SKIN RAPIDLY ABSORBED THROUGH THE SKIN REPEATED INHALATION OR SKIN CONTACT MAY PROGRESSIVELY INCREASE SUSCEPTIBILITY TO PARATHION POISONING WITHOUT SYMPTOMS IF YOU SUSPECT EXCESSIVE EXPOSURE, SEE A DOCTOR. DO NOT BREATHE DUST OR VAPOR. WEAR A RESPIRATOR PROPER. DO NOT GET ON SKIN IN EYES OR ON CLOTHING IF SPILLED ON SKIN IMMEDIATELY WASH THOROUGHLY WITH SOAP AND WATER. DO NOT CONTAMINATE FEED OR FOODSTUFF.


Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed by punching holes in them and burying with wastes.

This product will kill fish and wildlife. Keep out of any body of water. Birds feeding on treated areas may be killed.

Do not apply when weather conditions favor drift of spray from areas treated.

CAUTION

Whenever handling or applying Parathion wear clean natural rubber gloves and goggles and clean water-proof or freshly laundered protective clothing (overalls, caps, etc.) covering exposed surfaces. Clothing must not get wet through. Destroy and replace gloves frequently. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for Parathion practice. If possible should wear a full-face canister-type mask. For any handling indoors provide mechanical exhaust ventilation. Burn or destroy



RESTRICTED USE PESTICIDE

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

ETHYL PARATHION

2 LB. CONCENTRATE

ACTIVE INGREDIENTS:

Parathion* 25%

Xylene 70%

INERT INGREDIENTS: 5%

100%

ACCEPTED

O,O-dimethyl O,p,p-trimethyl thiophosphate.

APR 21 1978

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the product
registered under 2217-472
EPA Reg. No. 2217-472

DANGER



Poisonous by skin contact!

Poisonous by inhalation!

Repeated exposure may, without symptoms, be increasingly hazardous!

Keep Out of Reach of Children

See Side Panels for Additional Warnings and Antidote

DANGER: Before using, study safety and use instructions carefully. Consult physician about obtaining an adequate supply of 1/100 gr. atropine tablets for emergency use.

NET CONTENTS ONE GALLON

BEST DOCUMENT AVAILABLE

FIRST AID TREATMENT (Cont.)

container; never re-use. Rinse containers and equipment with an alkali solution (washing soda or household lye—use care with the latter) before disposal. Stay out of smoke or fumes. Bury spillage; clean up area with strong lye solution. Bathe promptly with soap and water after using or handling. Wash clothing with soap and hot water before re-use. Remove unprotected persons and domestic animals from operating and adjacent areas where insecticides may drift and prohibit re-entry until drift and vapor dissipate.

DIRECTIONS—READ precautions before using.

AERIAL APPLICATION: Use recommended amount of Ethyl Parathion 2 lb. Concentrate for each specific crop with a minimum of 3 gallon of water per acre consistent with crop growth and good coverage.

"GREEN-BUG" (APMMS) on WHEAT, OATS, BARLEY: Apply 1 pt. per acre in 2 gals. of spray in airplane applications or 5-10 gals. per acre in power sprayer applications. One application should give control but if infestation persists, repeat treatment in 10-14 days. Applications to the above grains are to be made only before heads begin to form.

PEA APHIDS: Apply 1 pt. per acre in sufficient water for coverage. Treat at first sign of infestation and repeat in 10-14 days if infestation warrants. Do not apply to peas within 15 days before picking or harvest, which is earlier.

EUROPEAN CORN BORER: For second brood corn borer on corn/corn, apply 1 pt. per acre in sufficient water for coverage. Make application when first "black-head" or blacked eggs are found, provided there are 10 or more egg masses per 100 plants. Spray in 5-7 day intervals as long as egg counts remain at this level or higher. Stop applications at least 12 days before harvest or forage use.

BEANS and POTATOES: For MEXICAN BEETLE, LEAFROLLER, RED SPIDER, and ARMYWORMS on beans, COLORADO POTATO BEETLE and FLEABEETLE on potatoes, APHIDS, LEAFHOPPERS and SERPENTINE LEAFMINER on both crops, apply 1 pt. to 2 pts. per acre in sufficient water for coverage. Repeat applications as necessary. Include with regular fungicide program. Do not apply within 21 days of harvest.

COTTONS: For control of COTTON LEAFWORM, APHIDS, FLEAHOPPERS, GARDEN WEBWORM, RED SPIDER MITES and THrips, use 1 pt. per acre in water sufficient for coverage. Treat at first sign of infestation and repeat as needed. Do not apply within 15 days of handpicking. NOTES: Only persons experienced in the handling and use of hazardous insecticides should make application of the spray. Do not use except in airplane or power operated ground equipment.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment, will vary, Seller makes no claims other than those stated on this label.

EPA Em. No. 2217 KS-1

EPA Reg. No. 2217-472