GORDON'S HORSE & PONY SPRAY

Use as a mist or wipe-on insecticide.

KILLS & REPELS: Horn Flies, Stables Flies, Deer Flies, Face Flies, Horse Flies, House Flies, Mosquitoes, Gnats

ACTIVE INGREDIENT:	5:																			
*Butoxypolyprop	lye	ene	2	gly	/C	1		,			•								10.00)&
**Technical Metho	oxy	ycł	ıl	or					•				,			•			0.50) {
***Technical Piper	roı	ay)	L	But	COS	cio	af		•	•						•		•	0.50) ¥
Pyrethrins INERT INGREDIENTS	•		-	•	•	•			•		,		•		•			•	0.05	;
	•	•	•	•	•	•	•					•	•	•			•	•	88.95	} &
													2	CO	T	٩L	1	-	100.00) ዩ

*Equivalent: Polypropylene glycol monobutyl ether.

**Equivalent: 0.44% 1,1,1-trichloro-2,2-bis(p-methoxyphenyl) etnane and 0.06% other isomers and related products.

***Equivalent: 0.4% butylcarbitol 6-propylpiperonyl ether and 0.1% related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION!

See side panels for Statement of Practical Treatment and Additional Precautionary Statements.

ACCEPTED

DEC 2 1 1990
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 2211 - 474

NET CONTENTS ONE U.S. QUART

968/1089

EPA REG. NO. 2217-479 EPA REG. NO. 2217-KS-1

Mfd by PBI/GORDON CORPORATION KANSAS CITY, KANSAS 66118

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed. Keep out of the reach of children and domestic animals. Do not contaminate feed or feeding utensils. Cover or remove feed before spraying. Do not use on meat or dairy animals. Do not wet the animal's skin.

Statement of Practical Treatment

IF SWALLOWED: Call a physician immediately. Gastric lavage is not indicated if material was taken internally. DO'NOT INDUCE VOMITING unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses or water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply respiration if indicated.

IF ON SKIN: Wash contaminated skin with soap and water.

IF IN EYES: Flush eyes with plent of water for at least 15 minutes. Get medical attention.

Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

STORAGE: Store in original container in a locked storage area inaccessible to children or pets. To prevent cross-contamination during storage, keep separate from other pesticides, fertilizers, seeds, food, and feed.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

- USE DIRECTIONS -

The objective is to create a barrier on the hair that will both repel and kill biting flies. Precautions should be taken to avoid any wetting of the animal's skin. Any direct contact with the animal's skin should be avoided, particularly when skin pores are open, such as after exercise or when the animal is perspiring heavily. Extra care should be taken with thin-haired or thin-skinned animals.

Do not contaminate feed or feeding utensils. Cover or remove feed before spraying. Do not use on moat or dairy animals. Do not wet the animal's skin.

APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL

GENERAL: Horse & Pony Spray is formulated for use on horse and pony show stock. Horse & Pony Spray protects against biting flies and will impart a bright sheen to your animal's coat. Horse & Pony Spray may be misted or wiped on. Use no more than 1 or 2 fluid ounces per animal per application.

AS A MIST: Select a hand-sprayer that will deliver a mist. Set the sprayer to the "Fine Mist" position. Do not use coarse sprays. Do not wat the animal's skin. A gentle fine mist is all that is required. Do not make applications in direct or hot sunlight. Do not use on meat or dairy animals. Apply 1-2 fluid ounces or 2-4 tablespoons per animal to ears, legs, belly, neck, and back (except under saddles). After application, brush the coat to give overall coverage. Make sure legs and ankles are treated. For face area, treat as a wipe-on application. For deer flies and horse flies, apply at 3 day intervals. For house flies and stable flies, apply at 7 day intervals. For gnats, horn flies, and mosquitoes, apply at 14 day intervals. Also, spray adjacent stable areas for more effective fly control. Cover securely feedstuffs, troughs, bins, or other food and water receptacles while spraying.

TO WIPE-ON: Do not wet the animal's skin. Rub the animal down and remove dirt. Mist 1 fluid ounce per animal or 2 tablespoons per animal into a soft cloth and wipe on against the hair grain. Make sure to treat ears, legs, belly, neck, face and back (except under saddles). Afterward, brush the coat to bring out a bright sheen. For deer flies and horse flies, apply at 3 day intervals. For house flies and stable flies, apply at 7 day intervals. For gnats, horn flies, and mosquitoes, apply at 14 day intervals.

NOTE: Use no more than 1 or 2 fluid ounces of product per animal per application. As a mist, set your sprayer to the "Fine Mist" position only and brush across the coat to achieve overall coverage. As a wipe-on, lightly mist a small amount onto a soft cloth and wipe against the hair grain. Brushing afterward will bring out a bright sheen to the animal s coat.

LIMITED WARRANTY. Manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled use when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed.

EXCLUSION OF OTHER WARRANTIES AND REMEDIES. Except where such disclaimers and exclusions are specifically prohibited by applicable law. THE FOREGOING IS THE ONLY GUARANTEE OR WARRANTY APPLICABLE TO THIS PRODUCT AND IS GIVEN EXPRESSLY AND IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ALL SUCH WARRANTIES WHICH EXCEED OR DIFFER FROM SAID LIMITED WARRANTY ARE DISCLAIMED BY MANUFACTURER, and, upon Manufacturer's compliance with said limited warranty. BUYER SHALL HAVE NO REMEDY AGAINST MANUFACTURER FOR ANY TYPE OF DAMAGE OR LOSS, and, IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL DAMAGE OR LOSS.

(