11 /04/2002

GORDON'S WEEDER GRANULES

KEEP OUT OF REACH OF CHILDREN

WARNING-AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la expliqua a usted en detaile. (If you do not understand the label, find someone to explain it to you in detail).

Statement of Practical Treatment

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water.

IF ON SKIN: Wash immediately with plenty of soap and water. Get medical attention.

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water. Induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.

See side panels for additional Precautionary Statements

NET WEIGHT: THREE POUNDS

669/ APxxxxxx EPA REG. NO. 2217-480 Amend EPA EST. NO. 2217-KS-X MANUFACTURED BY;



{

ROCEFIED	
NOV 4 2002	4 <u>4</u> 4
Under the Federal Insecticide. Fungicide. and Rodenticide Act. an amended. for the pesticide registered under 2217-480	

 $c \in \widetilde{\mathbb{C}}$

. . . .

(....

. . . .

ACCEDTED

EPA Reg. No. 2217-480

ecce.



READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING: Causes substantial but temporary eye injury. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes, or clothing.

	First Aid Statements
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
lf on skin or clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes; Call a poison control center or doctor for treatment advice;
If swallowed:	 Call a polson control center or doctor, immediately for treatment advice. Have person sip a glass of water if able to swallow: Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
lf Inhaled:	 Move person to fresh air If person is not breathing, call 911 or an ambulance, then give artificial respiration; preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.
	Container of label with you when calling a poson control center of doctor or going for If to free 1.877-800-5556 for emergency medical treatment information.

Personal Protective Equipment (PPE):

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks
- Protective eyewear

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring aquatic sites. Do not contaminate water by disposing of equipment washwaters.

DIRECTIONS FOR USE

3/10

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

Exception: If product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, waterproof gloves, shoes plus socks, and protective eyewear.

Do not apply this product through any type of irrigation system.

Gordon's Weeder Granules must be applied prior to the emergence (pre-emergence) of annual broadleaf and grass weeds. To assure prolonged control (seasonal) of weeds shown below, soil incorporation is essential.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides 40 CFR Part 170. The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. Noncrop weed control is not within the scope of the Worker Protection Standard.

STORAGE AND DISPOSAL

Do not contaminate water, food, feed, other pesticides, fertilizer or seeds.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

Paper and plastic bags: Completely empty bag by shaking and tapping sides and bottom to loosen any clinging particles into application equipment. Then dispose of bags in a sanitary landfill, or by incineration, or if allowed by State and local authorities by burning. If burned stay out of smoke.

Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

....

GRASS AND BROADLEAF WEEDS CONTROLLED		
Annual Grasses	Annual Broadleaf Weeds	
Annual bluegrass	Carpetweed	
Annual ryegrass	Chickweed	
Barnyardgrass (Watergrass)	Florida pusley (Florida purslane)	
Bromegrass	Henbit	
Cheat	Knotweed	
Crabgrass	Lambsquarters (Goosefoot)	
Foxtails	Pigweed	
Johnsongrass (from seed)	Puncturevine	
Junglerice	Purslane	
Sandbur	Stinging Nettle	
Signalgrass		
Sprangletop		
Stinkgrass		
Wildcane (shattercane)		
Wild oat (partial control)		
Woolly cupgrass		

GENERAL DIRECTIONS

- Gordon's Weeder Granules is a pre-emergence herbicide for control of many annual grasses and broadleaf weeds.
- Gordon's Weeder Granules controls weeds by killing germinating seeds and does not control established weeds.
- Gordon's Weeder Granules provides effective weed control when applied and incorporated into the soil surface.
- Gordon's Weeder Granules is recommended for use on a wide variety of ornamentals (trees, shrubs, and flowers), fruits, nuts, and vegetables. See below for specific uses and instructions.

- APPLICATION DIRECTIONS -

Apply Gordon's Weeder Granules to a smooth soil surface to assure uniform distribution. Excessive groundcover such as crop residues or existing weeds can interfere with the incorporation of this product into the soil and should be removed prior to application. Apply Gordon's Weeder Granules prior to the germination of weed seeds or to clean-cultivated, weed-free areas.

Apply Gordon's Weeder Granules in a "ready-to-use" shaker container or with hand held or hand propelled rotary or drop-type granular applicator. Prior to use, calibrate the applicator equipment according to the manufacturer's directions and check frequently during application to be sure equipment is working properly and distributing the granules uniformly.

For small areas, use a "ready-to-use" container or a shaker-type applicator (such as a coffee can with holes punched in the bottom) and distribute the granules uniformly. Do not apply more than the recommended amount.

To obtain optimum weed control Gordon's Weeder Granules needs to be incorporated into the soil by overhead irrigation (i.e. sprinkler or rainfall) or mechanical incorporation (i.e. rake or rototiller) to a depth of 2 to 3 inches within a few hours after surface application. Application rates for various uses and incorporation methods differ. See below for specific use instructions.

Under normal growing conditions and if applied according to directions, Gordon's Weeder Granules will not harm the treated crop. Crop injury or soil residue may result from over-application. Erratic weed control or crop injury may result from uneven application or improper soil incorporation of Gordon's Weeder Granules. Seedling diseases, cold weather, deep planting, excessive moisture, high salt concentration or drought may weaken crop seedlings and increase the possibility of damage from Gordon's Weeder Granules. Under these conditions, delayed crop development or reduced yields may result. Gordon's Weeder Granules is not recommended for use on muck soils.

Seeded crops (vegetables or flowers) other than those listed on this label for preplant soil incorporation of Gordon's Weeder Granules should not be planted within 5 months following the application.

, . ^{\$}.

ţ

Use Instructions for Ornamental Trees, Groundcovers, Shrubs, and Flowers:

Apply Gordon's Weeder Granules prior to planting new nursery stock liners, ornamental trees, ornamental groundcovers, woody shrubs, and gladiolus (corms greater than 1 inch diameter). Gordon's Weeder Granules may also be applied to these and other listed ornamentals (see below) after they are established.

5/10

Apply Gordon's Weeder Granules to a weed free, smooth, soil surface on ornamental beds or around established plants. Do not apply to established plantings when the foliage is wet.

The broadcast application rate of Gordon's Weeder Granules for these crops is 1.0 ounce per 100 square feet. Optimum weed control performance will be obtained when followed by overhead irrigation (sprinkler or rainfall) within a few hours after application.

Common Name Scientific Name	
Almond	Prunus dulcis
Apple, Crabapple	Malus spp.
Apricot	Prunus armeniaca
Ash, White	Fraxinus americana
Baldcypress	Taxodium distichum
Birch, European White	Betula pendula
Blackgum	Nyssa sylvatica
Сћегту	Prunus spp.
Chestnut, Chinese	Castanea mollissima
Cottonwood	Populus deltoides
Dogwood, Flowering	Cormus florida
Dogwood, Kousa	Cormus kousa
Douglas fir	Pseudotsuga menziesii
Fir, Balsam	Abies balsamea
Hemlock, Canada	Tsuga canadensis
Honeylocust	Gleditsia triacanthos
Larch, Japanese	Larix kaempferi
Locust, Black	Robinia pseudoacacia
Maple, Norway	Acer platanoides
Maple, Red	Acer rubrum
Maple, Silver	Acer saccharinum
Maple, Sugar	Acer saccharum
Oak, Pin	Quercus palustris
Oak, Red	Quercus rubra
Oak, Scarlet	Quercus coccinea
Peach	Prunus persica
Pine, Austrian	Pinus nigra
Pine, Eastern White	Pinus strobus
Pine, Japanese Black	Pinus thunbergiana
Pine, Loblolly	Pinus taeda
Pine, Red	Pinus resinosa
Pine, Scotch	Pinus sylvestris
Planetree, London	Platanus acerifolia
Plum	Prunus spp.
Redbud, Eastem	Cercis canadensis
Spruce, Colorado	Picea pungens
Spruce, Norway	Picea abies
Spruce, White	Picea glauca
Sweetgum	Liquidambar styraciflua
Sycamore	Platanus occidentalis
Tuliptree	Liriodendron tulipfera
Walnut, Black	Juglans nigra

ORNAMENTAL TREES

(

Common Name	Scientific Name
Aaronsbeard	Hypericum calycinum
Bellflower, Adriatic	Campanula elatines
Bellflower, Poscharsky	Campanula poscharskyana
Ceanothus	Ceanothus spp.
Coreopsis	Coreopsis spp.
Cotoneaster	Cotoneaster spp.
Coyote Brush	Baccharis pilularis
Crown Vetch	Coronvilla varia
Daisy, Trailing African	Osteospermum fruticosum
Fern, Asparagus	Asparagus densiflorus
Gazania	Gazania spp.
Germander	Teucrium chamaedrys
Ice Plant, Largeleaf	Carpobrotus edulis
Ivy, Algerian	Hedera canariensis
Ivy, English	Hedera helix
Lily-of-the-Nile	Agapanthus spp.
Lilyturf, Bigblue	Liriope muscari
Marigold	Tagetes spp.
Myoporum	Myoporum laetum
Plumbago, Dwarf	Ceratostigma plumbaginoides
Rosemary	Rosmarinus officinalis
Rupturewort	Hemiaria glabra
Snow-in-Summer	Cerastium tomentosum
Speedwell	Veronica spp.
St. Johnswort	Hypericum coris
Stonecrop (Sedum)	Sedum spp.
Strawberry, Beach	Fragaria chiloensis
Thrift	America maritima
Verbena	Verbena spp.
Wirevine, Creeping	Muehlenbeckia axillaris
Yarrow, Woolly	Achillea tomentosa
Zoysiagrass	Zoysia tenuifolia

ORNAMENTAL GROUNDCOVER PLANTING

ORNAMENTAL WOODY SHRUBS

Common Name	Scientific Name
Andromeda, Japanese	Pieris japonica
Arborvitae, American	Thuja occidentallis
Azalea	Rhododendron spp.
Barberry, Japanese	Berberis thumbergii
Barberry, Mento	Berberis mentorensis
Boxwood, Common	Buxus sempervirens
Boxwood, Harlands	Buxus harlandi
Boxwood, Littleleaf	Buxus microphylla
Camellia, Japanese	Camellia japonica
Camellia, Sasanqua	Camellia sasanqua
Cherrylaurel, American	Prunus caroliniana
Cinquefoil	Potentilla spp.
Cleyera, Japanese	Cleyera japonica
Cotoneaster, Cranberry	Cotoneaster apiculata
Cotoneaster, Zabel	Cotoneaster zabelii
Deutzia	Deutzia spp.
Elaeagnus, Silverberry	Elaeagnus pungens
Euonymus, Spreading	Euonymus kiautschovica
Euonymus, Winged	Euonymus alatus
Euonymus, Wintercreeper	Euonymus fortunei
Firethorn	Pyracantha spp.
Forsythia	Forsythia spp.
Guava, Pineapple	Feijoa sellowiana
Holly	llex spp.
Honeysuckle	Lonicera spp.
Indian hawthorn	Raphiolepis indica
Juniper	Juniperus spp.
Laurel, Mountain	Kamia latifolia
Lilac, Common	Syninga vulgaris
Mockorange	Philadelphus spp.
Pittosporum, Japanese	Pittosporum tobira
Privet	Ligustrum spp.
Redcedar, Eastern	Juniperus virginiana
Rhododendron	Rhododendron spp.
Spiraea, Vanhoutte	Spiraea vanhouttei
Vibumum	Viburnum spp.
Weigela	Weigela spp.
Willow	Salix spp.
Yew, Anglojap	Taxus media
Yew, Japanese	Taxus cuspidata
Yew, Southern	Podocarpus macrophyllus

•

Ę

ROSES AND OTHER ESTABLISHED FLOWERS

African Daisy	Four O'Clock	Poppy, California
Aster (perennial)	Gaillardia	Portulaca
Balsam	Gladiolus	Rose
Blackeyed Susan	Golden Glow	Salvia
Calendula	Impatiens	Shasta Daisy
Carnation	Ixora	Snapdragon
Centaurea, Velvet	Lobelia	Snow on the Mountain
Chrysanthemum	Lupine	Stock
Coreopsis	Marigold	Sunflower
Cornflower	Marigold, Cape	Sweet Alyssum
Cosmos	Morningglory	Sweet Pea
Dahlia	Nasturtium	Sweet Sultan
Dianthus	Nicotiana	Sweet William
Dusty Miller	Petunia	Vinca
Floss Flower	Phlox	Yarrow
Forget-Me-Not	Pincushion Flower	Zinnia

Instructions for Fruit, Vegetable, Nut, and Vineyard Crops:

For control of weeds in the listed crops in this section use the following application rate table.

Application Rates	
Soil Texture	Broadcast Application Rates, (ozs./1,000 sq.ft.)
Sand, loamy sand, sandy loam	12.5 fl. oz. (1 lb./1,280 sq.ft.)
Loam, silt, silt loam	16.66 oz. (1 lb./ 960 sq.ft.)
Clay, clay loam, sandy clay	25 fl. oz. (1 lb./ 640 sq.ft.)

Apply and incorporate the indicated amount of Gordon's Weeder Granules to a smooth, weed free, soil surface. Optimum weed control performance will be obtained if Gordon's Weeder Granules is mechanically incorporated, such as with a rake or rototiller, 2 to 3 inches deep within a few hours after application.

Gordon's Weeder Granules is recommended for application to the following crops at the indicated stage of growth.

A. BEFORE PLANTING
Beans (Castor, Dry, Guar, Lima, Mungbean and Snap)
Carrots
Celery, direct seeded or transplant
Chicory/Endive
Cole Crops (Broccoli, Brussels Sprouts, Cabbage and Cauliflower), transplant
Fruit and Nut Crops (Almond, Citrus, Grape, Nectarine, Peach, Pecan, Plum, Prune, Walnut)
Greens (Collard, Kale and Mustard)
Okra
Peas (Dry and English)
Peppers, transplant
Radishes
Sunflower
Tomato, transplant

B. AT PLANTING

Celery, direct seeded or transplant

C. AFTER PLANTING

Asparagus, established

Apply and incorporate prior to spear emergence in the spring.

Celery, direct seeded & transplant

Cucurbit (Cantaloupe, Cucumber & Watermelon)

Apply and incorporate between the rows and beneath plants in the 3 to 4 true leaf stage.

Fruit and Nut Crops (Almond, Citrus, Grape, Nectarine, Peach, Pecan, Plum, Prune, Walnut), established

Apply 25 to 50 ounces per 1,000 square feet on all soil types. Do not apply to grapes within 60 days of harvest.

Onion (Grown for dry bulb only)

Avoid covering exposed bulbs with treated soil or injury may occur.

Potato

Apply after planting, prior to crop emergence, or after plants have emerged. Do not cover foliage with treated soil if applied after emergence.

Tomato, direct seeded

Apply at thinning after plants are 2 to 3 inches tall to soil between rows and beneath plants and incorporate.

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

EPA Reg. No. 2217-480

9/10

10 10

Advertising claims that may be presented on the container label.

- O Stops weeds before they start.
- O Stops weeds before they start for a beautiful weed-free garden.
- O Stops weeds before they start by preventing weed seeds from germinating.
- O For use around flowers, vegetables, trees and shrubs.
- O Easy-grip handle and shaker makes application quick and convenient.
- O Easy to accurately apply granules exactly where you want.
- O Easy to apply granules.
- O Ready-To-Use.
- O No mixing, no spills, no mess.
- O Pre-emergent herbicide for control of most annual grasses and broadleaf weeds.
- O Recommended for use with flowers, roses, shrubs, trees, vegetables, fruits and nuts.
- O Use on flowers, roses, shrubs, trees, vegetables, fruits and nuts.
- O Control weeds around flowers, roses, shrubs, trees, vegetables, fruits and nuts.
- O Easy to apply granular formula only takes a few minutes.
- O Don't pull weeds, prevent them!