

TM

# TRIMEC 19 WEED-'N-FEED

**A 20-10-5 Lawn Fertilizer Plus Trimec\* a New Patented Herbicide (U. S. Patent 3,284,186) Containing 2,4-D Plus MCPP and Dicamba**

**- KILLS WEEDS -  
- FEEDS THE LAWN -**

**CONTROLS CHICKWEED, DANDELION, KNOT-WEED, PLANTAINS, HENBIT, SPURGE AND MANY OTHER WEEDS AS LISTED.**

**ACTIVE INGREDIENTS:**


*Diethanolamine salt of 2,4-dichlorophenoxy-acetic acid	1.30%
**Diethanolamine salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	1.30%
***Diethanolamine salt of Dicamba (3,6-dichloro-o-anisic acid)	0.12%
<b>INERT INGREDIENTS:</b>	<b>97.28%</b>
<b>TOTAL</b>	<b>100.00%</b>
*Equivalent to 2,4-dichlorophenoxyacetic acid	.90%
**Equivalent to 2-(2-methyl-4-chlorophenoxy) propionic acid	.90%
***Equivalent to 3,6-dichloro-o anisic acid	.084%

**CAUTION: Keep Out of Reach of Children**  
See Back Panel for Additional Cautions

**NET WEIGHT 22 POUNDS  
FOR FERTILIZER GUARANTEE SEE REVERSE SIDE**

**PRIVATE BRANDS, INC.  
300 South Third Street  
Kansas City, Kansas 66118**

U.S.D.A. Reg. No. 2217-487



**WEED-'N-FEED**

In addition to the 20-10-5 fertilizer, this product contains the new patented formulation of Trimec Turf Herbicide. The fertilizer supplies a generous portion of the plant food needed for normal season's growth and the herbicide controls hard-to-kill weeds such as chickweed, black medic, ground ivy, knotweed, plantain, dandelion, henbit, spurge and most other common lawn weeds.

The weed killing benefits derived from this product are far superior to any other herbicide on the market. Increased herbicide content hastens weed kill and provides longer weed control. However, if adverse low moisture conditions prevail and weeds are in a state of poor growth, possible retreatment may be necessary with a Trimec liquid formulation when conditions improve.

**WHEN TO APPLY:** For best results apply when weeds are growing vigorously in the spring or early fall after heavy rains. The material may be used on bluegrass, fescue, rye, Bermuda and zoysia lawns. Normally, at this time there is sufficient moisture for excellent response from the fertilizer as well as very effective weed control.

Weed-'N-Feed with Trimec is a remarkably effective premium lawn food which combines the advantages of both fast and long lasting feeding action plus the broad range of weed control of the Trimec. The fertilizer produces a thick, green turf while killing weeds to make way for turf growth. Weeds contacted by the product stop growing, gradually die and disappear from the lawn.

**- COVERS 5,000 SQ. FT. -**

**HOW MUCH TO USE:** This 22 lb. bag of Weed-'N-Feed with Trimec should be used on 5,000 sq. ft. Apply evenly with a lawn spreader either as a one pass application or a two pass application, criss-crossing the area at half the rate each time. To get maximum weed killing results, do not rake, mow, or water the lawn for at least 24 hours after spreading the product.

Lawns which are heavily overrun by weeds and are in poor condition may require more than one application of this product. A suggested second application could be made in approximately 30 days.

**CAUTION:** Avoid inhaling dust or contact with skin, eyes and clothing. Do not use this product where desirable clovers are present or allow the product to "wind drift" on flowers, vegetables or ornamental shrubbery. Do not apply to newly seeded lawns. During application close spreader openings when turning. Apply when the air is calm. Keep away from fertilizers, seeds, insecticides or fungicides. Do not apply to areas underlaid by roots of desirable trees and shrubs. Spreader setting should be calibrated as follows:

Scott	6
Lawn Beauty	5
Jackson	7½
Sears	4

The above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply on ½ lb. per 100 sq. ft. Use normal rate of walk when applying to avoid an error on rate of application.

**NOTICE:** Seller warrants that this product conforms to the ingredient statement of the label. Since conditions of use, such as weather, compatibility with other chemicals and condition of application equipment, will vary, Seller makes no claims other than those stated on this label.

**FERTILIZER GUARANTEE**

Total Nitrogen (not less than)	20%
Water Insoluble Nitrogen (not less than)	5%
Available Phosphoric Acid (not less than)	10%
Soluble Potash (not less than)	5%

T.M.-P.B.I., K.C.K.

TM

# TRIMEC 19 WEED-'N-FEED

**A 20-10-5 Lawn Fertilizer Plus Trimec<sup>®</sup> a New Patented Herbicide (U. S. Patent 3,284,186) Containing 2,4-D Plus MCPP and Dicamba**

**- KILLS WEEDS -  
- FEEDS THE LAWN -**

**CONTROLS CHICKWEED, DANDELION, KNOT-WEED, PLANTAINS, HENBIT, SPURGE AND MANY OTHER WEEDS AS LISTED.**

**ACTIVE INGREDIENTS:**

*Diethanolamine salt of 2,4-dichlorophenoxy-acetic acid	1.30%
**Diethanolamine salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	1.30%
***Diethanolamine salt of Dicamba (3,6-dichloro-o-anisic acid)	0.12%
<b>INERT INGREDIENTS:</b>	<b>97.28%</b>
<b>TOTAL</b>	<b>100.00%</b>
*Equivalent to 2,4-dichlorophenoxyacetic acid	90
**Equivalent to 2-(2-methyl-4-chlorophenoxy) propionic acid	90
***Equivalent to 3,6-dichloro-o-anisic acid	64

**CAUTION: Keep Out of Reach of Children**  
See Back Panel for Additional Cautions

**NET WEIGHT 22 POUNDS**

FOR FERTILIZER GUARANTEE SEE REVERSE SIDE

**PRIVATE BRANDS, INC.  
300 South Third Street  
Kansas City, Kansas 66118**

U.S.D.A. Reg. No. 2217-487

570-569

ACCEPTED

8-13-69

2217 487

**WEED-'N-FEED**

In addition to the 20-10-5 lawn fertilizer, this product contains the new patented formula Trimec<sup>®</sup> (U. S. Patent 3,284,186). The Trimec<sup>®</sup> herbicide content of this product provides a portion of the weed control that is normally associated with the herbicide control, hard to control weeds such as chickweed, dandelion, knotweed, plantain, henbit, spurge, and many other common lawn weeds.

The weed-killing herbicide content of this product is far superior to any other herbicide in the market. Trimec<sup>®</sup> herbicide content instantly kills weeds and provides long-term control. However, if stresses such as moisture conditions prevail and weeds are in a state of poor growth, possible retreatment may be necessary with Trimec<sup>®</sup> herbicide when conditions improve.

**WHEN TO APPLY:** For best results, apply when weeds are growing vigorously in the spring or early fall after heavy rains. Trimec<sup>®</sup> may be used on fescue, ryegrass, Bermuda and zoysia lawns. Normally, at this time, there is sufficient moisture for excellent response from the fertilizer as well as very effective weed control.

Weed 'N Feed with Trimec<sup>®</sup> is a remarkably effective premium lawn food which combines the advantages of both fast and long-lasting feeding action plus the broad range of weed control of the Trimec<sup>®</sup>. The fertilizer produces a thick green turf while killing weeds to make way for turf growth. Weeds contacted by the product stop growing, gradually die and disappear from the lawn.

**- COVERS 5,000 SQ. FT. -**

**HOW MUCH TO USE:** This 22 lb. bag of Weed 'N Feed with Trimec<sup>®</sup> should be used on 5,000 sq. ft. Apply evenly with a lawn spreader, either as a one pass application or two pass application, cross crossing the area at half the rate each time. To get maximum weed killing results, do not rake, mow, or water the lawn for at least 24 hours after spreading the product.

Lawns which are heavily overgrown by weeds and are in poor condition may require more than one application of this product. A suggested second application could be made in approximately 30 days.

**CAUTION:** Avoid inhaling dust or contact with skin, eyes, and clothing. Do not use this product where desirable clovers are present or allow the product to wind drift on flowers, vegetables or ornamental shrubbery. Do not apply to newly seeded lawns. During application, close spreader openings when turning. Apply when the air is calm. Keep away from fertilizers, seeds, insecticides or fungicides. Do not apply to areas underlaid by roots of desirable trees and shrubs. Spreader setting should be calibrated as follows:

Scott	6
Lawn Beauty	5
Jackson	7 1/2
Seas	4

The above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply one 2 lb. per 100 sq. ft. Use normal rate of walk when applying to avoid an error in rate of application.

**NOTICE:** Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use such as weather, compatibility with other chemicals and condition of application equipment will vary, Seller makes no claims other than those stated on this label.

**FERTILIZER GUARANTEE**

Total Nitrogen, not less than	20%
Water Insoluble Nitrogen, not less than	5%
Available Phosphoric Acid, not less than	10%
Soluble Potash, not less than	5%

TM PBI KCK

TM

# TRIMEC 19 WEED-'N-FEED

**A 20-10-5 Lawn Fertilizer Plus Trimec\* a New Patented Herbicide (U. S. Patent 3,284,186) Containing 2,4-D Plus MCPP and Dicamba**

**- KILLS WEEDS -  
- FEEDS THE LAWN -**

**CONTROLS CHICKWEED, DANDELION, KNOT-WEED, PLANTAINS, HENBIT, SPURGE AND MANY OTHER WEEDS AS LISTED.**

**ACTIVE INGREDIENTS:**

*Diethanolamine salt of 2,4-dichlorophenoxy-acetic acid	1.30%
**Diethanolamine salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	1.30%
***Diethanolamine salt of Dicamba (3,6-dichloro-o-anisic acid)	0.12%
<b>INERT INGREDIENTS:</b>	<b>97.28%</b>
<b>TOTAL</b>	<b>100.00%</b>
*Equivalent to 2,4 dichlorophenoxyacetic acid	90%
**Equivalent to 2-(2-methyl-4-chlorophenoxy) propionic acid	90%
***Equivalent to 3,6 dichloro o-anisic acid	084%

**CAUTION: Keep Out of Reach of Children**  
See Back Panel for Additional Cautions

**NET WEIGHT 22 POUNDS**  
FOR FERTILIZER GUARANTEE SEE REVERSE SIDE  
**PRIVATE BRANDS, INC.**  
300 South Third Street  
Kansas City, Kansas 66118

U.S.D.A. Reg. No. 2217-487

**ACCEPTED**  
8-18-69

570-569      2217-487

**WEED-'N-FEED**

In addition to the 20-10-5 fertilizer, this product contains the new patented formulation of Trimec Turf Herbicide. The fertilizer supplies a generous portion of the plant food needed for normal seasonal growth and the herbicide controls hard-to-kill weeds such as chickweed, black medic, ground-ivy, knotweed, plantain, dandelions, henbit, spurge and most other common lawn weeds.

The weed killing benefits derived from this product are far superior to any other herbicide on the market. Increased herbicide content hastens weed kill and provides longer weed control. However, if adverse low moisture conditions prevail and weeds are in a state of poor growth, possible retreatment may be necessary with a Trimec liquid formulation when conditions improve.

**WHEN TO APPLY:** For best results apply when weeds are growing vigorously in the spring or early fall after heavy rains. The material may be used on bluegrass, fescue, rye, Bermuda and zoysia lawns. Normally, at this time there is sufficient moisture for excellent response from the fertilizer as well as very effective weed control.

Weed-'N-Feed with Trimec is a remarkably effective premium lawn food which combines the advantages of both fast and long lasting feeding action plus the broad range of weed control of the Trimec. The fertilizer produces a thick, green turf while killing weeds to make way for turf growth. Weeds contacted by the product stop growing, gradually die and disappear from the lawn.

- COVERS 5,000 SQ. FT. -

**HOW MUCH TO USE:** This 22 lb. bag of Weed-'N-Feed with Trimec should be used on 5,000 sq. ft. Apply evenly with a lawn spreader either as a one pass application or a two pass application, criss-crossing the area at half the rate each time. To get maximum weed killing results, do not rake, mow, or water the lawn for at least 24 hours after spreading the product.

Lawns which are heavily overrun by weeds and are in poor condition may require more than one application of this product. A suggested second application could be made in approximately 30 days.

**CAUTION:** Avoid inhaling dust or contact with skin, eyes and clothing. Do not use this product where desirable clovers are present or allow the product to "wind drift" on flowers, vegetables or ornamental shrubbery. Do not apply to newly seeded lawns. During application close spreader openings when turning. Apply when the air is calm. Keep away from fertilizers, seeds, insecticides or fungicides. Do not apply to areas underlaid by roots of desirable trees and shrubs. Spreader setting should be calibrated as follows.

Scott	6
Lawn Beauty	5
Jackson	7 1/2
Sears	4

The above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply 1/2 lb. per 100 sq. ft. Use normal rate of walk when applying to avoid an error on rate of application.

**NOTICE:** Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use such as weather, compatibility with other chemicals and condition of application equipment, will vary, Seller makes no claims other than those stated on this label.

**FERTILIZER GUARANTEE**

Total Nitrogen, not less than	20%
Water Insoluble Nitrogen, not less than	5%
Available Phosphoric Acid, not less than	10%
Soluble Potash, not less than	5%

T.M. - P.B.I., K.C.K.

**— GORDON**

300 S  
KANSAS CITY  
U.

**TECHNICAL**

2-(2-Methyl-4-chlo

FOR USE IN THE MANU

ACTIVE INGREDIENT:

2-(2-Methyl-4-chlorophenoxy) propionic

INERT INGREDIENTS .....

**CAUTION: Keep**

CAUTION: Irritating dust. Avoid  
case of contact, flush with plenty  
medical attention. Harmful if swallowe

Do not store near fertilizers, seeds,

IMPORTANT: Do not use in equipment  
handled or will handle other agricul  
water used for irrigation or domestic

EPA EST. NO. 33753-EN-1

RM 8-117-574      NET WEIGHT-  
MADE

DO NOT REUSE CONTAINERS

**FOR MANUFACTURER  
MANUFACTURER TO  
COMPLETE DIRECT  
ACCORDANCE WITH**

WX 86E

TM

# TRIMEC 19

## WEED-'N-FEED

**A 20-10-5 Lawn Fertilizer Plus Trimec\* a New Patented Herbicide (U. S. Patent 3,284,186) Containing 2,4-D Plus MCPP and Dicamba**

**- KILLS WEEDS -  
- FEEDS THE LAWN -**

**CONTROLS CHICKWEED, DANDELION, KNOT-WEED, PLANTAINS, HENBIT, SPURGE AND MANY OTHER WEEDS AS LISTED.**

**ACTIVE INGREDIENTS:**

* Diethanolamine salt of 2,4-dichlorophenoxyacetic acid	1.30%
** Diethanolamine salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	1.30%
*** Diethanolamine salt of Dicamba (3,6-dichloro-o-anisic acid)	0.12%
<b>INERT INGREDIENTS:</b>	<b>97.28%</b>
<b>TOTAL</b>	<b>100.00%</b>
* Equivalent to 2,4-dichlorophenoxyacetic acid	90%
** Equivalent to 2-(2-methyl-4-chlorophenoxy) propionic acid	90%
*** Equivalent to 3,6-dichloro-o-anisic acid	084

**CAUTION: Keep Out of Reach of Children**

See Back Panel for Additional Cautions

**NET WEIGHT 22 POUNDS**

FOR FERTILIZER GUARANTEE SEE REVERSE SIDE

**PRIVATE BRANDS, INC.  
300 South Third Street  
Kansas City, Kansas 66118**

U.S.D.A. Reg. No. 2217-107

170 569

ACCEPTED  
8-18-69

22; 452

### WEED-'N-FEED

In addition to the 20-10-5 fertilizer, this product contains the new patented formulation of Trimec Turf Herbicide. The fertilizer supplies a generous portion of the plant food needed for normal seasonal growth and the herbicide controls hard to kill weeds such as chickweed, black medic, ground ivy, knotweed, plantain, dandelions, henbit, spurge and most other common lawn weeds.

The weed killing benefits derived from this product are far superior to any other herbicide on the market. Increased herbicide content hastens weed kill and provides longer weed control. However, if adverse low moisture conditions prevail and weeds are in a state of poor growth, possible retreatment may be necessary with a Trimec liquid formulation when conditions improve.

**WHEN TO APPLY:** For best results, apply when weeds are growing vigorously in the spring or early fall after heavy rains. The material may be used on bluegrass, fescue, rye, Bermuda and zoysia lawns. Normally, at this time there is sufficient moisture for excellent response from the fertilizer as well as very effective weed control.

Weed-'N-Feed with Trimec is a remarkably effective premium lawn food which combines the advantages of both fast and long lasting feeding action plus the broad range of weed control of the Trimec. The fertilizer produces a thick, green turf while killing weeds to make way for turf growth. Weeds contacted by the product stop growing, gradually die and disappear from the lawn.

- COVERS 5,000 SQ. FT. -

**HOW MUCH TO USE:** This 22 lb. bag of Weed-'N-Feed with Trimec should be used on 5,000 sq. ft. Apply evenly with a lawn spreader either as a one pass application or a two pass application, criss-crossing the area at half the rate each time. To get maximum weed killing results, do not rake, mow, or water the lawn for at least 24 hours after spreading the product.

Lawns which are heavily overtopped by weeds and are in poor condition may require more than one application of this product. A suggested second application could be made in approximately 30 days.

**CAUTION:** Avoid inhaling dust or contact with skin, eyes and clothing. Do not use this product where desirable clovers are present or allow the product to wind drift on flowers, vegetables or ornamental shrubbery. Do not apply to newly seeded lawns. During application, close spreader openings when turning. Apply when the air is calm. Keep away from fertilizers, seeds, insecticides or fungicides. Do not apply to areas underlaid by roots of desirable trees and shrubs. Spreader setting should be calibrated as follows:

Scott	6
Lawn Beauty	5
Jackson	7
Sears	4

The above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply only 1 lb. per 100 sq. ft. Use a scale to check when applying to avoid an error in rate of application.

**NOTICE:** Seller warrants that the product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment, will vary, Seller makes no claims other than those stated on this label.

**FERTILIZER GUARANTEE**

Total Nitrogen (not less than)	20%
Water Insoluble Nitrogen (not less than)	5%
Available Phosphoric Acid (not less than)	10%
Soluble Potash (not less than)	5%

