

PM 2.3 2217-489

1075



1217 W. 12TH STREET
P.O. BOX 4090
KANSAS CITY, MO 64101

The Certification of Compliance for the 2,4-D Exposure Reduction Program

"I, being an authorized representative of PBI/Gordon Corporation, certify that all containers of **Trimec Weed-N-Feed (2217-489)** produced by June 15, 1994 for products registered for use only on residential or turf sites, excluding sod farms will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products. I further certify that all containers of said product sold or distributed by this company by January 1, 1995 for products registered for use only on residential or turf sites, excluding sod farms will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products."

J. A. Armbruster

2/17/93

James A. Armbruster, Ph.D.
Mgr. Regulatory Services

Date

1075

2075

TRIMEC^(R) WEED-'N-FEED

A 20-10-5 Lawn Fertilizer Plus TRIMEC^(R)

CHICKWEED, DANDELION, KNOTWEED, PLANTAINS, HENBIT, SPURGE
AND MANY OTHER WEEDS AS LISTED.

ACTIVE INGREDIENTS:

*Dimethylamine salt of 2, 4-dichlorophenoxy- acetic acid	0.630%
**Dimethylamine salt of 2-(2-methyl-4-chloro- phenoxy)propionic acid.	0.640%
***Dimethylamine salt of Dicamba (3, 6-Dichloro-o-anisic acid)	0.056%
INERT INGREDIENTS.	<u>.98.674%</u>
TOTAL	100.000%

THIS PRODUCT CONTAINS:

- *10.6 lbs. 2, 4-Dichlorophenoxyacetic acid equivalent per ton or 0.53%
- **10.6 lbs. 2-(2-Methyl-4-chlorophenoxy) propionic acid equivalent per ton or 0.53%
- ***0.94 lb. 3, 6-Dichloro-o-anisic acid equivalent per ton or 0.047%

Isomer Specific by AOAC Methods.

TRIMEC^(R) is a registered trademark of PBI/GORDON CORPORATION

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for Precautionary Statements.

NET WEIGHT 22 POUNDS

569/1292 APX0000X

EPA REG. NO. 2217-489
EPA EST. NO. 2217-KS-1

Mfd. by PBI/GORDON CORPORATION
KANSAS CITY, MISSOURI 64101



3075

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed. Avoid inhaling dust or contact with skin, eyes or clothing. Wear long pants, long-sleeved shirt and shoes when applying this product.

When using this product, wear long-sleeved shirt, long pants, socks and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

Environmental Hazards

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried or dust has settled.

STORAGE & DISPOSAL

STORAGE: Store in original container in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

USE PRECAUTIONS

Do not use this product where desirable clovers are present or allow the material to "wind drift" onto flowers, vegetables or ornamental shrubbery. Do not spread over exposed roots of trees and ornamentals. Do not exceed specified dosages for any area; be particularly careful within dripline of tree and other ornamental species. Apply when the air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning.

In addition to the 20-10-5 fertilizer, this product contains THIMEC Herbicide. The fertilizer supplies a generous portion of the plant food needed for normal season's growth and the herbicide controls hard-to-kill weeds such as chickweed, black medic, ground ivy, knotweed, plantain, dandelions, henbit, spurge and most other common lawn weeds.

If adverse low moisture conditions prevail and weeds are in a state of poor growth, possible re-treatment may be necessary with Trimec liquid formulation when conditions improve.

WHEN TO APPLY: For best results apply when weeds are growing vigorously in the spring or early fall after heavy rains.



4 of 5

This material may be used on bluegrass, fescue, perennial ryegrass, bermudagrass and zoysiagrass lawns. Normally, at this time there is sufficient moisture for excellent response from the fertilizer as well as very effective weed control.

WEED-'N-FEED with Trimec is a remarkably effective premium lawn food which combines the advantages of both fast and long lasting feeding action plus the broad range of weed control of the Trimec. The fertilizer produces a thick, green turf while killing weeds to make way for turf growth. Weeds contacted by the product stop growing gradually die, and disappear from the lawn.

- COVERS 5,000 SQ. FT. -

HOW MUCH TO USE: This 22 pound bag of WEED-'N-FEED with Trimec should be used on 5,000 sq. ft. Apply evenly with a lawn spreader either as a one pass application or a two pass application by criss-crossing the area at half rate.

To get maximum weed killing results, do not rake, mow, or water the lawn for at least 24 hours after spreading the product.

Lawns which are heavily overrun by weeds and are in poor condition may require more than one application of this product. A suggested second application could be made in approximately 30 days.

The maximum application rate to turf is 1.0 pound 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

During application close spreader openings when turning. Spreader setting should be adjusted as follows:

SPREADER SETTINGS

- Scott. 6
- Lawn Beauty. . . 5
- Jackson. 7 1/2
- Sears. 4

The above spreader settings are approximate. Calibrate your spreader on 100 sq. ft. and adjust to apply 1 pound per 100 sq. ft.

20-10-5

GUARANTEED ANALYSIS

Total Nitrogen (N).....	20%
Water Insoluble Nitrogen (N).....	5%
Available Phosphoric Acid (P ₂ O ₅).....	10%
Soluble Potash (K ₂ O).....	5%

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.


THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are



5075

beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.



NOT AVAILABLE