TRIMEC ® WEED-'N-FEED

A 20-10-5 Lawn Fertilizer Plus TRIMEC®

CHICKWEED, DANDELION, KNOTWEED, PLANTAINS, HENBIT, SPURGE AND MANY OTHER WEEDS AS LISTED.

ACTIVE INGREDIENTS

* · · · · · · · · · · · · · · · · · · ·	
*Dimethylamine salt of 2, 4-dichlorophenoxyacetic acid 0.630)%
**Dimethylamine salt of 2-(2-methyl-4-chlorophenoxy)propionic acid 0.640)%
***Dimethylamine salt of Dicamba (3, 6-Dichloro-o-anisic acid) 0.056	3%
INERT INGREDIENTS	<u> %</u>
TOTAL 100.000)%

THIS PRODUCT CONTAINS:

*10.6 lbs. 2, 4-Dichlorophenoxyacetic acid equivalent per ton or 0.53%

Isomer Specific by AOAC Methods.

TRIMEC® is a registered trademark of PBI/GORDON CORPORATION

NOTIFICATION
LABEL NOT REVIEWED
PER PR NOTICE 49-4
7//2/93

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for Precautionary Statements.

NET WEIGHT 22 POUNDS

569/ AP052093

EPA REG. NO. 2217-419 EPA EST. NO. 2217-KS-1

Mfd. by PBI/GORDON CORPORATION KANSAS CITY, MISSOURI 64101

^{**10.6} lbs. 2-(2-Methyl-4-chlorophenoxy) propionic acid equivalent per ton or 0.53%

^{***0.94} lb. 3, 6-Dichloro-o-anisic acid equivalent per ton or 0.047%

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed. Avoid inhaling dust or contact with skin, eyes or clothing.

When using this product, wear long-sleeved shirt, long pants, socks and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

Environmental Hazards

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. For terrestrial uses, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried or dust has settled.

STORAGE & DISPOSAL

STORAGE: Store in original container in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

USE PRECAUTIONS

Do not use this product where desirable clovers are present or allow the material to "wind drift" onto flowers, vegetables or ornamental shrubbery. Do not spread over exposed roots of trees and ornamentals. Do not exceed specified dosages for any area; be particularly careful within dripline of tree and other ornamental species. Apply when the air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning.

In addition to the 20-10-5 fertilizer, this product contains TRIMEC® Herbicide. The fertilizer supplies a generous portion of the plant food needed for normal season's growth and the herbicide controls hard-to-kill weeds such as chickweed, black medic, ground ivy, knotweed, plantain, dandelions, henbit, spurge and most other common lawn weeds.

If adverse low moisture conditions prevail and weeds are in a state of poor growth, possible retreatment may be necessary with Trimec liquid formulation when conditions improve.

<u>WHEN TO APPLY:</u> For best results apply when weeds are growing vigorously in the spring or early fall after heavy rains.

This material may be used on bluegrass, fescue, perennial ryegrass, bermudagrass and zoysiagrass lawns. Normally, at this time there is sufficient moisture for excellent response from the fertilizer as well as very effective weed control.

WEED-'N-FEED with Trimec is a remarkably effective premium lawn food which combines the advantages of both fast and long lasting feeding action plus the broad range of weed control of the Trimec. The fertilizer produces a thick, green turf while killing weeds to make way for turf growth. Weeds contacted by the product stop growing gradually die, and disappear from the lawn.

- COVERS 5,000 SQ. FT. -

HOW MUCH TO USE: This 22 pound bag of WEED-'N-FEED with Trimec® should be used on 5,000 sq. ft. Apply evenly with a lawn spreader either as a one pass application or a two pass application by crisscrossing the area at half rate.

To get maximum weed killing results, do not rake, mow, or water the lawn for at least 24 hours after spreading the product.

Lawns which are heavily overrun by weeds and are in poor condition may require more than one application of this product. A suggested second application could be made in approximately 30 days.

The maximum pplication rate to turf is 1.0 pound 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

During application close spreader openings when turning. Spreader setting should be adjusted as follows:

SPREADER SETTINGS

Scott	. 6
Lawn Beauty	5
Jackson	
Sears	. 4

The above spreader settings are approximate. Calibrate your spreader on 100 sq. ft. and adjust to apply 1 pound per 100 sq. ft.

20-10-5

GUARANTEED ANALYSIS

Total Nitrogen (N)	.20%
Water Insoluble Nitrogen (N)	
Available Phosphoric Acid (P2O3)	10%
Soluble Potash (K ₂ O)	

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FIT-IESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tomadoes, hurricones, etc. These factors are beyond the control of the manufacturer or the seller. Any day ages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.