

## BEST DOCUMENT AVAILABLE

# TIA TRIMEC 26 WEED-'N-FEED

A 20-10-5 Lawn Fertilizer Plus Trimec™ a New Patented Herbicide (U. S. Patent 3,284,186) Containing 2,4-D Plus MCPP and Dicamba

- KILLS WEEDS -  
- FEEDS THE LAWN -

CHICKWEED, DANDELION, KNOTWEED, PLANTAINS, HENBIT, SPURGE AND MANY OTHER WEEDS AS LISTED.

#### ACTIVE INGREDIENTS:

*Diethanolamine salt of 2,4 dichlorophenoxy-acetic acid	2.01%
**Diethanolamine salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	1.34%
***Diethanolamine salt of Dicamba (3,6 dichloro-a-anisic acid)	0.12%
<b>INERT INGREDIENTS:</b>	<b>96.53%</b>
<b>TOTAL</b>	<b>100.00%</b>

\*Equivalent to 2,4 dichlorophenoxy-acetic acid  
\*\*Equivalent to 2-(2-methyl-4-chlorophenoxy) propionic acid  
\*\*\*Equivalent to 3,6 dichloro-a-anisic acid

#### CAUTION: Keep Out of Reach of Children

(See Back Panel for Additional Cautions)  
NET WEIGHT 22 POUNDS  
FOR FERTILIZER GUARANTEE SEE REVERSE SIDE

PRIVATE BRANDS, INC.  
300 South Third Street  
Kansas City, Kansas 66118

U.S.D.A. Reg. No. 2217-492

571-569

#### WEED-'N-FEED

In addition to the 20-10-5 lawn fertilizer contained in the product, this formula contains Trimec™ herbicide. Trimec™ is a patented, general purpose of the product. It is a broad spectrum herbicide which will control a wide variety of weeds. It is a non-selective herbicide and its effectiveness depends upon the number of weeds present at the time of application.

This weed killer is the most effective and easiest to use for superior to any other herbicide in the market. It controls broadleaf weeds effectively and provides effective weed control. However, it requires an adequate amount of rainfall and warm weather for best results. Poor growth of grass after treatment may be necessary with cool weather or during snow when conditions improve.

**WHEN TO APPLY** The best time to apply when weeds are growing vigorously in the spring or early fall after heavy rains. The material may be used on bluegrass, fescue, rye, Bermuda and zoysia lawns. Normally, at this time there is sufficient moisture for excellent response from the fertilizer as well as very effective weed control.

Weed-N-Feed with Trimec™ is a remarkably effective premium lawn food which combines the advantages of both fast and long-lasting feeding action plus the broad range of weed control of the Trimec™. The fertilizer produces a thick green turf while killing weeds to make way for turf growth. Weeds contacted by the product stop growing gradually and die away from the main.

#### - COVERS 5,000 SQ. FT. -

**HOW MUCH TO USE** This 22 lb. bag of Weed-N-Feed with Trimec should be used on 5,000 sq. ft. Apply evenly with a lawn spreader either as a one pass application or a two pass application crossing the area at half the rate each time. To get maximum weed killing results do not mow, mow or water the lawn for at least 24 hours after spreading the product.

Lawns which are heavily over载荷 with weeds and are in poor condition may require more than one application of this product. A suggested second application would be made in approximately 30 days.

**CAUTION** Avoid inhaling dust or contact with skin, eyes and clothing. Do not use this product where wild flowers are present or allow the product to wind drift on flowers, vegetables or ornamental shrubbery. Do not apply to new, seeded lawns. During application close spreader openings when turning. Apply when the air is calm. Keep away from fertilizers, seeds, insecticides or fungicides. Do not apply to areas underlaid by roots of deciduous trees and shrubs. Spreader setting should be calibrated as follows:

Scott	6
Lawn-Beauty	5
Jackson	7 1/2
Sears	4

The above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply one lb. per 100 sq. ft. Use normal rate of walk when applying to avoid an uneven rate of application.

**NOTICE** Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use such as weather, compatibility with other chemicals and condition of application equipment will vary, Seller makes no claims other than those stated on this label.

#### FERTILIZER GUARANTEE

Total Nitrogen, not less than	20%
Water Insoluble Nitrogen, not less than	5%
Available Phosphoric Acid, not less than	10%
Soluble Potash, not less than	5%

TM PBI, K.C.K.

30

BEST DOCUMENT AVAILABLE

TM  
**TRIMEC 26<sup>®</sup>**  
**WEED-'N-FEED**

A 20-10-5 Lawn Fertilizer Plus Trimec<sup>\*</sup>, New  
Patented Herbicide (U. S. Patent 3,284,136)  
Containing 2,4-D Plus MCPP and Dicamba

- KILLS WEEDS -  
- FEEDS THE LAWN -

**CHICKWEED, DANDELION, KNOTWEED, PLANTAINS, HENBIT, SPURGE AND MANY OTHER WEEDS AS LISTED.**

**ACTIVE INGREDIENTS:**

*Diethanolamine salt of 2,4-dichlorophenoxyacetic acid	2.01%
**Diethanolamine salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	1.34%
***Diethanolamine salt of Dicamba (3,6-dichloro-o-anisic acid)	0.12%
<b>INERT INGREDIENTS:</b>	<b>96.53%</b>
<b>TOTAL</b>	<b>100.00%</b>
*Equivalent to 2,4-dichlorophenoxyacetic acid	1.36%
**Equivalent to 2-(2-methyl-4-chlorophenoxy) propionic acid	.90%
***Equivalent to 3,6 dichloro o anisic acid	.084%

**CAUTION: Keep Out of Reach of Children**


See Back Panel for Additional Cautions

NET WEIGHT 22 POUNDS  
FOR FERTILIZER GUARANTEE SEE REVERSE SIDE

PRIVATE BRANDS, INC.  
300 South Third Street  
Kansas City, Kansas 66118

U.S.D.A. Reg. No. 2217-492

571-569



**WEED-'N-FEED**

In addition to the 20-10-5 fertilizer, this product contains the new patented formulation of Trimec Turf Herbicide. The fertilizer supplies a generous portion of the plant food needed for normal season's growth and the herbicide controls hard-to-kill weeds such as chickweed, black medic, ground ivy, knotweed, plantain, dandelions, henbit, spurge and most other common lawn weeds.

The weed killing benefits derived from this product are far superior to any other herbicide on the market. Increased herbicide content hastens weed kill and provides longer weed control. However, if adverse low moisture conditions prevail and weeds are in a state of poor growth, possible retreatment may be necessary with a Trimec liquid formulation when conditions improve.

**WHEN TO APPLY:** For best results apply when weeds are growing vigorously in the spring & early fall after heavy rains. The material may be used on bluegrass, fescue, rye, Bermuda and zoysia lawns. Normally, at this time there is sufficient moisture for excellent response from the fertilizer as well as very effective weed control.

Weed-'N-Feed with Trimec is a remarkably effective premium lawn food which combines the advantages of both fast and long lasting feeding action plus the broad range of weed control of the Trimec. The fertilizer produces a thick, green turf while killing weeds to make way for turf growth. Weeds contacted by the product stop growing, gradually die and disappear from the lawn.

**- COVERS 5,000 SQ. FT. -**

**HOW MUCH TO USE:** This 22 lb. bag of Weed-'N-Feed with Trimec should be used on 5,000 sq. ft. Apply evenly with a lawn spreader either as a one pass application or a two pass application, criss-crossing the area at half the rate each time. To get maximum weed killing results, do not rake, mow, or water the lawn for at least 24 hours after spreading the product.

Lawns which are heavily overrun by weeds and are in poor condition may require more than one application of this product. A suggested second application could be made in approximately 30 days.

**CAUTION:** Avoid inhaling dust or contact with skin, eyes and clothing. Do not use this product where desirable clovers are present or allow the product to "wind drift" on flowers, vegetables or ornamental shrubbery. Do not apply to newly seeded lawns. During application close spreader openings when turning. Apply when the air is calm. Keep away from fertilizers, seeds, insecticides or fungicides. Do not apply to areas underlaid by roots of desirable trees and shrubs. Spreader setting should be calibrated as follows:

Scott	6
Lawn Beauty	5
Jackson	7½
Sears	4

The above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply on ½ lb. per 100 sq. ft. Use normal rate of walk when applying to avoid an error on rate of application.

**NOTICE:** Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals and condition of application equipment, will vary, Seller makes no claims other than those stated on this label.

**FERTILIZER GUARANTEE**

Total Nitrogen (not less than)	20%
Water Insoluble Nitrogen (not less than)	5%
Available Phosphoric Acid (not less than)	10%
Soluble Potash (not less than)	5%

T.M.—P.B.I., K.C.K.

**BEST DOCUMENT AVAILABLE**

# **TRIMEC<sup>TM</sup> 26 WEED-'N-FEED**

**A 20-10-5 Lawn Fertilizer Plus Trimec® a New  
Patented Herbicide (U. S. Patent 3,284,186)  
Containing 2,4-D Plus MCPP and Dicamba**

**- KILLS WEEDS -**  
**- FEEDS THE LAWN -**

**CHICKWEED, DANDELION, KNOTWEED, PLANTAINS, HENBIT, SPURGE AND MANY OTHER WEEDS AS LISTED.**

**ACTIVE INGREDIENTS:**

<b>ACTIVE INGREDIENTS:</b>	
* Diethanolamine salt of 2,4-dichlorophenoxyacetic acid	2.01%
** Diethanolamine salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	1.34%
*** Diethanolamine salt of Dicamba (3,6-dichloro-o-anisic acid)	0.12%
<b>INERT INGREDIENTS:</b>	96.53%
<b>TOTAL</b>	<u>100.00%</u>
* Equivalent to 2,4-dichlorophenoxyacetic acid	1.36
** Equivalent to 2-(2-methyl-4-chlorophenoxy) propionic acid	.90
*** Equivalent to 3,6-dichloroanisic acid	.084

**CAUTION:** Keep Out of Reach of Children  
See Back Panel for Additional Cautions


**NET WEIGHT 22 POUNDS**  
FOR FERTILIZER GUARANTEE SEE REVERSE SIDE

MS. B. 1. P. 11 v. 2213. 100

**PRIVATE BRANDS, INC.**  
300 South Third Street  
Kansus City, Kansas 661

U.S.P.A. Reg. No. 3317-482

571-560



## **WEED-'N-FEED**

In addition to the 20 lb. S fertilizer, this product contains the new patented formulation of Trimec Turf Herbicide. The fertilizer supplies a generous portion of the plant food needed for normal seasonal growth and the herbicide controls hard-to-kill weeds such as ~~chrysanthemum~~, black medic, ground ivy, knotweed, plantain, dandelion, horsetail, sow-thistle and most other common lawn weeds.

The weed killing benefits derived from this product are far superior to any other herbicide on the market. Increased herbicide content hastens weed kill and provides longer weed control. However, if adverse low moisture conditions prevail and weeds are in a state of poor growth, possible retreatment may be necessary with a Trimec liquid formulation when conditions improve.

**WHEN TO APPLY.** For best results apply when weeds are growing vigorously in the spring or early fall after heavy rains. The material may be used on bluegrass, fescue, rye, Bermuda and zoysia lawns. Normally, at this time there is sufficient moisture for excellent response from the fertilizer as well as an effective weed control.

Weed 'N-Feed with Trimec is a remarkably effective premium lawn food which combines the advantages of both fast and long lasting feeding action plus the broad range of weed control of the Trimec. The fertilizer produces a thick, green turf while killing weeds to make way for turf growth. Weeds contacted by the product stop growing gradually die and disappear from the lawn.

**- COVERS 5,000 SQ. FT. -**

**HOW MUCH TO USE** This 22 lb bag of Weed N Feed with Trimec should be used on 5,000 sq ft. Apply evenly with a lawn spreader either as a one pass application or a two pass application cross crossing the area at half the rate each time. To get maximum weed killing results, do not rake, mow or water the lawn for at least 24 hours after spreading the product.

Lawns which are heavily overrun by weeds and are in poor condition may require more than one application of this product. A suggested second application could be made in approximately 30 days.

**CAUTION** Avoid inhaling dust or contact with skin, eyes and clothing.  
Do not use this product where desirable clovers are present or allow the product  
to wind drift on flowers, vegetables or ornamental shrubbery. Do not apply to  
newly seeded lawns. During application close spreader openings when turning.  
Apply when the air is calm. Keep away from fertilizers, seeds, insecticides or  
fungicides. Do not apply to areas underlaid by roots of desirable trees and shrubs.  
Spreader settings should be calibrated as follows:

Scott	6
Lawn Beauty	5
Jackson	7
Sears	4

The above spreader settings are approximate. Check your spreader on 100 sq ft and adjust to apply on .1 lb per 100 sq ft. Use normal rate of walk when applying to avoid an error or rate of application.

**NOTICE:** Seller warrants that this product conforms to the ingredient statement on the label. Service conditions of use, such as weather compatibility with other chemicals and condition of application equipment, will vary. Seller makes no claims other than those stated on this label.

**FERTILIZER GUARANTEED**

Total Nitrogen not less than 20%  
 Water Insoluble Nitrogen not less than 5%  
 Available Phosphoric Acid not less than 10%  
 Soluble Potash not less than 5%

1000000

三