

TRIMECTM 26 WEED-'N-FEED

ACCEPTED

Aug. 7, 1969

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROUENICIDE ACT
FOR ECONOMIC PESTICIDE REGISTERED
UNDER NO. 2217-492

**A 20-10-5 Lawn Fertilizer Plus Trimec* a New
Patented Herbicide (U. S. Patent 3,284,186)
Containing 2,4-D Plus MCPP and Dicamba**

**- KILLS WEEDS -
- FEEDS THE LAWN -**

**CHICKWEED, DANDELION, KNOTWEED, PLAN-
TAINS, HENBIT, SPURGE AND MANY OTHER
WEEDS AS LISTED.**

ACTIVE INGREDIENTS:

*Diethanolamine salt of 2,4-dichlorophenoxy- acetic acid	2.01%
**Diethanolamine salt of 2-(2-methyl-4-chloro- phenoxy) propionic acid	1.34%
***Diethanolamine salt of Dicamba (3,6-dichloro- o-anisic acid)	0.12%
INERT INGREDIENTS:	96.53%
TOTAL	100.00%
*Equivalent to 2,4-dichlorophenoxyacetic acid	1.36%
**Equivalent to 2-(2-methyl-4-chlorophenoxy) propionic acid	.90%
***Equivalent to 3,6-dichloro-o-anisic acid	.084%

CAUTION: Keep Out of Reach of Children
See Back Panel for Additional Cautions

NET WEIGHT 22 POUNDS
FOR FERTILIZER GUARANTEE SEE REVERSE SIDE

PRIVATE BRANDS, INC.
300 South Third Street
Kansas City, Kansas 66118

U.S.D.A. Reg. No. 2217-492

571-569

WEED-'N-FEED

In addition to the 20-10-5 fertilizer, this product contains the new patented formula-
tion of Trimec Turf Herbicide. The fertilizer supplies a generous portion of the
plant food needed for normal season's growth and the herbicide controls hard-to-
kill weeds such as chickweed, black medic, ground ivy, knotweed, plantain, dande-
lions, henbit, spurge and most other common lawn weeds.

The weed killing benefits derived from this product are far superior to any other
herbicide on the market. Increased herbicide content hastens weed kill and provides
longer weed control. However, if adverse low moisture conditions prevail and
weeds are in a state of poor growth, possible retreatment may be necessary with
a Trimec liquid formulation when conditions improve.

WHEN TO APPLY: For best results apply when weeds are growing vigorously
the spring or early fall after heavy rains.
The material may be used on bluegrass, fescue, rye, Bermuda and zoysia lawns.
Normally, at this time there is sufficient moisture for excellent response from the
fertilizer as well as very effective weed control.

Weed-'N-Feed with Trimec is a remarkably effective premium lawn food which
combines the advantages of both fast and long lasting feeding action plus the
broad range of weed control of the Trimec. The fertilizer produces a thick, green
turf while killing weeds to make way for turf growth. Weeds contacted by the
product stop growing, gradually die and disappear from the lawn.

- COVERS 5,000 SQ. FT. -

HOW MUCH TO USE: This 22 lb. bag of Weed-'N-Feed with Trimec should be used
on 5,000 sq. ft. Apply evenly with a lawn spreader either as a one pass applica-
tion or a two pass application, criss-crossing the area at half the rate each time.
To get maximum weed killing results, do not rake, mow, or water the lawn for
at least 24 hours after spreading the product.

Lawns which are heavily overrun by weeds and are in poor condition may require
more than one application of this product. A suggested second application could
be made in approximately 30 days.

CAUTION: Avoid inhaling dust or contact with skin, eyes and clothing.
Do not use this product where desirable clovers are present or allow the product
to "wind drift" on flowers, vegetables or ornamental shrubbery. Do not apply to
newly seeded lawns. During application close spreader openings when turning.
Apply when the air is calm. Keep away from fertilizers, seeds, insecticides or
fungicides. Do not apply to areas underlaid by roots of desirable trees and shrubs.
Spreader setting should be calibrated as follows:

Scott	6
Lawn Beauty	5
Jackson	7½
Sears	4

The above spreader settings are approximate. Check your spreader on 100 sq. ft.
and adjust to apply on ½ lb. per 100 sq. ft. Use normal rate of walk when apply-
ing to avoid an error on rate of application.

NOTICE: Seller warrants that this product conforms to the ingredient statement on
the label. Since conditions of use, such as weather, compatibility with other
chemicals and condition of application equipment, will vary, Seller makes no claims
other than those stated on this label.

FERTILIZER GUARANTEE

Total Nitrogen (not less than)	20%
Water Insoluble Nitrogen (not less than)	5%
Available Phosphoric Acid (not less than)	10%
Soluble Potash (not less than)	5%

T.M.--P.B.I., K.C., K.

TRIMECTM 2DMA TURF HERBICIDE

FORMERLY KILLEX

CAUTION: Keep out of Reach of Children.

SEE SIDE PANEL FOR ADDITIONAL CAUTION STATEMENTS

U.S. PATENT NO. 3,284,186

ACTIVE INGREDIENTS:	
*Dimethylamine salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	21.76%
**Dimethylamine salt of 2,4-dichlorophenoxyacetic acid	21.67%
***Dimethylamine salt of Dicamba (3,6-dichloro-o-anisic acid)	2.05%
INERT INGREDIENTS	54.52%
TOTAL	100.00%
*Equivalent to 2-(2-methyl-4-chlorophenoxy) propionic acid	17.99%
**Equivalent to 2,4-dichlorophenoxy acetic acid	18.00%
***Equivalent to 3,6-dichloro-o-anisic acid	1.71%

PRIVATE BRANDS, INC.
300 SOUTH 3RD ST., KANSAS CITY, KANSAS 66118

NET CONTENTS: 55 GALLONS

869-669

U.S.D.A. Reg. No. 2217-493

MANUFACTURING CONCENTRATE
For use in formulating a liquid Turf Herbicide.
Not for resale.

ACCEPTED
MAY 11 1969
UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND ROSENTHAL ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 2217-493

CAUTION—Harmful if swallowed. Do not get in eyes, on skin or clothing. In case of contact, wash with soap and water.

Do not contaminate or store near feed or foodstuffs.

Avoid inhalation of spray mist.

DON'T OVER DOSE! Follow directions carefully. Do not let spray drift to sensitive plants such as vegetables, legumes, grapes, flowers, cotton or other 2,4-D susceptible plants. Use coarse spray when there is less chance for "wind drift." Do not store near fertilizers, seeds, insecticides or fungicides. Do not contaminate water to be used for domestic or irrigation purposes. Local Spray conditions will vary. Check local recommendations first. Use separate spray equipment for insecticides and fungicides. Do not reuse empty container. Wash thoroughly with water and detergent. Discard in a safe place. Do not make aerial applications near cotton or sensitive plants.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment, will vary, Seller makes no claims other than those stated on this label.

T.M. P.B.I. K.C.K.

TRIMECTM 2DMA TURF HERBICIDE

FORMERLY KILLEX

CAUTION: Keep out of Reach of Children.

SEE SIDE PANEL FOR ADDITIONAL CAUTION STATEMENTS

U.S. PATENT NO. 3,284,186

ACTIVE INGREDIENTS:

*Dimethylamine salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	21.76%
**Dimethylamine salt of 2,4-dichlorophenoxyacetic acid	21.67%
***Dimethylamine salt of Dicamba (3,6-dichloro-o-anisic acid)	2.05%
INERT INGREDIENTS	54.52%
TOTAL	100.00%
*Equivalent to 2-(2-methyl-4-chlorophenoxy) propionic acid	17.99%
**Equivalent to 2,4-dichlorophenoxy acetic acid	18.00%
***Equivalent to 3,6-dichloro-o-anisic acid	1.71%

PRIVATE BRANDS, INC.

300 SOUTH 3RD ST., KANSAS CITY, KANSAS 66118

NET CONTENTS: 55 GALLONS


869-669

U.S.D.A. Reg. No. 2217-493

MANUFACTURING CONCENTRATE

For use in formulating a liquid Turf Herbicide.

Not for resale.



CAUTION—Harmful if swallowed. Do not get in eyes, on skin or clothing. In case of contact, wash with soap and water.

Do not contaminate or store near feed or foodstuffs.

Avoid inhalation of spray mist.

DON'T OVER DOSE! Follow directions carefully. Do not let spray drift to sensitive plants such as vegetables, legumes, grapes, flowers, cotton or other 2,4-D susceptible plants. Use coarse spray when there is less chance for "wind drift." Do not store near fertilizers, seeds, insecticides or fungicides. Do not contaminate water to be used for domestic or irrigation purposes. Local Spray conditions will vary. Check local recommendations first. Use separate spray equipment for insecticides and fungicides. Do not reuse empty container. Wash thoroughly with water and detergent. Discard in a safe place. Do not make aerial applications near cotton or sensitive plants.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment, will vary, Seller makes no claims other than those stated on this label.

TM, PBI, KCK.