

1 (of 3)



CYGOL[®] 2-E
Fly Spray
SYSTEMIC INSECTICIDE

Active Ingredient:

Dimethoate (O,O-dimethyl S-(H-methylcarbamoylmethyl)
phosphorodithioate) 23.4%

Inert Ingredients 76.6% ✓
Total 100.0%

(1 gallon contains 2 pounds of Dimethoate)

CONTROLS HOUSEFLIES

(14 pt.)... → CAUTION: {Keep Out of Reach of Children
(10 pt.)..... → {See Side Panels for Antidote and Additional Cautions

NET CONTENTS: 1 QUART

USDA Reg. No. 2217-X


Code

Manufactured by

Private Brands, Inc., Kansas City, Kansas,
for various customers as subregistered.

*Trademark of American Cyanamid Company, Princeton, N.J.
U.S. Patent 2,494,283

ACCEPTED
JUN 13 1969
UNDER THE FEDERAL INSECTICIDE
ACT
2217-495



CYCON® 2-
Fly Spray
SYSTEMIC INSECT

Active Ingredient:

Dimethoate (O,O-Dimethyl S-(H-methyl
phosphorodithioate)

Inert Ingredients

(1 gallon contains 2 pounds)

CONTROLS HOUSE

(14 pt.)... → CAUTION: (Keep Out of Reach of Children
(10 pt.)..... → { See Side Panels for Antidote

NET CONTENTS:

USDA Reg. No. 2217-X

Manufactured by

Private Brands, Inc., Kansas
for various customers as subcontractor


*Inventor of American Cyanamid Company
U.S. Patent 2,494,233

ACCEPTED
JUN 13 1969
2217-495

2(of 3)

DIRECTIONS FOR USE - HOUSEFLIES

227-1499



Residual Wall Spray: For the control of houseflies, including resistant strains, in dairy barns, hog pens, calf barns, poultry houses, and other farm buildings, apply a residual spray to the ceilings, walls, stanchions, etc. Prepare the spray by mixing 1 pint of Cygon 2-E in 3 gallons of water. Thoroughly wet all fly resting areas to the point of run-off. One gallon of spray will cover 500 to 1,000 square feet of surface.

Repeat applications should be made when necessary.

Remove all garbage from buildings when a flying residual wall spray.

CYGON 2-E IS TO BE USED FOR USE AS A RESIDUAL-TYPE INSECTICIDE IN AND AROUND PROBABLY INSPECTED MEAT-PACKING PLANTS EXCEPT WHERE MEAT FOOD PRODUCTS ARE PROCESSED OR HANDLED

Spot Sprays: For localized housefly control, apply a spray containing 1/2 pint of Cygon 2-E in 5 quarts of water with a knapsack or similar type sprayer to areas frequented by flies, such as doorways, around windows, etc.

Repeat applications should be made when necessary. Good sanitation is a necessary part of any effective fly control program.

Manure Sprays: For the control of housefly manure, mix 1/2 pint Cygon 2-E in 5 quarts of water and apply as a coarse spray or with a sprinkling can to fly-breeding areas, such as poultry droppings in caged-layer houses, garbage dumps and manure piles.

Repeat application as additional manure or garbage is added.

General Wall Spray: For the control of houseflies around homes and recreation areas, garbage cans, animal quarters, food-processing plants, warehouses, loading docks and refuse areas, thoroughly spray exposed surfaces, such as walls, fences, garbage and refuse containers with 1 pint of Cygon 2-E in 3 gallons of water.

Repeat applications should be made when necessary.

DO NOT CONTAMINATE MILK AND MILKING EQUIPMENT, MILKING EQUIPMENT, MILK AND MILK PRODUCTS. DO NOT USE IN MILK-PROCESSING PLANTS, INCLUDING MILK HOUSES AND MILK STORAGE ROOMS. DO NOT USE IN HOMES.

3(of 3)

ACCEPTED
2217-499 Jun 13 1969
IN THE FEDERAL BUREAU OF INVESTIGATION
RECEIVED AT THE OFFICE OF THE DIRECTOR
FOR THE FEDERAL BUREAU OF INVESTIGATION
FOURTH FLOOR, ROOM 4000
1000 L STREET, N.W.
WASHINGTON, D.C. 20535

CAUTION

VAPOR IRRITANT - HARMFUL IF SWALLOWED

COMBUSTIBLE

Concentrated material causes eye irritation - Avoid breathing vapor or spray mist - Use only with adequate ventilation - Avoid contact with skin and eyes - Wash thoroughly after handling - Do not contaminate food or feed products - Do not use, pour, spill or store near heat or open flame.

In case of contact with eyes, flush eyes with plenty of water for at least 15 minutes; get medical attention.

WARNING TO PHYSICIANS: This product, upon repeated or prolonged use, may cause cholinesterase inhibition. Atropine is antidotal.

This product is toxic to wildlife. Birds feeding on treated areas may be killed. Do not apply when weather conditions favor drift or spray from areas treated.

DO NOT STORE BELOW FREEZING TEMPERATURES

Do not use this product for any uses other than those specified on this label.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals and condition of application equipment, will vary, seller makes no claims other than those stated on this label.

The use of the within contained material for systemically protecting living plants is covered by Patent No. 3,310,242. The selling price includes a royalty for the right of any purchaser of said material to practice the method claimed in said patent. A nontransferable license under said patent may be obtained from American Cyanamid Company on current royalty terms whatever the source of material used.

U.S. Patent 2,494,205

Cameraman's Note
Poor Copy