

GORDON'S

PM 10
2217-497
Pg 104

INSTITUTIONAL MIST SPRAY

READY - TO - USE

ACTIVE INGREDIENTS:

*Piperonyl Butoxide.....	0.380%
Pyrethrins.....	0.076%
INERT INGREDIENTS.....	<u>99.544%</u>
TOTAL	100.000%

*Equivalent to 0.304% butylcarbitol 6-propylpiperonyl ether and 0.76% related isomers.

USE WHEREVER FOODSTUFFS ARE HANDLED


- | | | |
|------------------------|----------------|------------|
| Food Processing Plants | Packing Houses | Hotels |
| Restaurants | Canneries | Stores |
| Bottling Plants | Hospitals | Theaters |
| Institutions | Bakeries | Laundries |
| Warehouses | Markets | Box Cars |
| Offices | Feed Mills | Hatcheries |
| Dairy Barns | Oil Mills | Kennels |
| Motels | Locker Rooms | Breweries |

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panels for Precautionary Statements and Statement of Practical Treatment.

NET CONTENTS GALLONS



/1188 AP040671
EPA REG NO. 2217-497
EPA EST NO. 2217-KS-1

BEST AVAILABLE COPY

Mfd by PBI/GORDON CORPORATION
KANSAS CITY, KANSAS 66118

STOP! READ THE ENTIRE LABEL FIRST
OBSERVE ALL PRECAUTIONS AND
FOLLOW DIRECTIONS CAREFULLY

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes, or clothing.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Contact a physician or poison control center immediately. Do not induce vomiting. Vomiting may cause aspiration pneumonia.

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicate.

IF ON SKIN: Remove contaminated clothing and wash affected areas of skin with soap and water. Contact a physician if irritation persists.

IF IN EYES: Flush with plenty of water. Contact a physician if irritation persists.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Do not apply directly to lakes, streams, ponds, tidal marshes or estuaries. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food, or feed by storage or disposal. Store in original container in a locked storage area inaccessible to children or pets. Keep from freezing.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

USE PRECAUTIONS:

Before using this product, exposed food products and packaging materials must be removed from the room or protected. After using this compound, equipment and utensils must be thoroughly rinsed with potable water before operations are resumed.

Gordon's Institutional Mist Spray is a "Ready-to-use" insecticide to be used in appropriate spray equipment (fog applicators, sprayers, vaporizers or other dispenser).

DAIRY BARN AND ANIMALS:

IN BARN: For control of Horn Flies, House Flies, Stable Flies, Gnats and Mosquitoes. With a fogger or hand sprayer, apply approximately 1 ounce for each 1,000 cubic feet of space prior to milking or while cattle are in the barn. Keep doors and windows closed for at least 10 minutes. Sweep up and destroy all fallen insects. If a fogger is used, follow the equipment manufacturer's recommendations for proper positioning of the fogging machine to insure adequate coverage. Avoid contamination of milk and milk handling equipment.

ON CATTLE: For temporary protection from Horn Flies, House Flies, Stable Flies, Gnats and Mosquitoes. Use once a day at the rate of 1 ounce per adult animal. Use a good handsprayer so that the entire animal's body is uniformly covered. Avoid areas around the eyes, mouth and nose. Wash teats and udder with warm water before milking. Avoid overspraying which will result in wetting animal hides. Avoid contamination of milk and milk handling equipment.

FOOD PROCESSING PLANTS AND INSTITUTIONS: For control of House Flies, Mosquitoes and Gnats. Close room and apply spray, until a light mist fills the room. Use at least 3 ounces for each 1,000 cubic feet of space. Keep room closed for an additional 30 minutes. Repeat application when necessary.

FOR CONTROL OF FRUIT FLIES: Remove and destroy refuse where fruit flies congregated and breed. Spray both exterior and interior of garbage and litter cans and immediate surroundings. Keep garbage and litter cans covered and emptied frequently. Apply this material as a fog or mist in enclosed areas of canning plants during shutdown periods. Use at least 3 ounces for each 1,000 cubic feet of space. Keep enclosed areas closed for 30 minutes. A thorough wash-down of all equipment should follow. Repeat application as necessary.

STORED PRODUCTS IN ELEVATORS, GRANARIES, WAREHOUSES, AND MILLS:

For the suppression of the exposed stages of field crickets, granary weevils, confused flour beetles, grain moth, cadellas, rust red flour beetles, saw tooth grain beetles, spider beetles, grain mites, rice weevils, and cheese skipper flies:

SPACE SPRAY: Use in machines designed to deliver a fine mist. Fill room with mist, using 2 to 4 ounces of material for 1,000 cubic feet of space. Keep doors and windows closed for 10 minutes after application. Repeat application as needed.

VAPOR SPRAY: Use the special electric, steam or compressed air equipment designed to deliver a fog or vapor. Apply 1 pint to each 8,000 - 15,000 cubic feet of space depending upon the manufacturer's recommendations. The quantity used should be sufficient to adequately fill the enclosure with fog or vapor. Repeat applications as needed.

LIMITED WARRANTY: Manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled use when applied

according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed.

Exclusion of Other Warranties and Remedies. Except where such disclaimers and exclusions are specifically prohibited by applicable law. THE FOREGOING IS THE ONLY GUARANTEE OR WARRANTY APPLICABLE TO THIS PRODUCT AND IS GIVEN EXPRESSLY AND IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ALL SUCH WARRANTIES WHICH EXCEED OR DIFFER FROM SAID LIMITED WARRANTY ARE DISCLAIMED BY MANUFACTURER, and, upon Manufacturer's compliance with said limited warranty, BUYER SHALL HAVE NO REMEDY AGAINST MANUFACTURER FOR ANY TYPE OF DAMAGE OR LOSS, and, IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL DAMAGE OR LOSS.

BEST AVAILABLE COPY