

PRESSURE SPRAYERS: Mix with water. Do not use on lawns or other desirable plants. Do not use on lawns or other desirable plants.

Pressure Sprayer	Use (per 1000 sq ft)
Hand Sprayer	2.5
Backpack Sprayer	5.0
Wand Sprayer	10.0
Truck Sprayer	15.0

NOTE: When using a pressure sprayer, do not spray directly into the eyes. Avoid spraying directly into the eyes. Do not spray directly into the eyes.

HOW MUCH TO USE: **SPOT-SPRAY** Use a small pressure sprayer to spot-spray individual weeds. Do not use on lawns or other desirable plants.



2217-506

TRIMEC[®]

CHICKWEED KILLER

A **TRIMEC[®]** Turf Herbicide Formulation
 One Quart Covers Up to 8,000 Square Feet
KEEP FROM FREEZING

ALSO KILLS: Dandelion, Knotweed, Henbit, Plantains, Clover, Spurge and many other broadleaf lawn weeds, some of which are shown on the side panel

ACTIVE INGREDIENTS

Trietanolamine salt of 2,4,6-trimethyl-4-chlorophenylacetic acid	13.81%
Trietanolamine salt of 2,4-dichlorophenylacetic acid	12.86%
Trietanolamine salt of 2,4,6-trimethyl-4-chlorophenylacetic acid	1.30%
Trietanolamine salt of 2,4,6-trimethyl-4-chlorophenylacetic acid	12.03%
INERT INGREDIENTS	59.00%
TOTAL	100.00%

REGISTERED TRADE NAMES

2,4,6-trimethyl-4-chlorophenylacetic acid: **TRIMEC[®]**

2,4-dichlorophenylacetic acid: **TRIMEC[®]**

2,4,6-trimethyl-4-chlorophenylacetic acid: **TRIMEC[®]**

2,4,6-trimethyl-4-chlorophenylacetic acid: **TRIMEC[®]**

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional precautionary statements.

TRIMEC[®] is a registered trademark of PBI GORDON CORPORATION

NET CONTENTS ONE U.S. QUART (32 FLUID OUNCES)

CONTROLS:

- SENSITIVE WEEDS:**
- Bedstraw
 - Black Medic
 - Buckhorn
 - Chickweed
 - Clove
 - Dandelion
 - Knotweed
 - Lambsquarter
 - Peppergrass
 - Plantain
 - Purslane
 - Ragweed
 - Shepherd's Purse
 - Wild Lettuce

- HARD-TO-KILL WEEDS:**
- Chicory
 - Dock
 - Ground Ivy
 - Heart-Ail
 - Lespedeza
 - Malow
 - Morning Glory
 - Oxalis
 - Ragweed
 - Russet Ivy
 - Sheep Oak
 - Sheep Sorrel
 - Speedwell
 - Spurge
 - Wild Carrot
 - Wild Onion
 - Yarrow
 - and many other broadleaf weeds



READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS
Hazards to Humans (and Domestic Animals):
CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes with plenty of water; wash skin with soap and water. If irritation develops, get medical attention. Avoid contamination of food or feedstuffs.
Environmental Hazards:
 Do not apply directly to water. Do not apply when weather conditions favor drift from target area. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate domestic or irrigation waters.

DIRECTIONS FOR USE:
 It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL: Keep from freezing. Do not store near food or feedstuffs. Do not store near fertilizers, seeds, insecticides or fungicides. **DO NOT USE EMPTY CONTAINER - WRAP AND PUT IN TRASH COLLECTION.**

OTHER USE PRECAUTIONS: Do not allow spray to drift onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result. Do not pour spray solutions near these plants. Whether using a hose-end sprayer or pressure-sprayer, do not use sprays that are fine because they can drift and cause damage to non-target plants. Coarse, droplet sprays are less likely to drift. Use only lawn-type sprayers. Do not spray on carpet, grass, dandelion, nor on lawns or turf where desirable clovers are present. Do not spray roots of trees and ornamentals. Do not exceed specified dosages for any area, be particularly careful within drip-line of tree and other ornamental species. This product may be injurious to St. Augustine and Cent. peds grasses. Since injury can be expected, "spot-spray" weeds only with a pressure sprayer.

WHERE TO USE: Gordon's Chickweed Killer may be used on Bahia, Bermuda, Bluegrass, Fescue, Rye or Zoysia lawns, vacant lots, playgrounds and other similar areas where broadleaf weeds are present. This product is especially effective on all hard-to-kill weeds such as Poison Ivy, Poison Oak, Sheep Sorrel and Spurge. In addition, this product controls most other broadleaf weeds, including sensitive weeds such as Clover, Dandelion, Knotweed and Plantain. A partial list is given on the side panel.

- WHEN TO USE:**
- Spray at any time during the growing season when weeds are actively growing.
 - On new lawns, wait until the grass has reached a height of 2 inches before making an overall spray treatment. However, a spot-treatment may be made at any time with a small pressure-sprayer, spraying only the weeds at ground level. Wait 3 weeks before putting new grass seed or stolons down in the bare spots.
 - Poor weed control may result if spray is applied during drought or just before rain.
 - For best results, mow before treating.
 - Do not water lawn within 24 hours after treatment.

HOW MUCH TO USE (Entire Lawn) HOSE-END SPRAYER: Use a hose-end sprayer designed for lawns. Put recommended amount of chemical (Column 1) in bottle and add water to indicated level (Column 2) and spray on area indicated. For example - to spray 1,250 sq. ft. measure 5 oz. (10 tsp.) in jar and add water to the 10 gallon level and mix. Turn on hose and spray as evenly as possible over 1,250 sq. ft.

Column 1	Column 2	Column 3
Amt. Chickweed Killer to Use (Tbsp.)	Fill Bottle To (Gallons)	Area to Treat (Sq. Feet)
1	1	125
2	2	250
3	3	375
4	4	500
5	5	625
6	6	750
7	7	875
8	8	1000
9	9	1125
10	10	1250
11	11	1375
12	12	1500
13	13	1625
14	14	1750
15	15	1875
16	16	2000

NOTICE

This product is a registered trademark of PBI GORDON CORPORATION.

EPA REG. NO. 227-104
 EPA EST. NO. 227-104
 9.8.78

