

GORDON'S
BROADLEAF AND DANDELION
LAWN WEED KILLER
CONTAINS TRIMEC^(R) HERBICIDE

KEEP FROM FREEZING
Covers 10800 Sq. Ft.

Also Kills: DANDELION, KNOTWEED, HENBIT, PLANTAINS, SPURGE,
POISON IVY, and most other broadleaf weeds.

ACTIVE INGREDIENTS:

* Dimethylamine salt of 2-(2-Methyl-4-chlorophenoxy) propionic acid	8.7%
** Dimethylamine salt of 2,4-Dichlorophenoxyacetic acid	13.2%
*** Dimethylamine salt of Dicamba (3,6-Dichloro-o-anisic acid)	0.8%
INERT INGREDIENTS	77.3%
TOTAL	100.0%

THIS PRODUCT CONTAINS:

- * 0.64 lbs. 2-(2-Methyl-4-chlorophenoxy) propionic acid per
gallon or 7.2%
- ** 0.97 lbs. 2,4-Dichlorophenoxyacetic acid per gallon or 10.9%
- *** 0.06 lbs. 3,6-Dichloro-o-anisic acid per gallon or 0.7%

TRIMEC^(R) is a registered trademark of PBI/GORDON CORPORATION

KEEP OUT OF REACH OF CHILDREN

CAUTION


See back panel for precautionary statements.

NET CONTENTS ONE QUART

663/589 AP

EPA REG. NO. 2217-507
EPA EST. NO. 2217-KS-1

Mfd. by PBI/GORDON CORPORATION
KANSAS CITY, KS 66118



**STOP! READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND
FOLLOW DIRECTIONS CAREFULLY.**

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals:

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes or skin with plenty of water. If irritation develops, get medical attention.

ENVIRONMENTAL HAZARDS: Do not apply directly to water. Do not contaminate domestic or irrigation waters. Do not apply when weather conditions favor drift from target areas.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

STORAGE: Do not contaminate water, food, or feed by storage or disposal. Keep from freezing. Store in original container in a locked storage area inaccessible to children.

PRODUCT DISPOSAL: Securely wrap original container in several layers of newspapers and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

USE PRECAUTIONS:

Do not apply this product through any type of irrigation system. Avoid drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees, and other desirable plants. Do not spray solution near these plants. Coarse sprays are less likely to drift. Do not spray on Carpetgrass, Dichondra, nor on lawns or turf where desirable Bentgrass or clovers are present. Do not spray roots of trees and ornamentals. Do not exceed specified dosages for any area; be particularly careful within dripline of tree and other ornamental species. This product may be injurious to St. Augustine and Centipede grasses. Since injury can be expected, "spot-spray" weeds only with a pressure sprayer. After using this product, clean sprayer thoroughly with soap or detergent and water and rinse thoroughly before applying other pesticides. Failure to observe the above precautions may result in injury.

WHERE TO USE: TRIMEC Broadleaf and Dandelion Lawn Weed Killer may be used on Bluegrass, Bermudagrass, or Zoysia lawns, vacant lots, playgrounds and other similar areas where hard-to-kill weeds are present. This product is especially effective on all types of hard-to-kill weeds such as HENBIT, CHICKWEED, KNOTWEED, SPOTTED SPURGE, OXALIS, BLACK MEDIC, and SHEEPSORREL. In addition to these, TRIMEC controls most other broadleaf lawn weeds, including Dandelion and Plantain and a partial list is given on this label.

BEST AVAILABLE COPY

WHEN TO USE: Spray at any time during the growing season when weeds are actively growing. Treat Chickweed, Henbit, Wild Onion and Garlic in the fall or in the spring, as needed. On new lawns wait until the turf has reached a height of 2 inches before making an overall spray treatment. "Spot spray" weed treatment, however, may be made at any time with a small pressure sprayer, spraying only the weeds at ground level. Wait 3 weeks before putting new grass seed or stolons down in the bare spots. Poor weed control may result if spray is applied during drought or just before rain. For best results mow before treating. Do not water lawn within 24 hours after treatment.

HOW MUCH TO USE -- ENTIRE LAWN

PROFESSIONAL LAWN APPLICATOR: Use 8.2 pints/Acre (3 oz./1000 ft²) in 44 to 130 gallons water/Acre (1 to 3 gallons water/1000 ft²).

HOSE-END SPRAYER: Use a hose-end sprayer designed for lawns. Put recommended amount of chemical (Column 1) in bottle and add water to indicated level (Column 2), and spray on area indicated. For example -- to spray 1,700 square feet, measure 5 ozs. (10 tbsp.) in jar and add water to the 10 gallons level and mix. Turn on hose and spray as evenly as possible over 1,700 square feet.

Column 1 Amt. TRIMEC to use: (Tbsp.) (Fl. Oz.)		Column 2 Fill Bottle To: (gallons)	Column 3 Area to Treat: (Square Feet)
1	1/2	1	170
5	2 1/2	5	850
10	5	10	1,700
15	7 1/2	15	2,500

PRESSURE SPRAYERS: Measure indicated amount of chemical into tank and dilute with water according to the following chart. Use a spray pattern which gives small spray droplets without any fine mist and cover the area indicated.

Amt. TRIMEC to use: (Tbsp.) (Fl. Oz.)		Amt. of water in sprayer (gallons)	Area to be Sprayed: (Square Feet)
4	2	1	670
12	6	3	2,000

NOTE: Whether using a hose-end sprayer or pressure sprayer, avoid sprays which are too fine because they can drift and damage ornamental or garden plants.

BEST AVAILABLE COPY

HOW MUCH TO USE: SPOT SPRAY

To spray small areas or individual weeds, do not use hose-end sprayers. Mix 1 oz. (2 tbsp.) in 1/2 gallon water in pressure sprayer and spray as required being certain to "wet" each weed.

CONTROLS

Bedstraw	Henbit	Poison Oak
Black Medic	Knotweed	Purslane
Buckhorn	Lambsquarter	Ragweed
Chicory	Lespedeza	Shepherdspurse
Chickweed	Mallow	Speedwell
Clover	Morningglory	Spurge
Dandelion	Peppergrass	Wild Carrot
Dock	Pigweed	Wild Lettuce
Ground Ivy	Plantains	Wild Onion
Heal-All	Poison Ivy	Yarrow

LIMITED WARRANTY. Manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled use when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed.

EXCLUSIONS OF OTHER WARRANTIES AND REMEDIES: Except where such disclaimers and exclusions are specifically prohibited by applicable law. THE FOREGOING IS THE ONLY GUARANTEE OR WARRANTY APPLICABLE TO THIS PRODUCT AND IS GIVEN EXPRESSLY AND IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ALL SUCH WARRANTIES WHICH EXCEED OR DIFFER FROM SAID LIMITED WARRANTY ARE DISCLAIMED BY MANUFACTURER, and, upon Manufacturer's compliance with said limited warranty. BUYER SHALL HAVE NO REMEDY AGAINST MANUFACTURER FOR ANY TYPE OF DAMAGE OR LOSS, and, IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL DAMAGE OR LOSS.

NEW SPOT SPRAY