

1217 W. 12TH STREET P.O. BOX 4090 KANSAS CITY, MO 64101

Poge 175

### The Certification of Compliance for the 2.4-D Exposure Reduction Program

"I, being an authorized representative of PBI/Gordon Corporation, certify that all containers of Gordon's Broadleaf and Dandelion Lawn Weed Killer (2217-507) produced by June 15, 1994 for products registered for use only on residential or turf sites, excluding sod farms will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products. I further certify that all containers of said product sold or distributed by this company by January 1, 1995 for products registered for use only on residential or turf sites, excluding sod farms will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products."


-1. A. Simburster

James A. Armbruster, Ph.D. Mgr. Regulatory Services

1

ſ

Date





# GORDON'S BROADLEAF AND DANDELION LAWN WEED KILLER

## CONTAINS TRIMEC<sup>(R)</sup> HERBICIDE

#### -KEEP FROM FREEZING-

Covers 10800 Sq. Ft.

Controls DANDELION, KNOTWEED, HENBIT, PLANTAINS, SPURGE, POISON IVY, and other broadleaf weeds.

ACTIVE INGREDIENTS: *Dimethylamine salt of 2-(2-Methyl-4-
chlorophenoxy) propionic acid 8.7%
**Dimethylamine salt of 2,4-Dichloro-
phenoxyacetic acid
***Dimethylamine salt of Dicamba
(3,6-Dichlorc-o-anisic acid) 0.8%
INERT INGREDIENTS
TOTAL 100.0%

THIS PRODUCT CONTAINS:

÷

\*0.64 lbs. 2-(2-Methyl-4-chlorophenoxy) propionic acid equivalent per gallon or 7.2% \*\*0.97 lbs. 2,4-Dichlorophenoxyacetic acid equivalent per gallon or 10.9% \*\*\*0.06 lbs. 3,6-Dichloro-o-anisic acid equivalent per gallon or 0.7%

Isomer Specific by AOAC Methods.

TRIMEC<sup>(R)</sup> is a registered trademark of PBI/GORDON CORPORATION

## KEEP OUT OF REACH OF CHILDREN

## CAUTION


#### See back panel for Precautionary Statements.

#### NET CONTENTS ONE QUART

663/1292 APXXXXXX

EPA REG. NO. 2217-507 EPA EST. NO. 2217-KS-1

Mfd. by PBI/GORDON CORPORATION KANSAS CITY, MISSOURI 64101



#### STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

#### PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals:

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wear face shield or goggles when mixing, loading or applying this product. Wear long pants, long-sleeved shirt, shoes and gloves when mixing, loading or applying this product.

When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

In case of contact, immediately flush eyes or skin with plenty of water. If irritation develops, get medical attention.

ENVIRONMENTAL HAZARDS: This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. When cleaning equipment, do not pour the washwater on the ground; spray of drain over a large area away from wells and other water sources. Do not apply when weather conditions favor drift from target areas.

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D and MCPP have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D and MCPP pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried or dust has settled.

#### **STORAGE & DISPOSAL**


STORAGE: Keep from freezing. Store in original container in a locked storage area inaccessible to children.

PRODUCT DISPOSAL: Securely wrap original container in several layers of newspaper and discard int trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

<u>USE PRECAUTIONS</u>: Do not apply this product through any type of irrigation system. Avoid drift of, spray mist onto vegetables, flowers, ornamental

plants, shrubs, trees, and other desirable plants. Do not spray solution near these plants. Coarse sprays are less likely to drift. Do not spray on carpetgrass, dichondra, nor on lawns or turf where desirable bentgrass or clovers are present. Do not spray roots of trees and ornamentals. Do not exceed specified dosages for any area; be particularly careful within dripline of tree and other ornamental species. This product may be injurious to St. Augustinegrass and centipedegrass. Since injury can be expected,



3

7 5

2

"spot-spray" weeds only with a pressure sprayer. After using this product, clean sprayer thoroughly with soap or detergent and water and rinse thoroughly before applying other pesticides. Failure to observe the above precautions may result in injury.

4 9 5

<u>WHERE TO USE:</u> Gordon's Broadleaf and Dandelion Lawn Weed Killer may be used on bluegrass, bermudagrass, or zoysiagrass lawns, vacant lots, playgrounds and other similar areas where hard-to-kill weeds are present. This product is especially effective on all types of hard-to-kill weeds such as HENBIT, CHICKWEED, KNOTWEED, SPOTTED SPURGE, OXALIS, BLACK MEDIC, and SHEEP SORREL. In addition to these, TRIMEC controls most other broadleaf lawn weeds, including Dandelion and Plantain and a partial list is given on this label.

<u>WHEN TO USE:</u> Spray at any time during the growing season when weeds are actively growing. Treat chickweed, henbit, wild onion and garlic in the fall or in the spring, as needed. On new lawns wait until the turf has reached a height of 2 inches before making an overall spray treatment. "Spot spray" treatments may be made at any time with a small pressure sprayer. Wait 3 weeks before seeding or planting stolons, plugs, or sprigs. Poor weed control may result if spray is applied during drought or just before rain. For best results mow before treating. Do not water lawn within 24 hours after treatment.

#### HOW MUCH TO USE - ENTIRE LAWN

The maximum application rate to turf is 1.0 pounds of 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

PROFESSIONAL LAWN APPLICATOR: Use 8.2 pints/Acre (3 fl. oz./1000 ft<sup>2</sup>) in 44 to 130 gallons water/Acre (1 to 3 gallons water/1000 ft<sup>2</sup>).

HOSE-END SPRAYER: Use a hose-end sprayer designed for lawns. Put recommended amount of product (Column 1) in bottle and add water to indicated level (Column 2), and spray on area indicated. For example -- to spray 1,700 square feet, measure 5 fl. ozs. (10 tbsp.) in jar and add water to the 10 gallons level and mix. Turn on hose and spray as evenly as possible over 1,700 square feet.

Column 1   Amt. TRIMEC to use		Column 2	Column 3	
		Fill Bottle To	Area to Treat	
(Tbsp.)	(Fl. Oz.)	(gallons)	(Square Feet)	
====	==========			
1	1/2	1	170	
5	21/2	5	ຢ	
10	5	10	1,700	
15	7 1/2	15	2,500	
<b>e followi</b> r		indicated amount of product into tank pattern which gives small spray drop		
			************	
Amt. TRIMEC to use:			Area to be Sprayed: ' ' '	

Amt. TRIMEC to use:		Amt. of water in sprayer	Area to be Sprayed: '		
(Tbsp.)	(Fl. Oz.)	(gallons)	(Square Feet)	•	••••
			**************		•••••
4	2	1	670		
12	6	3	2,000		
	========			==	

BEST AVAILABLE COPY

3

NOTE: Whether using a hose-end sprayer or pressure sprayer, avoid sprays which are too fine because they can drift and damage ornamental or garden plants.

#### HOW MUCH TO USE - SPOT SPRAY

To spray small areas or individual weeds, do not use hose-end sprayers. Mix 1 fl. oz. (2 tbsp.) in 1/2 gallon water in pressure sprayer and spray as required being certain to "wet" each weed.

#### CONTROLS

Bedstraw Black Medic Buckhorn Chicory Chickweed Clover Dandelion Dock Ground Ivy Heal-All

Henbit Knotweed Lambsquarter Lespedeza Mallow Morningglory Peppergrass Pigweed Plantains Poison Ivy Poison Oak Purslane Ragweed Shepherdspurse Speedwell Spurge Wild Carrot Wild Carrot Wild Lettuce Wild Onion Yarrow


#### LIMITED WARRANTY AND DISCLAIMER.

(

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WAR-RANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.



5 95