

2217-507

1/12/2010

10/12



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

JAN 12 2010

Mr. James L. Kunstman, Ph.D  
PBI/Gordon Corporation  
Post Office Box 014090  
Kansas City, Missouri 64101

Subject: Label Notification(s) for Pesticide Registration Notices 2007-4

Dear Registrant:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated November 11, 2009 for:

**EPA Registration 2217-507 Gordon's Broadleaf & Dandelion Lawn Weed Killer**

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4 . The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Banza Djapao of my staff at 703-305-7269.

Sincerely,

Linda Arrington  
Notifications & Minor Formulations Team Leader  
Registration Division (7505P)  
Office of Pesticide Programs

2 of 12



United States  
**Environmental Protection Agency**  
 Washington, DC 20460

Registration  
 Amendment  
 Other

OPP Identifier Number

**Application for Pesticide - Section I**

1. Company/Product Number <b>2217-507</b>	2. EPA Product Manager Joanne I. Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) <b>Gordon's Broadleaf &amp; Dandelion Lawn Weed Killer</b>	PM# Product Manager—Team 23	
5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation Post Office Box 014090 Kansas City, Missouri 64101 <input type="checkbox"/> Check if this is a new address	6. <b>Expedited Review.</b> In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

**Section - II**

Amendment - Explain below.  
 Resubmission in response to Agency letter dated \_\_\_\_\_  
 Notification - Explain below.  
 Final printed labels in response to Agency letter dated \_\_\_\_\_  
 "Me Too" Application.  
 Other - Explain below.

**NOTIFICATION**  
**JAN 12 2010**

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

**Labeling notification per Pesticide Registration Notice (PRN) 2007-4, Labeling Revisions Required by the Final Rule "Pesticide Management and Disposal: Standards for Pesticide Containers and Containment.**

Please refer to cover letter for details and certification statement.

e-mail to [jkunstman@pbigordon.com](mailto:jkunstman@pbigordon.com) FAX: 816-421-2731

**Section - III**

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input checked="" type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
* <b>Certification must be submitted</b>		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per Container
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container <b>1-5 gallons</b>		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input checked="" type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Other _____ <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name <b>James L. Kunstman, Ph.D.</b>	Title <b>Director of Regulatory Services</b>	Telephone No. (Include Area Code) <b>816-460-6292</b>
2. Signature 		6. Date Application Received (Stamped)
3. Title <b>Director of Regulatory Services</b>		
4. Typed Name <b>James L. Kunstman, Ph.D.</b>		
5. Date <b>November 16, 2009</b>		

30 of 12



An Employee-Owned Company

1217 WEST 12TH STREET • P.O. BOX 014090  
KANSAS CITY, MISSOURI 64101-0090  
816-421-4070 • 1-800-821-7925  
FAX: 816-474-0462

November 11, 2009

Document Processing Desk (PRN)  
Office of Pesticide Programs (7504P)  
U.S. Environmental Protection Agency  
Room S-4900, One Potomac Yard  
2777 South Crystal Drive  
Arlington, VA 22202-4501

Attn: Ms. Joanne I. Miller (PM-23)

Dear Ms. Miller:

**Subject: Labeling notification according to Pesticide Registration Notices (PRN) 2007-4.  
Gordon's Broadleaf & Dandelion Lawn Weed Killer (EPA Reg. No. 2217-507)**

***I. Labeling notification per Pesticide Registration Notice (PRN) 2007-4:***

**October 9, 2009:** An Agency letter stated that this product was re-registered under FIFRA. Your letter with comments stated that the draft labeling was acceptable provided that the following modifications were made:

- 1) The signal word currently on the label "Caution" must be revised to read "Warning /Aviso."
- 2) Based on toxicity ranking per the acute toxicity review, the First Aid statements should be placed on the label in the following order:

- IF IN EYES
- IF SWALLOWED
- IF ON SKIN OR CLOTHING
- IF INHALED

- 3) The First Aid statements below must be revised to read (revisions in bold text):

IF IN EYES:

Hold eye open and rinse slowly and gently with water for **15-20** minutes.

Remove contact lenses, if present, after the first **5 minutes**, then continue rinsing eye.

Call a poison control center or doctor for treatment advice.

IF SWALLOWED:

Call a poison control center or doctor immediately for treatment advice.

Have person sip a glass of water if able to swallow.

Do not induce vomiting unless told to by a poison control center or doctor.

Do not give anything by mouth to an unconscious person.

4) A Note to Physician must be added to the label and must read:

"Probable mucosal damage may contraindicate the use of gastric lavage."

5) Per the acute toxicity review, the Hazards to Humans and Domestic Animals must be revised to read:

"WARNING: Corrosive. Causes irreversible eye damage. Harmful if swallowed. Harmful if absorbed through skin. Do not get in eyes, on skin, or on clothing."

6) The following revisions are needed to the Personal Protective Equipment section:

- Add: goggles or face shield

- Delete: "(except for applicators using ground boom equipment)" from the chemical-resistant glove statement

7) User Safety Requirements must be revised to read (new text in bold): Page 3

"Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry."

**"Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them."**

8) The Environmental Hazards text currently on the label must be revised to read (revisions in bold text):

"This pesticide is toxic to fish and aquatic invertebrates . . ."

9) The following text must be added to the label:

"Aerial application is prohibited."

10) Delete "General" from "General Precautions and Restrictions". On page 3, delete "but not limited" from the use sites paragraph.

11) Update the Container Disposal language with PR Notice 2007-4.



60912

# GORDON'S BROADLEAF AND DANDELION LAWN WEED KILLER

**NOTIFICATION**

**EPA Reg. No. 2217-507**

**JAN 12 2010**

**ACTIVE INGREDIENT:**

Dimethylamine salt of (+)-(R)-2-(2-methyl-4-chlorophenoxy)propionic acid .....	4.3%
Dimethylamine salt of 2,4-dichlorophenoxyacetic acid .....	13.2%
Dimethylamine salt of dicamba (3,6-dichloro-o-anisic acid) .....	0.8%
<b>INERT INGREDIENTS:</b> .....	<u>81.7%</u>
<b>TOTAL</b> .....	<b>100.0%</b>

**THIS PRODUCT CONTAINS:**

- 0.31 lb (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per gallon or 3.6%
  - 0.95 lb 2,4-dichlorophenoxyacetic acid equivalent per gallon or 10.9%
  - 0.06 lb 3,6-dichloro-o-anisic acid equivalent per gallon or 0.7%
- Isomer Specific by AOAC Methods.

**KEEP OUT OF REACH OF CHILDREN**

## WARNING / AVISO

**STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.**

## PRECAUTIONARY STATEMENTS

### **Hazards to Humans and Domestic Animals**

**WARNING:** Corrosive. Causes irreversible eye damage. Harmful if swallowed. Harmful if absorbed through skin. Do not get in eyes, on skin, or on clothing.

### **Personal Protective Equipment (PPE)**

Some materials that are chemical-resistant to this product are natural rubber. If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart.

All mixers, loaders, applicators and other handlers must wear:

- long-sleeved shirt and long pants,
- shoes and socks,
- chemical-resistant gloves,
- chemical-resistant apron when mixing or loading, cleaning up spills or equipment, or otherwise exposed to the concentrate,
- protective eyewear such as goggles, face shield, or safety glasses.



### User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

#### User Safety Recommendations

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. If pesticide gets on skin, wash immediately with soap and water.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### First Aid

<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If swallowed:</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>If on skin or on clothing:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15 - 20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If inhaled:</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>

**Note to Physician:** Probable mucosal damage may contraindicate the use of gastric lavage.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.

### Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### PRECAUTIONS AND RESTRICTIONS:

- Do not enter or allow people (or pets) to enter the treated area until sprays have dried.

- Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

**Cleaning of Spray Equipment:**

Immediately clean sprayer with soap or detergent and water and rinse thoroughly before applying other pesticides.

**SITES:**

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

This product is intended for use in ornamental lawns and turf established in institutional, ornamental, and residential/domestic sites. **Institutional sites:** turf areas around properties or facilities providing a service to public or private organizations including hospitals, nursing homes, schools, museums, libraries, sport facilities, and golf courses. **Ornamental sites:** turfgrass established around residences, parks, streets, retail outlets, cemeteries, and institutional buildings. **Residential/domestic sites:** areas associated with the household or home life including, but not limited to apartment complexes, condominiums, and patient care areas of nursing homes, mental institutions, hospitals, or convalescent homes.

**ESTABLISHED TURFGRASS (LAWNS) THAT MAY BE TREATED:**

**Northern Grasses** - Kentucky bluegrass, perennial ryegrass, bentgrass, and fescues.

**Southern Grasses** - St. Augustinegrass, centipedegrass, bahiagrass, bermudagrass, and zoysiagrass. Spot treatments may be appropriate for sparse weed infestations or as a follow-up treatment for dense weed infestations. Only spot treatments are recommended for St. Augustinegrass, bentgrass, and centipedegrass.

**HOW MUCH TO USE - BROADCAST APPLICATIONS:**

Broadcast applications and spot treatments provide broadleaf weed control in warm season and cool season turfgrass. This product can be applied in both dormant and growing seasons of turfgrass. The best control of weeds in established turf will be obtained from spring or early fall applications when weeds are actively growing.

Additional applications may be required for some weed species. If necessary, repeat the application at 30 days after the first application or when regrowth of the weed species is noted.

<b>TABLE 1. Product Rates With Broadcast Applications For Cool Season (Kentucky bluegrass, perennial ryegrass and fescues) And Warm Season Grasses (bahiagrass, bermudagrass, and zoysiagrass).</b>		
<b>Type of Applicator</b>	<b>Amount of Product To Use</b>	
	<b>Pints of Product/Acre</b>	<b>fl.oz. of Product /1,000 sq.ft.</b>
<b>ENGINE DRIVEN PUMP SPRAYERS:</b> power sprayer equipped with hand-held spray gun or power spray equipment fitted with a spray boom.	8.2 pints/Acre	3.0 fl.oz./1,000 sq.ft.
<b>HAND OPERATED SPRAYERS:</b> backpack, knapsack, compression, or plunger sprayers.	-	3.0 fl.oz./1,000 sq.ft.
<b>HOSE END SPRAYERS:</b>	-	3.0 fl.oz./1,000 sq.ft.

Do not exceed dosages for any area.

**Limitations on broadcast treatments for ornamental turfgrass:**

The maximum application rate is 8.2 pints of product per acre per application (0.98 lb 2,4-D ae, 0.32 lb MCPP-p ae, and 0.06 lb dicamba ae per acre per application). The maximum number of broadcast applications is limited to 2 per year with a minimum of 30 days between applications. The maximum



seasonal rate is 16.4 pints of product per acre (1.95 lb 2,4-D ae, 0.64 lb MCP-p ae, and 0.12 lb dicamba ae per acre).

**SPOT TREATMENTS:**

Applications should be made on a spray-to-wet basis with uniform coverage. Prepare the spray solution by mixing in water according to Table 2.

**ORNAMENTAL TURFGRASS ESTABLISHED IN LAWNS:**

**Kentucky Bluegrass, Perennial Ryegrass, Fescues, Bahiagrass, St. Augustinegrass, Centipedegrass, Bentgrass, Bermudagrass, and Zoysiagrass:** Use a 1.5% spray concentration or mix 2 fluid ounces of product with one gallon of water.

**Woody Plants, Vacant Lots, Fence Rows:** Use a 1.5 to 2.5% spray concentration or mix 1.9 to 3.2 fluid ounces of product with one gallon of water.

TABLE 2. SPRAY PREPARATION FOR SPOT TREATMENTS.			
Desired Volume, Gallons	Spray Concentration, % vol/vol		
	1.5%	2.0%	2.5%
1.0 gallon	1.9 fl.oz.	2.5 fl.oz.	3.2 fl.oz.
2.0 gallons	3.8 fl. oz.	5.1 fl.oz.	6.4 fl.oz.
3.0 gallons	5.8 fl.oz.	7.7 fl.oz.	9.6 fl.oz.
10.0 gallons	19.2 fl.oz.	25.6 fl.oz.	32.0 fl.oz. (1.0 quart)
40.0 gallons	76.8 fl.oz.	102.4 fl.oz.	128.0 fl.oz. (1.0 gallon)

Equal Measures:
1 Tablespoon (tbsp.) = 3 teaspoons (tsp.) = 1/2 fluid ounce (fl.oz.)
1 Cup = 16 tbsp. = 8 fl.oz. = 1/2 pint (pt.)
1 Pint (pt.) = 16 fl.oz.
1 US Gallon (gal.) = 4 quarts (qts.) = 8 pts.

**Limitations on spot treatments for ornamental turfgrass:**

Spot treatment is defined as a treatment area no greater than 1,000 sq.ft. per acre. The maximum application rate is 3.0 fl.oz. per 1,000 sq.ft. per application (0.32 lb MCP-p acid equivalent per acre).

**APPLICATION INFORMATION AND USE PRECAUTIONS:**

- Avoid spraying during long, excessively dry or hot periods unless adequate irrigation is available. Do not irrigate within 24 hours after application.
- Do not exceed specified dosages for any area.
- Do not apply to newly seeded lawns until well established or after two to three mowings.
- Seed can be sown 3 to 4 weeks after herbicide application.
- Do not apply this product through any type of irrigation system.
- Do not spray on carpetgrass, dichondra, nor on lawns or turf where desirable bentgrass or clovers are present.
- Do not use this product on or near desirable plants, including contact of spray on exposed roots, systems or adventitious shoots within the drip line of desirable trees and shrubs, since injury may result.

This product is effective on hard-to-kill weeds such as henbit, chickweed, knotweed, spotted spurge, oxalis, black medic, and sheep sorrel. In addition to these, Gordon's Broadleaf & Dandelion Lawn Weed Killer controls most other broadleaf lawn weeds, including dandelion and plantain and a partial list is given on this label.

### Spray Drift Management

A variety of factors including weather conditions (e.g., wind direction, wind speed, temperature, relative humidity) and method of ground application can influence pesticide drift. The applicator must evaluate all factors and make appropriate adjustments when applying this product.

#### Droplet Size

Use only Medium or coarser spray nozzles according to ASAE (S 572) definition of standard nozzles or a volume mean diameter of 300 microns or greater for spinning atomizer nozzles.

#### Wind Speed

Do not apply at wind speeds greater than 10 mph. Only apply this product if the wind direction favors on-target deposition and there are not sensitive areas (including, but not limited to, bodies of water, known habitat for nontarget species, nontarget crops) within 250 feet downwind.

#### Temperature Inversions

If applying at wind speeds less than 3 mph, the applicator must determine if: a) conditions of temperature inversion exist, or b) stable atmospheric conditions exist at or below nozzle height. Do not make applications into areas of temperature inversions or stable atmospheric conditions.

#### Susceptible Plants

Do not apply under circumstances where spray drift may occur to food, forage, or other plantings that might be damaged or crops thereof rendered unfit for sale, use or consumption. Susceptible crops include, but are not limited to, cotton, okra, flowers, grapes (in growing stage), fruit trees (foliage), soybeans (vegetative stage), ornamentals, sunflowers, tomatoes, beans, and other vegetables, or tobacco. Small amounts of spray drift that might not be visible may injure susceptible broadleaf plants.

#### Other State and Local Requirements

Applicators must follow all state and local pesticide drift requirements regarding application of 2,4-D herbicides. Where states have more stringent regulations, they must be observed.

#### Equipment

All ground application equipment must be properly maintained and calibrated using appropriate carriers or surrogates. Do not apply with a nozzle height greater than 4 feet above the crop canopy. Aerial application is prohibited.

BROADLEAF WEEDS			
Annual yellow sweetclover	Cockle	Musk thistle	Spiny amaranth
Aster	Cocklebur	Mustard	Spiny cocklebur
Austrian fieldcress	Common mullein	Narrowleaf plantain	Spiny sowthistle
Bedstraw	Creeping jenny	Narrowleaf vetch	Spotted catsear
Beggarticks	Cudweed	Nettle	Spotted spurge
Betony, Florida	Curly dock	Orange hawkweed	Spurweed
Bindweed, field	Daisy, English	Oriental cocklebur	Stinging nettle
Bird vetch	Daisy fleabane	Oxalis	Strawberry, India mock
Bitter wintercress	Daisy, oxeye	Parsley-piert	Tall nettle
Bittercress, hairy	Dandelion	Parsnip	Tall vervain
Bitterweed	Dichondra	Pearlwort	Tansy ragwort
Black-eyed Susan	Dogbane	Pennycress	Tansy mustard
Black medic	Dogfennel	Pennywort	Tanweed
Black mustard	Dollarweed	Peppergrass	Thistle
Blackseed plantain	Elderberry	Pepperweed	Trailing crownvetch
Blessed thistle	False dandelion	Pigweed	Tumble mustard
Bloodflower milkweed	Falseflax	Pineywoods bedstraw	Tumble pigweed
Blue lettuce	False sunflower	Plains coreopsis (tickseed)	Velvetleaf
Blue vervain	Fiddleneck	Plantain	Venice mallow
Bracted plantain	Florida pusley	Poison ivy	Virginia buttonweed
Brassbuttons	Frenchweed	Poison oak	Virginia creeper
Bristly oxtongue	Galinsoga	Pokeweed	Virginia pepperweed

<b>BROADLEAF WEEDS</b>			
Broadleaf dock	Goathead	Poorjoe	Water pennywort
Broadleaf plantain	Goldenrod	Prairie sunflower	Wavyleaf bullthistle
Broomweed	Ground ivy	Prickly lettuce	Western clematis
Buckhorn	Gumweed	Prickly sida	Western salsify
Buckhorn plantain	Hairy fleabane	Prostrate knotweed	White mustard
Bulbous buttercup	Hawkweed	Prostrate pigweed	Wild aster
Bull thistle	Healall	Prostrate spurge	Wild buckwheat
Bullnettle	Heartleaf drymary	Prostrate vervain	Wild carrot
Burclover	Heathaster	Puncturevine	Wild four-o'clock
Burdock	Hedge bindweed	Purslane, common	Wild garlic
Burning nettle	Hedge mustard	Ragweed	Wild geranium
Burweed	Hemp	Red sorrel	Wild lettuce
Buttercup	Henbit	Redroot pigweed	Wild marigold
Buttonweed	Hoary cress	Redstem filaree	Wild mustard
Canada thistle	Hoary plantain	Rough cinquefoil	Wild onion
Carolina geranium	Hoary vervain	Rough fleabane	Wild parsnip
Carpetweed	Horsenettle	Russian pigweed	Wild radish
Catchweed bedstraw	Jimsonweed	Russian thistle	Wild rape
Catnip	Knawel	Scarlet pimpernel	Wild strawberry
Catsear	Knotweed	Scotch thistle	Wild sweet potato
Chickweed, common	Kochia	Sheep sorrel	Wild vetch
Chickweed, mouseear	Lambsquarters	Shepherdspurse	Woodsorrel
Chicory	Lespedeza	Slender plantain	Woolly croton
Cinquefoil	Mallow	Smallflower galinsoga	Woolly morningglory
Clover, crimson	Matchweed	Smooth dock	Woolly plantain
Clover, hop	Mexicanweed	Smooth pigweed	Wormseed
Clover, red	Milk vetch	Sorrel	Yarrow
Clover, strawberry	Morningglory	Sowthistle	Yellow rocket
Clover, sweet	Mouseear hawkweed	Spanishneedles	Yellowflower pepperweed
Clover, white	Mugwort	Speedwell	and other broadleaf weeds

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Store in original container in a locked storage area. Keep from freezing.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

