

2217-507

04-16-2012

16



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

James Kuntsman
PBI/Gordon Corporation
1217 W. 12th Street
P.O. Box 014090
Kansas City, Missouri 64101-0090

APR 16 2012

Subject: EPA Reg. 2217-507 / Gordon's Broadleaf & Dandelion Lawn Weed Killer Notification

Dear Mr. Kuntsman:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 1-19-12 for the product EPA Reg. 2217-507 / Gordon's Broadleaf & Dandelion Lawn Weed Killer. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions please call Erik Kraft at 703-308-9358 or email at Kraft.Erik@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Kathryn V. Montague".

Kathryn Montague
Product Manager 23
Herbicide Branch
Registration Division (7505P)



United States
Environmental Protection Agency
 Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 2217- 507	2. EPA Product Manager Kathryn V. Montague	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Gordon's Broadleaf & Dandelion Lawn Weed Killer	PM# Product Manager—Team 23	
5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation Post Office Box 014090 Kansas City, Missouri 64101 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name NOTIFICATION	

APR 16 2012

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.) e-mail to jkunstman@pbigordon.com FAX: 816-421-2731

Notification per Pesticide Registration Notice (PRN) 98-10:

I. Labeling notification per PRN 98-10, Sec II (B)(2), and Sec II (N).

- a. We ask to include the following ad claims
- Contains Trimec® herbicide
 - Controls over 200 [listed] types of broadleaf weeds in turf [as listed]
 - Controls brush and woody plants

b. Correct typographical errors

Please refer to cover letter for details and certification statement.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input checked="" type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per Container
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify)	
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 1, 2.5, 5 Gallons		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product		<input type="checkbox"/> Lithograph <input type="checkbox"/> Other _____			
		<input checked="" type="checkbox"/> Paper glued			
		<input type="checkbox"/> Stenciled			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name James L. Kunstman, Ph.D.		Title Director of Regulatory Services		Telephone No. (Include Area Code) 816-460-6292	
<p align="center">Certification</p> <p><i>I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.</i></p>					6. Date Application Received (Stamped)
2. Signature 		3. Title Director of Regulatory Services			
4. Typed Name James L. Kunstman, Ph.D.		5. Date January 19, 2012			

January 19, 2012

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
US Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501
Attn: Kathryn V. Montague, PM-23

Dear Ms. Montague:

**Subject: Notification per Pesticide Registration Notice (PRN) 98-10:
Gordon's Broadleaf & Dandelion Lawn Weed Killer (EPA Reg. No. 2217-507)**

I. Labeling notification per PRN 98-10, Sec II (B)(2), and Sec II (N).

- a. We ask to include the following ad claims
- Contains Trimec® herbicide
 - Controls over 200 [listed] types of broadleaf weeds in turf [as listed]
 - Controls brush and woody plants
- b. Correct typographical errors

Please refer to page 7 of the draft labeling


II. Certification statement: This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Section 12 and 14 of FIFRA.

III. Enclosures:


1. Application
2. One (1) copy of draft labeling without annotations
3. One (1) copy of draft labeling with annotations
4. One (1) cd containing electronic copies of the draft labeling.

If you have any questions, please call me at 816-460-6292 or contact me at jkunstman@pbigordon.com.

Sincerely,



James L. Kunstman, Ph.D.
Director of Regulatory Services



4
10

GORDON'S BROADLEAF AND DANDELION LAWN WEED KILLER

NOTIFICATION

APR 16 2012

EPA Reg. No. 2217-507

ACTIVE INGREDIENT:

Dimethylamine salt of (+)-(R)-2-(2-methyl-4-chlorophenoxy)propionic acid	4.3%
Dimethylamine salt of 2,4-dichlorophenoxyacetic acid	13.2%
Dimethylamine salt of dicamba (3,6-dichloro-o-anisic acid)	0.8%

INERT INGREDIENTS:	81.7%
TOTAL	100.0%

THIS PRODUCT CONTAINS:

- 0.31 lb (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per gallon or 3.6%
- 0.95 lb 2,4-dichlorophenoxyacetic acid equivalent per gallon or 10.9%
- 0.06 lb 3,6-dichloro-o-anisic acid equivalent per gallon or 0.7%

Isomer Specific by AOAC Methods.

KEEP OUT OF REACH OF CHILDREN

WARNING / AVISO

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING: Corrosive. Causes irreversible eye damage. Harmful if swallowed. Harmful if absorbed through skin. Do not get in eyes, on skin, or on clothing.

Personal Protective Equipment (PPE)

Some materials that are chemical-resistant to this product are natural rubber. If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart.

All mixers, loaders, applicators and other handlers must wear:

- long-sleeved shirt and long pants,
- shoes and socks,
- chemical-resistant gloves,
- chemical-resistant apron when mixing or loading, cleaning up spills or equipment, or otherwise exposed to the concentrate,
- protective eyewear such as goggles, face shield, or safety glasses.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing



and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. If pesticide gets on skin, wash immediately with soap and water.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

First Aid

If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on skin or on clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for treatment advice.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.

Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PRECAUTIONS AND RESTRICTIONS:

- Do not enter or allow people (or pets) to enter the treated area until sprays have dried.
- Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Cleaning of Spray Equipment:

Immediately clean sprayer with soap or detergent and water and rinse thoroughly before applying other pesticides.

SITES:

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

This product is intended for use in ornamental lawns and turf established in institutional, ornamental, and residential/domestic sites. **Institutional sites:** turf areas around properties or facilities providing a service to public or private organizations including hospitals, nursing homes, schools, museums, libraries, sport facilities, and golf courses. **Ornamental sites:** turfgrass established around residences, parks, streets, retail outlets, cemeteries, and institutional buildings. **Residential/domestic sites:** areas associated with the household or home life including, but not limited to apartment complexes, condominiums, and patient care areas of nursing homes, mental institutions, hospitals, or convalescent homes.

ESTABLISHED TURFGRASS (LAWNS) THAT MAY BE TREATED:

Northern Grasses - Kentucky bluegrass, perennial ryegrass, bentgrass, and fescues.

Southern Grasses - St. Augustinegrass, centipedegrass, bahiagrass, bermudagrass, and zoysiagrass. Spot treatments may be appropriate for sparse weed infestations or as a follow-up treatment for dense weed infestations. Only spot treatments are recommended for St. Augustinegrass, bentgrass, and centipedegrass.

HOW MUCH TO USE - BROADCAST APPLICATIONS:

Broadcast applications and spot treatments provide broadleaf weed control in warm season and cool season turfgrass. This product can be applied in both dormant and growing seasons of turfgrass. The best control of weeds in established turf will be obtained from spring or early fall applications when weeds are actively growing.

Additional applications may be required for some weed species. If necessary, repeat the application at 30 days after the first application or when regrowth of the weed species is noted.

TABLE 1. Product Rates With Broadcast Applications For Cool Season (Kentucky bluegrass, perennial ryegrass and fescues) And Warm Season Grasses (bahagrass, bermudagrass, and zoysiagrass).		
Type of Applicator	Amount of Product To Use	
	Pints of Product/Acre	fl.oz. of Product /1,000 sq.ft.
ENGINE DRIVEN PUMP SPRAYERS: power sprayer equipped with hand-held spray gun or power spray equipment fitted with a spray boom.	8.2 pints/Acre	3.0 fl.oz./1,000 sq.ft.
HAND OPERATED SPRAYERS: backpack, knapsack, compression, or plunger sprayers.	-	3.0 fl.oz./1,000 sq.ft.
HOSE END SPRAYERS:	-	3.0 fl.oz./1,000 sq.ft.

Do not exceed dosages for any area.

Limitations on broadcast treatments for ornamental turfgrass:

The maximum application rate is 8.2 pints of product per acre per application (0.98 lb 2,4-D ae, 0.32 lb MCP-p ae, and 0.06 lb dicamba ae per acre per application). The maximum number of broadcast applications is limited to 2 per year with a minimum of 30 days between applications. The maximum seasonal rate is 16.4 pints of product per acre (1.95 lb 2,4-D ae, 0.64 lb MCP-p ae, and 0.12 lb dicamba ae per acre).

SPOT TREATMENTS:

Applications should be made on a spray-to-wet basis with uniform coverage. Prepare the spray solution by mixing in water according to Table 2.

ORNAMENTAL TURFGRASS ESTABLISHED IN LAWNS:

Kentucky Bluegrass, Perennial Ryegrass, Fescues, Bahiagrass, St. Augustinegrass, Centipedegrass, Bentgrass, Bermudagrass, and Zoysiagrass: Use a 1.5% spray concentration or mix 2 fluid ounces of product with one gallon of water.

Woody Plants, Vacant Lots, Fence Rows: Use a 1.5 to 2.5% spray concentration or mix 1.9 to 3.2 fluid ounces of product with one gallon of water.

TABLE 2. SPRAY PREPARATION FOR SPOT TREATMENTS.

Desired Volume, Gallons	Spray Concentration, % vol/vol		
	1.5%	2.0%	2.5%
1.0 gallon	1.9 fl.oz.	2.5 fl.oz.	3.2 fl.oz.
2.0 gallons	3.8 fl. oz.	5.1 fl.oz.	6.4 fl.oz.
3.0 gallons	5.8 fl.oz.	7.7 fl.oz.	9.6 fl.oz.
10.0 gallons	19.2 fl.oz.	25.6 fl.oz.	32.0 fl.oz. (1.0 quart)
40.0 gallons	76.8 fl.oz.	102.4 fl.oz.	128.0 fl.oz. (1.0 gallon)

Equal Measures:

- 1 Tablespoon (tbsp.) = 3 teaspoons (tsp.) = 1/2 fluid ounce (fl.oz.)
- 1 Cup = 16 tbsp. = 8 fl.oz. = 1/2 pint (pt.)
- 1 Pint (pt.) = 16 fl.oz.
- 1 US Gallon (gal.) = 4 quarts (qts.) = 8 pts.

Limitations on spot treatments for ornamental turfgrass:

Spot treatment is defined as a treatment area no greater than 1,000 sq.ft. per acre. The maximum application rate is 3.0 fl.oz. per 1,000 sq.ft. per application (0.32 lb MCPP-p acid equivalent per acre).

APPLICATION INFORMATION AND USE PRECAUTIONS:

- Avoid spraying during long, excessively dry or hot periods unless adequate irrigation is available. Do not irrigate within 24 hours after application.
- Do not exceed specified dosages for any area.
- Do not apply to newly seeded lawns until well established or after two to three mowings.
- Seed can be sown 3 to 4 weeks after herbicide application.
- Do not apply this product through any type of irrigation system.
- Do not spray on carpetgrass, dichondra, nor on lawns or turf where desirable bentgrass or clovers are present.
- Do not use this product on or near desirable plants, including contact of spray on exposed root systems or adventitious shoots within the drip line of desirable trees and shrubs, since injury may result.

This product is effective on hard-to-kill weeds such as henbit, chickweed, knotweed, spotted spurge, oxalis, black medic, and sheep sorrel. In addition to these, Gordon's Broadleaf & Dandelion Lawn Weed Killer controls most other broadleaf lawn weeds, including dandelion and plantain and a partial list is given on this label.

Spray Drift Management

A variety of factors including weather conditions (e.g., wind direction, wind speed, temperature, relative humidity) and method of ground application can influence pesticide drift. The applicator must evaluate all factors and make appropriate adjustments when applying this product.

Droplet Size

Use only Medium or coarser spray nozzles according to ASAE (S 572) definition of standard nozzles or a volume mean diameter of 300 microns or greater for spinning atomizer nozzles.

Wind Speed

Do not apply at wind speeds greater than 10 mph. Only apply this product if the wind direction favors on-target deposition and there are not sensitive areas (including, but not limited to, bodies of water, known habitat for nontarget species, nontarget crops) within 250 feet downwind.

Temperature Inversions

If applying at wind speeds less than 3 mph, the applicator must determine if: a) conditions of temperature inversion exist, or b) stable atmospheric conditions exist at or below nozzle height. Do not make applications into areas of temperature inversions or stable atmospheric conditions.

Susceptible Plants

Do not apply under circumstances where spray drift may occur to food, forage, or other plantings that might be damaged or crops thereof rendered unfit for sale, use or consumption. Susceptible crops include, but are not limited to, cotton, okra, flowers, grapes (in growing stage), fruit trees (foliage), soybeans (vegetative stage), ornamentals, sunflowers, tomatoes, beans, and other vegetables, or tobacco. Small amounts of spray drift that might not be visible may injure susceptible broadleaf plants.

Other State and Local Requirements

Applicators must follow all state and local pesticide drift requirements regarding application of 2,4-D herbicides. Where states have more stringent regulations, they must be observed.

Equipment

All ground application equipment must be properly maintained and calibrated using appropriate carriers or surrogates. Do not apply with a nozzle height greater than 4 feet above the crop canopy. Aerial application is prohibited.

BROADLEAF WEEDS			
Annual yellow sweetclover	Cockle	Musk thistle	Spiny amaranth
Aster	Cocklebur	Mustard	Spiny cocklebur
Austrian fieldcress	Common mullein	Narrowleaf plantain	Spiny sowthistle
Bedstraw	Creeping jenny	Narrowleaf vetch	Spotted catsear
Beggarticks	Cudweed	Nettle	Spotted spurge
Betony, Florida	Curly dock	Orange hawkweed	Spurweed
Bindweed, field	Daisy, English	Oriental cocklebur	Stinging nettle
Bird vetch	Daisy fleabane	Oxalis	Strawberry, India mock
Bitter wintercress	Daisy, oxeye	Parsley-piert	Tall nettle
Bittercress, hairy	Dandelion	Parsnip	Tall vervain
Bitterweed	Dichondra	Pearlwort	Tansy ragwort
Black-eyed Susan	Dogbane	Pennycress	Tansy mustard
Black medic	Dogfennel	Pennywort	Tanweed
Black mustard	Dollarweed	Peppergrass	Thistle
Blackseed plantain	Elderberry	Pepperweed	Trailing crownvetch
Blessed thistle	False dandelion	Pigweed	Tumble mustard
Bloodflower milkweed	Falseflax	Pineywoods bedstraw	Tumble pigweed
Blue lettuce	False sunflower	Plains coreopsis (tickseed)	Velvetleaf
Blue vervain	Fiddleneck	Plantain	Venice mallow
Bracted plantain	Florida pusley	Poison ivy	Virginia buttonweed
Brassbuttons	Frenchweed	Poison oak	Virginia creeper
Bristly oxtongue	Galinsoga	Pokeweed	Virginia pepperweed
Broadleaf dock	Goathead	Poorjoe	Water pennywort
Broadleaf plantain	Goldenrod	Prairie sunflower	Wavyleaf bullthistle
Broomweed	Ground ivy	Prickly lettuce	Western clematis
Buckhorn	Gumweed	Prickly sida	Western salsify
Buckhorn plantain	Hairy fleabane	Prostrate knotweed	White mustard

BROADLEAF WEEDS			
Bulbous buttercup	Hawkweed	Prostrate pigweed	Wild aster
Bull thistle	Healall	Prostrate spurge	Wild buckwheat
Bullnettle	Heartleaf drymary	Prostrate vervain	Wild carrot
Burclover	Heathaster	Puncturevine	Wild four-o'clock
Burdock	Hedge bindweed	Purslane, common	Wild garlic
Burning nettle	Hedge mustard	Ragweed	Wild geranium
Burweed	Hemp	Red sorrel	Wild lettuce
Buttercup	Henbit	Redroot pigweed	Wild marigold
Buttonweed	Hoary cress	Redstem filaree	Wild mustard
Canada thistle	Hoary plantain	Rough cinquefoil	Wild onion
Carolina geranium	Hoary vervain	Rough fleabane	Wild parsnip
Carpetweed	Horsenettle	Russian pigweed	Wild radish
Catchweed bedstraw	Jimsonweed	Russian thistle	Wild rape
Catnip	Knawel	Scarlet pimpernel	Wild strawberry
Catsear	Knotweed	Scotch thistle	Wild sweet potato
Chickweed, common	Kochia	Sheep sorrel	Wild vetch
Chickweed, mouseear	Lambsquarters	Shepherdspurge	Woodsorrel
Chicory	Lespedeza	Slender plantain	Woolly croton
Cinquefoil	Mallow	Smallflower galinsoga	Woolly morningglory
Clover, crimson	Matchweed	Smooth dock	Woolly plantain
Clover, hop	Mexicanweed	Smooth pigweed	Wormseed
Clover, red	Milk vetch	Sorrel	Yarrow
Clover, strawberry	Morningglory	Sowthistle	Yellow rocket
Clover, sweet	Mouseear hawkweed	Spanishneedles	Yellowflower pepperweed
Clover, white	Mugwort	Speedwell	and other broadleaf weeds

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in original container in a locked storage area. Keep from freezing.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY AND

10
10

DISCLAIMER cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

APPENDIX

1. Statements which may appear on different label components depending on packaging configuration.

- See next panel for additional Precautionary Statements and First Aid
- Net Contents: _____
- EPA Est. No. _____

2. Advertising claims that may be presented on container labeling, advertisements, brochures, and other marketing/sales promotional materials:

- Controls (Kills) [desired weed species from attached listing may be inserted here e.g. dandelion, henbit, knotweed, plantain, poison ivy, spurge,] and other broadleaf weeds.
- Keep from freezing
- Covers [XXXX] square feet
- TRIMEC® is a registered trademark of PBI/GORDON CORPORATION
- Contains Trimec® herbicide
- Controls over 200 [listed] types of broadleaf weeds in turf [as listed]
- Controls brush and woody plants

DOCUMENT CONTROL INFORMATION

1. **Unique Label Identifier:** 002217-00507.20120119.notif-proposed-highlighted.doc

2. **Reason for Issue:** ad claims, typo

