


**GORDON'S**



®

ATED

# fore<sup>®</sup>-plus

## rose and ornamental fungicide

INSECTICIDE  
FUNGICIDE ACT  
EPA REGISTER-

16-1773  
514

ACTIVE INGREDIENTS

thaw.

**SPRAYING TIPS:** Clean your sprayer. Rusty sprayers clog up. For best control, it is imperative that applications start in the spring when cool and humid weather conditions are favorable for fungus growth. Before spraying turf areas, the sq. ft. in area to be treated should be measured for proper application.

**DISEASES CONTROLLED**

FORE-PLUS Fungicide can be used for the control of these

- Turf and Lawns — Powdery Mildew, Fusarium Blight; Red Thread Copper Spot; Shear Blight; Helminthosporium Melting Out; Rhizoctonia Patch; Rust; Pythium Blight; Algae, Dollar Spot, Fusarium Snow Mold.
- Carnation — Leaf Spot
- Dahlia and Lily — Botrytis Blight, Purple Spot

MANUFACTURED BY  
**PBI - GORDON CORPORATION**  
KANSAS CITY, KANSAS

14.98

# fore - plus

rose and ornamental fungicide

A co-ordinated product of zinc ion and manganese ethylene bisdithiocarbamate..... 74.44%

In which the ingredients are

Manganese** .....	14.88%
Zinc** .....	1.86%
Ethylene bisdithiocarbamate ion (C <sub>4</sub> H <sub>6</sub> N <sub>2</sub> S <sub>4</sub> ).....	57.70%
2,4-Dinitro-6-octyl*crotonate' .....	1.26%
2,6-Dinitro-4-octyl*crotonate .....	0.09%
Nitrooctyl*phenols (principally dinitro) .....	24.21%
INERT INGREDIENTS .....	
Total	100.00%

\*A mixture of 1-methylheptyl, 1-ethylhexyl and 1-propylpentyl isomers.  
 ®Fore and Karathane® Registered Trademark Rohm and Haas Co.  
 U.S. Patents 2,917,156 - 2,528,660

**CAUTION: Keep Out of Reach of Children**  
 See Side Panels for Additional Cautions

**NET CONTENTS 15 OZ.**

### DIRECTIONS FOR USE

Gordon's FORE-PLUS Lawn Fungicide is a unique and different combination of Fore plus Karathane. It provides excellent fungus control against Powdery Mildew without damage to turf and certain ornamentals. It is also effective against Anthracnose; of turf grasses and ornamentals. Use very liberally when weather conditions are favorable to the fungus. Once diseases have become established, the higher rate of application with more frequent (every 7 days) applications to control lawn turf and ornamentals. Follow a regular spray program (10-15 days) during spring and continued through the season as needed. For perennial snow mold on turf, make an application just prior to snow or at the beginning of cold, wet winter weather. In areas where mold and severe disease development occurs, a second application be made at one of the midwinter thaws and a third after the first

<u>Iris</u>	— Leaf Spot
<u>Rose</u>	— Back Spot and Powdery Mildew
<u>Chrysanthemum</u>	— Botrytis Petal Spot, Powdery Mildew
<u>Gladiolus</u>	— Curvularia and Botrytis

**CAUTION:** May cause irritation of nose, throat, eyes and skin. Do not inhale dust or spray mist. In case of skin contact wash with water; for copiously with water and get medical attention.

This product is toxic to fish. Keep out of lakes, streams, and ponds. Do not contaminate water by cleaning of equipment, or disposal of waste. This product as specified on this label.

Do not reuse empty container. Destroy when empty.

**NOTICE:** Seller warrants that this product conforms to the ingredient on the label. Since conditions of use, such as weather, contact with other chemicals, and condition of application equipment, will vary, we make no claims other than those stated on this label.

**IMPORTANT:** Keep away from fire and sparks. Store in a cool, dry place. Do not allow to become wet or overheated in storage. This may bring about chemical changes which will impair the fungicidal effectiveness of FORE-PLUS. It may also generate flammable vapors. Keep container closed when not in use.

**DIRECTIONS FOR USE**

Gordon's FORE-PLUS Lawn Fungicide is a unique and different fungicide based on a new active ingredient. It provides excellent fungus control without causing damage to turf and ornamentals. It is effective against: of turf grasses and ornamentals can develop under various weather conditions. It is suitable for use on all types of turf and ornamentals. Once established the FORE-PLUS can be used with any lawn care program (every 7 days) applications to control both turf and ornamentals, follow a regular spray program (10-15 days) during the wintering and continued through the season of growth. For prevention of snow mold on turf, make an application just before snow or at the beginning of cold, wet winter weather. In areas where snow mold and other disease development occurs, a second application should be made at one of the midwinter thaws and a third after the final spring

PRAYING

Iris	Leaf Spot
Rose	Black Spot and Powdery Mildew
Chrysanthemum	Botrytis Petal Spot, Powdery Mildew
Gladiolus	Curvularia and Botrytis

**CAUTION:** May cause irritation of nose, throat, eyes and skin. Do not breathe dust or spray mist. In case of skin contact wash with water; for eyes wash copiously with water and get medical attention.

This product is toxic to fish. Keep out of lakes, streams, and ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product as specified on this label.

Do not reuse empty container. Destroy when empty.

**NOTICE:** Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment, will vary, Seller makes no claims other than those stated on this label.

**IMPORTANT:** Keep away from fire and sparks. Store in a cool, dry place. Do not allow to become wet or overheated in storage. This may bring on chemical changes which will impair the fungicidal effectiveness of FORE-PLUS and may also generate flammable vapors. Keep container closed when not in use.

amount of FORE-PLUS into jar and mix until all powder is wet and dilute to the required level. Shake

Fill Bottle to Mark	Area to Treat
Gallons	Sq. Feet
1	150
3 1/2	500
5	750

4 1/2	6	3	(except Gladiolus)* until spray begins to drip off leaves
6	8	4	
7 1/2	10	5	
9	12	6	

(1) Reduce dosage by one-half to spray gladiolus flower spikes.

**Pressure Sprayers—Turf**

Where hose-end lawn sprayer is not available, a pressure sprayer may be used. Measure required amount of FORE-PLUS Fungicide, thoroughly wet in water and dilute in sprayer as follows. While spraying, slight agitation will keep FORE-PLUS Suspended.

AMOUNT FORE-PLUS				Fill Spray Tank to	Area to Treat
Preventive Treatment		Control Treatment		Gallons	Sq. Feet
Tbsp.	Cups	Tbsp.	Cups		
5	1 1/3	7 1/2	1 1/2	1	250
10	2 2/3	15	3	2	500
15	4	22 1/2	4 1/2	3	750

To improve wetting and distribution of FORE-PLUS, add Gordon Sta-Spray.

E.P.A. Reg. No. 2217-514-AA

T.M. registered, P.B.I., KCK

655-1072