



NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application on the product will vary, Seller makes no claims other than those stated on this label.

EPA Reg. No. 2217-516 EPA Est. No. 2217-KS-1

Trimec® Dandy Lawn Weed Killer

Contains Trimec® Turf Herbicide
ONE QUART COVERS 9,600 SQUARE FEET
 Contains: 2, 4-D, Mecoprop & Dicamba

KILLS: DANDELION, KNOTWEED, HENBIT, PLAINAINS, SPURGE, POISON IVY and many other broadleaf weeds as listed.

ACTIVE INGREDIENTS:

| | |
|---|-----------------|
| *Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid | 8.915% |
| **Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid | 4.201% |
| ***Dimethylamine Salt of Dicamba (3,5-dichloro-o-anisic acid) | 0.724% |
| INERT INGREDIENTS | 86.160% |
| TOTAL | 100.000% |

THIS PRODUCT CONTAINS:

*2,4-D acid equivalent is 0.84 lbs. per gallon or 7.400%
 **Mecoprop acid equivalent is 0.30 lbs. per gallon or 3.472%
 ***Dicamba acid equivalent is 0.052 lbs. per gallon or 0.602%

Keep Out of Reach of Children
WARNING
 Statement of Practical Treatment
 In case of contact with eyes, flush with water for 15 minutes. Get medical attention.
 In case of contact with skin, wash with plenty of soap and water.
 See side panels for additional precautionary statements.

TRIMEC® is a registered trademark of PBI/Gordon Corporation
 U.S. Patent No. 3,284,186

NET CONTENTS ONE QUART

CONTROLS

Sensitive Weeds:
 Bedstraw
 Black Medic
 Buckhorn
 Chickweed
 Clover
 Dandelion
 Knotweed
 Lambsquarters
 Peppergrass
 Plantain
 Purslane
 Ragweed
 Shepherd's Purse
 White Top

Hard-To-Kill Weeds:
 Chicory
 Dock
 Ground Ivy
 Heal-All
 Henbit
 Lespedeza
 Mallow
 Morning Glory
 Pigweed
 Poison Ivy
 Poison Oak
 Speedwell
 Spurge
 Wild Carrot
 Wild Onion
 Yarrow

882-880

STOP! Read the entire label first. Observe all cautions and follow directions carefully.

PRECAUTIONARY STATEMENTS
 Hazards to Humans &

WARNING: Causes eye irritation. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling. Harmful if swallowed. Avoid breathing spray mist.

ENVIRONMENTAL HAZARDS

Keep out of lakes, streams and ponds. Do not contaminate domestic or irrigation waters. Do not apply when weather conditions favor drift from target area.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection. Keep pesticide in original container. Keep container closed when not in use. Do not store in contact with fertilizers, seeds or other pesticides. Do not store near food or foodstuffs.

USE PRECAUTIONS

Avoid drift of spray mist to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not pour spray on carpetgrass, dichondra, nor on lawns or turf where desirable clovers are present. Do not apply in areas underlain by roots of desirable trees and shrubs. Use only lawn sprays. Coarse sprays are less likely to drift away from target area. This product may be injurious to St. Augustine and Centipede grasses. "Spot spray" only on such sensitive grasses.

WHERE TO USE: TRIMEC® Dandy Lawn Weed Killer may be used on BLUEGRASS, BERMUDA, BAHIA, FESCUE, RYE or ZOYSIA lawns, VACANT LOTS, PLAYGROUNDS and other similar areas where weeds are present. It is especially effective on all types of hard to kill weeds such as HENBIT, LESPEDEZA, MORNING GLORY, POISON IVY and POISON OAK, SPOTTED SPURGE and OXALIS. In addition, to these, TRIMEC controls most other broadleaved lawn weeds including such sensitive species as BLACK MEDIC, CHICKWEED, DANDELION and PLANTAIN. A partial list is given on the blue panel.

WHEN TO USE:

1. Spray at any time during the growing season when weeds are actively growing.
2. On new lawns, wait until the grass has reached a height of 2 inches before making an overall spray treatment. However, may be made at any time with a small pressure-sprayer, spraying only the weeds at ground level. Wait 3 weeks before putting new grass seed or slown down in the bare spots.
3. Poor weed control may result if spray is applied during drought or just before rain.
4. For best results, mow before treating.
5. Do not water lawn within 24 hours after treatment.

HOW MUCH TO USE: Example—Mix 1 oz. (2 lbs.) in 1 gallon of water and apply on 300 sq. ft. in the spring for sensitive weeds. For larger or more dense weed stands, apply the same dosage over 200 sq. ft. Follow the rate charts below.

Hose-End Sprayer: Use a hose-end sprayer designed for lawns. Put recommended amount of product in bottle and add water to proper level and spray on area indicated. For example—to spray 1,700 sq. ft. measure 10 oz. (20 lbs.) in jar and add water to the 10 gallon mark and mix. Turn on hose and spray as evenly as possible over 1,700 sq. ft.

| Amount Dandy Lawn Weed Killer to Use (Lbs.) | Fl. Oz. | Fill Bottle to Gallons | Area To Treat (Sq. Ft.) |
|---|---------|------------------------|-------------------------|
| 2 | 1 | 1 | 300 |
| 4 | 2 | 2 | 600 |
| 10 | 5 | 5 | 1,500 |
| 20 | 10 | 10 | 3,000 |
| 32 | 16 | 16 | 4,800 |

Pressure-Sprayers: Measure recommended amount of product into tank and dilute with water according to the following chart. Use a spray pattern which gives small spray droplets without any fine mist and cover the area indicated.

| Amount Dandy Lawn Weed Killer to Use (Lbs.) | Fl. Oz. | Fill Bottle to Gallons | Area To Treat (Sq. Ft.) |
|---|---------|------------------------|-------------------------|
| 4 | 2 | 1 | 600 |
| 8 | 4 | 2 | 1,200 |
| 16 | 8 | 4 | 2,400 |
| 24 | 12 | 6 | 3,600 |

NOTE: Whether using a hose-end sprayer or pressure-sprayer, avoid sprays which are too fine because they can drift and damage ornamental or garden plants.

SPOT-SPRAYING: To spray small areas or individual weeds, do not use hose-end sprayer. Mix 2 oz. (4 lbs.) in 1/2 gallon of water and spray as required being certain to wet each weed.

ACCEPTED
 29 AUG 1980
 Under the FIFED Insecticide, Fungicide and Herbicide Act, as amended for the purpose of registration under 2017-516