

PM 23 pg 1 of 4
2217-517 AFTER

TRIMEC(R)

TURF HERBICIDE

ONE GALLON COVERS 2 TO 2½ ACRES

KILLS: Dandelion, Chickweed, Knotweed, Plantains, Henbit, Spurge, and many other species of broadleaf weeds; some of which are listed on this label.

- KEEP FROM FREEZING -

ACTIVE INGREDIENTS:

* Dimethylamine salt of 2,4-Dichlorophenoxyacetic acid	.30.56%
** Dimethylamine salt of 2-(2-Methyl-4-chlorophenoxy) propionic acid	.16.34%
*** Dimethylamine salt of Dicamba (3,6-Dichloro-o-anisic acid)	2.77%
INERT INGREDIENTS	50.33%
TOTAL	100.00%

THIS PRODUCT CONTAINS:

- * 2.44 lbs. 2,4-Dichlorophenoxyacetic acid equivalent per gallon or 25.38%
- ** 1.36 lbs. 2-(2-Methyl-4-chlorophenoxy) propionic acid equivalent per gallon or 13.50%
- *** 0.22 lbs. 3,6-Dichloro-o-anisic acid equivalent per gallon or 2.30%

TRIMEC(R) is a registered trademark of PBI/GORDON CORPORATION

KEEP OUT OF REACH OF CHILDREN

C A U T I O N

Statement of Practical Treatment


In case of contact wash skin with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention.

See side panels for additional Precautionary Statements.

NET CONTENTS 55 U.S. GALLONS

891/590 AP100281++
EPA REG. NO. 2217-517
EPA EST. NO. 2217-KS-1

Mfd. by PBI/GORDON CORPORATION
KANSAS CITY, KANSAS 66118



BEST AVAILABLE COPY

STOP! READ THE ENTIRE LABEL FIRST. OESERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid contact with skin, eyes or clothing. Wear long pants, long-sleeved shirt, shoes and gloves when mixing, loading or applying this product. Wear face shield or goggles when mixing, loading or applying this product. When handling this product, wear chemical resistant gloves. Avoid breathing spray mist. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS: This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters.

) When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources.

Do not apply when weather conditions favor drift from target area.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not reenter or permit workers to reenter treated areas until sprays have dried or dusts have settled.

) Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D and MCPP have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D and MCPP pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

STORAGE & DISPOSAL

STORAGE: Store in original container in a locked storage area. Keep from freezing. To prevent cross-contamination, do not store near other pesticides, fertilizers, seeds, food or feed.

PRODUCT DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are toxic. Improper dis-

posal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your state Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

USE PRECAUTIONS:

Do not apply this product through any type of irrigation system. Avoid drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not pour spray solution near these plants. Do not spray on carpetgrass, dichondra nor lawns or turf where desirable clovers are present. Use only lawn-type sprayers. Coarse sprays are less likely to wind-drift. Do not spray roots of trees and ornamentals. Do not exceed specified dosages for any area; be particularly careful within the dripline of tree and other ornamental species. Do not spray while grass is emerging from dormancy. Do not apply to newly seeded grasses until well established. Do not spray when air temperature exceeds 85°F. Seed can be safely sown 3 to 4 weeks after application. Do not contaminate domestic or irrigation water. Some injury can be expected to turf when used on Centipede or St. Augustine grass lawns. "Spot spray" weeds only on these types of grasses. Clover present will be damaged if sprayed. After using this product, clean sprayer with soap or detergent and water, and rinse thoroughly before applying other pesticides. Failure to observe the above precautions may result in injury.

WEEDS CONTROLLED:

TRIMEC is especially effective against weeds such as SHEEP SORREL, KNOTWEED, SPOTTED SPURGE, CHICKWEED, OXALIS AND HENBIT. In addition to these, it kills broadleaf weeds commonly found in lawns, some of which are listed below.

- | | | |
|-------------|--------------|----------------|
| Bedstraw | Henbit | Purslane |
| Black Medic | Knotweed | Ragweed |
| Buckhorn | Lambsquarter | Sheep Sorrel |
| Burdock | Lespedeza | Shepherdspurge |
| Chicory | Mallow | Speedwell |
| Chickweed | Morningglory | Spurge |
| Clover | Peppergrass | Wild Carrot |
| Dandelion | Pigweed | Wild Garlic |
| Dock | Plantains | Wild Lettuce |
| Ground Ivy | Poison Ivy | Wild Onion |
| Heal-All | Poison Oak | Yarrow |



ORNAMENTAL LAWNS & TURF

(other than Bentgrass):

Apply TRIMEC at the rate of 3½ to 4 pints per acre in sufficient water for adequate coverage. Maximum kill of weeds will be obtained from spring or early fall application when weeds are actively growing. Avoid applying during long excessively dry or hot periods unless adequate irrigation is available. Do not irrigate within 24 hours of application. Do not apply to newly seeded turf until after the second or third mowing. Grass seed can be safely sown 3 to 4 weeks after application at recommended rate. Do not use on dichondra and carpetgrass.

BENTGRASS TURF:

In closely mowed bentgrass (putting and bowling greens) apply TRIMEC at a maximum rate of 1 fluid ounce per 1,500 square feet, preferably in May or mid-August through September. Slight turf yellowing will disappear after about one week.

NOTE: Care should be taken to avoid overdosing bentgrass or injury may result. Large volumes of spray water (i.e., 1 fl. oz. in 5 gals. water per 1,500 sq. ft.) will aid in obtaining uniform coverage. If hand-type sprayers are used, it is preferable to use a single nozzle sprayer rather than a multiple nozzle boom as sideways application with a boom where the spray from more than one nozzle is allowed to fall on the same area will result in heavy local overapplication and subsequent turf discoloration or injury.

LIMITED WARRANTY. Manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled use when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed.

EXCLUSION OF OTHER WARRANTIES AND REMEDIES. Except where such disclaimers and exclusions are specifically prohibited by applicable law. THE FOREGOING IS THE ONLY GUARANTEE OR WARRANTY APPLICABLE TO THIS PRODUCT AND IS GIVEN EXPRESSLY AND IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ALL SUCH WARRANTIES WHICH EXCEED OR DIFFER FROM SAID LIMITED WARRANTY ARE DISCLAIMED BY MANUFACTURER, and, upon Manufacturer's compliance with said limited warranty. BUYER SHALL HAVE NO REMEDY AGAINST MANUFACTURER FOR ANY TYPE OF DAMAGE OR LOSS, and, IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL DAMAGE OR LOSS.

BEST AVAILABLE COPY