



# INSTITUTIONAL AREA SPRAY

**ACTIVE INGREDIENTS:**

Petroleum Distillate .....	98.92%
Technical Piperonyl Butoxide .....	.90%
Pyrethrins .....	.18%
Total .....	100.00%

\*Equivalent to 0.72% (butylcarbityl) (6-propylpiperonyl) ether and 0.18% related compounds.

**CAUTION:** Keep Out of Reach of Children  
See Side Panels for Additional Cautions

NET CONTENTS ..... GAL (S)

988-371

MANUFACTURED BY  
**PBI - GORDON CORPORATION**

KANSAS CITY, KANSAS

**DIRECTIONS FOR USE**  
**STORED PRODUCTS IN ELEVATORS,**  
**GRANARIES, WAREHOUSES**  
**AND MILLS**

For control of the following insects: **Crickets, Granary Weevils, Confused Flour Beetles, Grain Moths, Cadelles, Rust Red Flour Beetles, Saw Tooth Grain Beetles, Spider Beetles, Grain Mites, Rice Weevils and Cheese Skipper Flies:** After thorough cleanup and prior to filling with grain apply at the rate of 1 gallon for each 1800 square feet of area. Wet surfaces of the storage area thoroughly. Hit insects directly with the spray whenever possible. Repeat application as often as necessary. Do not apply directly to grain or oil-bearing seeds.

**CAUTION**

**CAUTION:** Harmful if swallowed. Keep out of reach of children and domestic animals. Do not spray into or near open flame. Avoid spraying directly on feed, foodstuffs and food equipment. Keep container tightly sealed when

**not in use.**  
Before using this product, exposed food products and packaging materials must be removed from the room or protected. After using this compound, equipment and utensils must be thoroughly rinsed with potable water before operations are resumed.

**NOTICE**—Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment, will vary, Seller makes no claims other than those stated on this label.

U.S.D.A. Reg. No. 2217-523 988-371

### DIRECTIONS FOR USE

International Agri Service, Inc. 1000  
10000th Ave. S.E. P.O. Box 10000  
Burien, Oregon 97149  
247-2474  
© 1974 IAS

When using in confined areas, wear mask  
and goggles with treatment is com-  
pleted.

### FOOD PROCESSING PLANTS AND INSTITUTIONS:

Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product as a space spray in these areas, apply only when plant is not in operation.

**Roaches, Waterbugs, Ants, Silverfish and Spiders:** Apply as a coarse spray to all cracks and crevices where these insects normally hide. Spraying of dark places such as behind pipes, beneath sinks and along runways infested with roaches, waterbugs, ants, silverfish and spiders recommended. Hit these insects with spray whenever possible. Repeat application as often as required.

**Bedbugs:** Spray bed frames, springs, and all sides of mattresses, especially seams and tufts. Spray behind baseboards, loose wall paper and into all cracks around the room where this insect may hide and breed. Repeat application when necessary.

**Clothes Moths and Carpet Beetles:** Use as a fine spray. Apply lightly to clothing or interior surfaces of storage container such as closet or trunks. When spraying clothing for clothes moth control pay particular attention to all seams and folds of garments. Repeat treatment every 30 days unless articles are stored in moth-tight containers. For Carpet beetles in food processing plants treat same as roaches.

**Flies, Mosquitoes and Gnats:** Use as a mist spray. Close room and discharge spray throughout room. Use 1 ounce of spray for each 1000 cubic feet of space. Leave room closed for at least 10 minutes. Sweep up fallen insects. Repeat application when necessary. Avoid direct contact with food or food utensils.

988-371

ACCEPTED  
MAR 15 1972  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO. .... SUBJECT  
TO ATTACHED COMMENTS.

2217-523