GORDON'S INSTITUTIONAL

1/04/10

AREA SPRAY

*Equivalent to 0.72% butylcarbitol 6-propylpiperonyl ether and 0.18% related isomers.

KEEP OUT OF REACH OF CHILDREN

CAUTION


See side panel for Precautionary Statements and Statement of Practical Treatment.

NET CONTENTS GALLON

AP 032072

EPA REG. NO. 2217-523 EPA EST. NO. 2217-KS-1

Mfd. by PBI/GORDON CORPORATION KANSAS CITY, KS 66118



STOP!

READ THE ENTIRE LABEL FIRST OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes, or clothing.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Contact a physician or poison control center immediately. Do not induce vomiting. Vomiting may cause aspiration pneumonia.

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicate.

IF ON SKIN: Remove contaminated clothing and wash affected areas of skin with soap and water. Contact a physician if irritation persists.

IF IN EYES: Flush with plenty of water. Contact a physician if irritation persists.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Do not apply directly to lakes, streams, ponds, tidal marshes or estuaries. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeli. j.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food, or feed by storage or disposal. Store in original container in a locked storage area inaccessible to children or pets. Keep from freezing.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent).
Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Institutional Area Spray is a "Ready to Use" insecticide to be used in appropriate spray equipment (fog applicators, sprayers, vaporizers or other dispensers) according to the following directions.

Before using this product, exposed food products and packing materials must be removed from the room or protected. After using this compound, equipment and utensils must be thoroughly rinsed with potable water before operations are resumed.

When using in a confined area, vacate treated area and ventilate when treatment is completed.

FOOD PROCESSING PLANTS AND INSTITUTIONS:

Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product as a space spray in these areas, apply only when plant is not in operation.

ROACHES, WATERBUGS, ANTS, SILVERFISH, AND SPIDERS:

Apply as a coarse spray to all cracks and cravices where these insects normally hide. Spray behind pipes, beneath sinks and along runways infested with roaches, waterbugs, ants, silverfish and spiders recommended. Hit these insects with spray whenever possible. Repeat application as often as required.

BEDBUGS:

Spray bed frames, springs, and all sides of mattresses, especially seams and tufts. Spray behind baseboards, loose wall paper and into all cracks around the room where this insect may hide and breed. Repeat application when necessary.

CLOTHES MOTHS AND CARPET BEETLES:

Use as a fine spray. Remove infested articles from storage. Apply spray to closets, bureaus, chests, and other storages by directing into cracks, joints, and crevices. Repeat treatment every 30 days unless articles are stored in moth-tight containers. For Carpet beetles in food processing plants treat same as roaches.

FLIES. MOSQUITOES AND GNATS:

Use as a mist spray. Close room and discharge spray throughout room. Use 1 ounce of spray for each 1000 cubic feet of space. Leave room closed for at least 10 minutes. Sweep up fallen insects. Repeat application when necessary. Avoid direct contact with food or food utensils. Yacate treated areas and ventilate before re-occupying.

STORED PRODUCTS IN ELEVATORS, GRANARIES, WAREHOUSES, AND MILLS: For control of the exposed stages of Field Crickets, Granary Weevils, Confused Flour Beetles, Grain Moths, Cadelles, Rust Red Flour Beetles, Saw Tooth Grain Beetles, Spider Beetles, Grain Mites, Rice Weevils, and Cheese Skipper Flies: After thorough cleanup and prior to filling with grain apply at the tate of 1 gallon for each 1800 square feet of area. Wet surfaces of the storage area thoroughly. Hit insects directly with the spray whenever possible. Repeat application as often as necessary. Do not apply directly to grain or oil-bearing seeds.

4 3 4

LIMITED WARRANTY: Manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled use when applied according to label directions. Because of widely varying use conditions, it is impossible to eliminate all risks even when label directions are followed.

Exclusion of Other Warranties and Remedies. Except where such disclaimers and exclusions are specifically prohibited by applicable law. THE FOREGOING IS THE ONLY GUARANTEE OR WARRANTY APPLICABLE TO THIS PRODUCT AND IS GIVEN EXPRESSLY AND IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ALL SUCH WARRANTIES WHICH EXCEED OR DIFFER FROM SAID LIMITED WARRANTY ARE DISCLAIMED BY MANUFACTURER, and, upon Manufacturer's compliance with said limited warranty, BUYER SHALL HAVE NO REMEDY AGAINST MANUFACTURER FOR ANY TYPE OF DAMAGE OR LOSS, and, IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL DAMAGE OR LOSS.

