

GORDON'S INSTITUTIONAL AREA SPRAY

ACTIVE INGREDIENTS:

| | |
|--------------------------|----------------|
| *Piperonyl butoxide..... | 0.90% |
| Pyrethrins..... | 0.18% |
| INERT INGREDIENTS:..... | 98.92% |
| TOTAL | 100.00% |

*Equivalent to 0.72% (Butylcarbityl)(6-Propylpiperonyl) ether and 0.18% related isomers.
Contains petroleum distillates.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for Precautionary Statements and First Aid.

| |
|--|
| ACCEPTED |
| AUG 19 2003 |
| <small>Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 2217-523</small> |

NET CONTENTS: 1 and 2 1/2 U.S. GALLON

AP-----

EPA REG. NO. 2217-523

EPA EST. NO. 2217-KS-X

MANUFACTURED BY:



Telephone: 1-800-821-7925



READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY

PRECAUTIONARY STATEMENTS

Hazards To Humans and Domestic Animals

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

First Aid

| | |
|---|--|
| If swallowed | <ul style="list-style-type: none"> • Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person. |
| If inhaled: | <ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for treatment advice. |
| If on skin or clothing: | <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice. |
| If in eyes: | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. |
| Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice. | |
| NOTE TO PHYSICIAN: Contains petroleum distillate—vomiting may cause aspiration pneumonia. | |

ENVIRONMENTAL HAZARDS:

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS:

Do not apply this product in or on electrical equipment due to the possibility of a shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in original container in a locked storage area inaccessible to children or pets. Keep from freezing.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: **For metal containers:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. **For plastic containers:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Institutional Area Spray is a ready-to-use insecticide to be used in appropriate spray equipment (fog applicators, sprayers, vaporizers or other dispensers) according to the following directions.

Before using this product, exposed food products and packing materials must be removed from the room or protected. After using this compound, equipment and utensils must be thoroughly rinsed with potable water before operations are resumed.

When using in a confined area, vacate treated area and ventilate when treatment is completed.

FOOD PROCESSING PLANTS AND INSTITUTIONS:

Food must be removed or covered during treatment. In food processing areas, all utensils, shelving, etc. where food will be handled must be covered or removed before treatment or thoroughly washed with an effective cleansing compound followed by a potable water rinse prior to use.

~~Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.~~ When using the product as a space spray in these areas, apply only when plant is not in operation.

ROACHES, WATERBUGS, ANTS, SILVERFISH, AND SPIDERS:

Apply as a coarse spray to all cracks and crevices where these insects normally hide. Spray behind pipes, beneath sinks and along runways infested with roaches, waterbugs, ants, silverfish and spiders recommended. Hit these insects with spray whenever possible. Repeat application as often as required.

BEDBUGS:

Spray bed frames, springs, and all sides of mattresses, especially seams and tufts. Spray behind baseboards, loose wall paper and into all cracks around the room where this insect may hide and breed. Repeat application when necessary.

CLOTHES MOTHS AND CARPET BEETLES:

Use as a fine spray. Remove infested articles from storage. Apply spray to closets, bureaus, chests, and other storages by directing into cracks, joints, and crevices. Repeat treatment every 30 days unless articles are stored in moth-tight containers. For Carpet beetles in food processing plants treat same as roaches.

FLIES, MOSQUITOES AND GNATS:

Use as a mist spray. Close room and discharge spray throughout room. Use 1 ounce of spray for each 1,000 cubic feet of space. Leave room closed for at least 10 minutes. Sweep up fallen insects. Repeat application when necessary. Avoid direct contact with food or food utensils. Vacate treated areas and ventilate before reoccupying.

STORED PRODUCTS IN ELEVATORS, GRANARIES, WAREHOUSES, AND MILLS:

For control of the exposed stages of Field Crickets, Granary Weevils, Confused Flour Beetles, Grain Moths, Cadelles, Rust Red Flour Beetles, Saw Tooth Grain Beetles, Spider Beetles, Grain Mites, Rice Weevils, and Cheese Skipper Flies:

After thorough cleanup and prior to filling with grain apply at the rate of 1 gallon for each 1,800 square feet of area. Wet surfaces of the storage area thoroughly. Hit insects directly with the spray whenever possible. Repeat application as often as necessary. Do not apply directly to grain or oil bearing seeds.

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.