

TRADE STRAF

ORYAN DAVIAN SILADD TRADES AND STRUESE:

METHOXYCHLOR TREE SPRAY

For leafhopper control use 1 — 2 quarts of Methoxychlor Tree Spray in 100 gallons of spray (2 to 4 table-spoons per gallon). Apply full coverage spray, Repeat spray as needed.

For Ein. leaf beetle control or for the control of cankerworms, use 2 to 3 quarts per 100 gallons of spray (4 to 6 tablespoons per gallon). Apply full coverage spray.

For best results add a spreadersticker such as Super-Link 477 at the rate of 2 to 4 ounces per 100 gallons. Repeat spray as needed.

MANUFACTURED BY

CHARLES IN CORPORATION

KANSAS CITY, KANSAS

WARN RESTRICTION OF THE ROLL O

THE NO PROPERTY.

2072/376

SENCERGY, VERLIEVE, TERRIS STEERS Y

Datob Min Dissess Charles

The confield of Durch Olly afferring de-Bando an the engineed of the Olian Back Buckley which course the goesen or the This rige. Then totale trapite and the some Frailed with apraya of Makingwilling

Tree Spray but more than spraying is required. The first and most important phase of Dutch Elm disease control is destruction of all dead or diseased wood in which elm bark beetles might develop.

Elm Bark Beetle Control:

To control Elm Bark beetles, make a dormant spray application in the spring before any leaves appear. Do not spray unless temperature is 40° F or warmer.

Hydraulic Sprayers:

Mix 8 gallons Methoxychlor Tree Spray with 92 gallons of water and apply 20 to 30 gallons to each 50 foot elm tree. Be sure all bark on trunk, limbs and twigs is thoroughly wet with spray.

Mist Blowers:
Mix 5 yallous per 10 gallous of water and apply 2 to 3 gallous per 50 content free westing all bark surfaces thoroughly

WARNING: Harmful if swallowed.

Avoid inhalation and prolonged contact with skin. Wash with soap and

This product will kill fish. Keep out of any body of water. Apply this product only as specified on this label. Do not apply when weather conditions favor drift of spray from areas treated. Rinse equipment and containers and dispose of wastes by Surying in non-crop lands away from water supplies. Containers should be disposed by punching holes in them and onlying with wastes Remove spray ignosing from blank packages. ija or ocal thiits

1497 (571)

ACCEPTED

FOR ELD ED UNDER

3217-527