



trolled with sprays of Methoxychlor Tree Spray but more than spraying is required. The first and most important phase of Dutch Elm disease control is destruction of all dead or diseased wood in which elm bark beetles might develop.

**Elm Bark Beetle Control:**

To control Elm Bark beetles, make a dormant spray application in the spring before any leaves appear. Do not spray unless temperature is 40° F or warmer.

**Hydraulic Sprayers:**

Mix 8 gallons Methoxychlor Tree Spray with 92 gallons of water and apply 20 to 30 gallons to each 50 foot elm tree. Be sure all bark on trunk, limbs and twigs is thoroughly wet with spray.



# METHOXYCHLOR TREE SPRAY

Contains 2 lbs. Methoxychlor per gallon

ACTIVE INGREDIENTS  
Methoxychlor 2.00%  
Aromatic Petroleum Hydrocarbon 1.00%  
NET WEIGHT 1.00%  
TOTAL 4.00%

Contains 2 lbs. active (methoxychlor) per gallon and 2% other inert and related compounds.

EFFECTIVE FOR USE ON  
ORNAMENTAL SHADE TREES  
AND SHRUBS

WHEN USED AS DIRECTED

**WARNING:** Keep Out of Reach of Children  
or Pets in All Areas

NET CONTENTS ONE GALLON

MANUFACTURED BY

**PBI - GORDON CORPORATION**

KANSAS CITY, KANSAS

2211-527

9/11/1974

Page 123


2 7 3

METHOXYCHLOR  
TREE SPRAY  
ORNAMENTAL SHADE TREES  
AND SHRUBS.

For leafhopper control use 1 — 2 quarts of Methoxychlor Tree Spray in 100 gallons of spray (2 to 4 tablespoons per gallon). Apply full coverage spray. Repeat spray as needed.

For Elm leaf beetle control or for the control of cankerworms, use 2 to 3 quarts per 100 gallons of spray (4 to 6 tablespoons per gallon). Apply full coverage spray.

For best results add a spreader-sticker such as Super-Link 477 at the rate of 2 to 4 ounces per 100 gallons. Repeat spray as needed.



NOTICE: Seller warrants that this product conforms to the ingredient statements on the label. Such conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment, will vary. Seller makes no claims other than those stated on this label.

WARNING: This product will tend to settle out under certain temperature conditions. Keep this material stored above 40°F.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

397 371

**ACCEPTED**

SEP 11 1974

UNDER 144 FEDERAL INSTRUCTIONS  
 FUNGICIDE AND RODENTICIDE ACT  
 FOR ECONOMIC POISON REGISTERED  
 TO UNDER NO. \_\_\_\_\_ SUBJECT  
 TO ATTACHED COMMENTS.

8217-527

