METHOXYCHLOR TREE SPRAY

ACTIVE INGREDIENTS *Methoxychlor Technical														.24.0%
*Methoxychlor Technical	•	-	•	•	•	•	•	•	•	•	•	•	•	
THENT THENTS		_	_		_							•	•	. <u>76.0</u> %
VERT INGREDIENTS											100.0%			
									7,	. T .	*17			

*Consists of 21% 1,1,1-trichloro-2,2-bis(p-methoxyphenyl)ethane and 3% other isomers and related compounds.

EFFECTIVE FOR USE ON

ORNAMENTAL SHADE TREES

AND SHRUBS

WHEN USED AS DIRECTED

ACCEPTED

DEC 2 1 1990

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the posticide registered under EPA Reg. No. 2217-527

KEEP OUT OF REACH OF CHILDREN


CAUTION

See Side Panels for precautionary statements and Statement of Practical Treatment

NET CONTENTS ONE GALLON

897/1089 AP EPA REG. NO. 2217-527 EPA EST. NO. 2217-KS-X

Mtd. by PBI/GORDON CORPORATION KANSAS CITY, KS 66118



STOP! READ THE ENTIRE LABEL FIRST.OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid contact with skin. Avoid breathing spray mist. Wash with soap and water.

Statement of Practical Treatment

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.

IF INHALED: Remove victim to fresh air and apply respiration as indicated.

IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly.

IF IN EYES: Flush with plenty of water and get medical attention immediately.

Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label.

Physical or Chemical Hazard

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

STORAGE: Store in original container in a locked storage area inaccessible to children or pets. This product will tend to settle out under certain temperature conditions. Heep this material stored above 40 degrees F.

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

ORNAMENTAL SHADE TREES AND SHRUBS:

For leafhopper control tise 1 - 2 quarts of Methoxychlor Tree Spray in 100 gallons of spray (2 to 4 tablespoons per gallon). Apply full coverage spray. Repeat spray as needed.

For Elm leaf beetle control or for the control of cankerworms, use 2 to 3 quarts per 100 gallons of spray (4 to 6 tablespoons per gallon). Apply full coverage spray.

For best results add a spreader-sticker at the rate of 2 to 4 ounces per 100 gallons. Repeat spray as needed.

Dutch Elm Disease Control:

The control of Dutch Elm disease depends on the control of the Elm Bark Beetles, which cause the spread of the disease. Elm bark beetle can be controlled with sprays of Methox; chlor Tree Spray out more than spraying is required. The first and most important phase of Dutch Elm disease control is destruction of all dead or diseased wood in which elm bark beetles might develop.

Elm Bark Beetle Control:

To control Elm Bark beetles, make a dormant spray application in the spring before any leaves appear. Do not spray unless temperature is 40 degrees F or warmer.

Hydraulic Sprayers:

Mix 8 gallons Methoxychlor Tree Spray with 92 gallons of water and apply 20 to 30 gallons to each 50 foot elm tree. Be sure all bark on trunk, limbs and twigs is thoroughly wet with spray.

Mist Blowers

Mix 5 gallons per 10 gallons of water and apply 2 to 3 gallons per 50 foot elm tree, wetting all bark surfaces thoroughly.

LIMITED WARRANTY. Manufacturer warrants that the chemical composition conforms to the ingredient statement given on the label and that this product is suited for the labeled use when applied according to label directions. Because of widely varying use conditions, it is impossible to climinate all risks even when label directions are followed.

EXCLUSION OF OTHER WARRANTIES AND REMEDIES. Except where such disclaimers and exclusions are specifically prohibited by applicable law. THE FOREGOING IS THE ONLY GUARANTEE OR WARRANTY APPLICABLE TO THIS PRODUCT AND IS GIVEN EXPRESSLY AND IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ALL SUCH WARRANTIES WHICH EXCEED OR DIFFER FROM SAID LIMITED WARRANTY ARE DISCLAIMED BY MANUFACTURER, and, upon Manufacturer's compliance with said limited warranty. BUYER SHALL HAVE NO REMEDY AGAINST MANUFACTURER FOR ANY TYPE OF DAMAGE OR LOSS, and, IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL DAMAGE OR LOSS.