

CAUTION---Harmful if swallowed. Avoid inhalation of vapors. Do not get in eyes, on skin, or on clothing. In case of contact, wash with soap and water. Do not contaminate or store near feed or foodstuffs.

Do not store near fertilizers, seeds, insecticides, or fungicides. Do not contaminate water to be used for domestic or irrigation purposes. Thoroughly clean equipment with a suitable chemical cleaner before using for other purposes.

Do not contaminate water by cleaning of equipment, or disposal of wastes.

CONTAINER DISPOSAL---Do not reuse empty drum. Return to drum recycler or destroy by perforating or crushing and burying in a safe place away from water supplies.

NOTICE: Seller warrants that this product conforms to the ingredients statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment, will vary, seller makes no claims other than those stated on this label.

E.P.A. Reg. No. 117-114-AA

E.P.A. Reg. No. 117-114-1

359-474

DIRECTIONS FOR USE

Bentgrass Lawns and Turf — Apply Bentgrass Herbicide at the rate of 3 to 4 pints per acre in sufficient water for uniform coverage. If hardy weeds persist, make a second application after three weeks. Maximum kill of weeds will be obtained from spring or early fall application when weeds are actively growing. Avoid applying during long excessively dry or hot periods unless adequate irrigation is available. If application is made when soil is quite warm, reduced rates to reduce potential injury. Do not irrigate within 24 hours of application. Do not apply to newly seeded turf until after the second or third mowing. Seed can be safely sown 3 to 4 weeks after application at recommended rate. Do not use on dichondra.

If dandelions persist as a special problem, individual spot treatment with a single nozzle hand sprayer is recommended. Do not overdose Bentgrass. In closely mowed Bentgrass (putting and bowling greens) apply Bentgrass Herbicide at a maximum rate of 1 fluid ounce per 1,000 square feet preferably in May, or through September. Any yellowing will disappear after about one week.

NOTE: Care should be taken to avoid overdosing Bentgrass or injury may result. Large volumes of spray water will aid in obtaining uniform coverage. If hand type sprayers are used, it is preferable to use a single nozzle sprayer rather than a multiple nozzle boom as sideways application with a boom where the spray from more than one nozzle is allowed to fall on the same area will result in heavy local over-application and subsequent turf discoloration or injury.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and conditions of application equipment will vary, Seller makes no claims other than those stated on this label.

840-571

GORDON'S NET CONTENTS ONE GALLON

BENTGRASS BROADLEAF HERBICIDE

Contains **TRIMEC** Herbicide

Kills: DANDELIONS KNOTWEED HENBIT
CHICKWEED PLANTAINS SPURGE
and Many Other Broadleaf Weeds

Contains: 2,4-D, MCPP and Dicamba
ONE GALLON COVERS UP TO 2.9 ACRES
KEEP FROM FREEZING

ACTIVE INGREDIENTS:	
*Dimethylamine salt of 2,4-dichlorophenoxyacetic acid	6.590%
**Dimethylamine salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	19.870%
***Dimethylamine salt of Dicamba (3,6-dichloro-o-anisic acid)	2.636%
INERT INGREDIENTS:	
Total	70.904%
*2,4-dichlorophenoxyacetic acid equivalent 0.5 pounds per gallon or 5.4%	100.000%
**2-(2-methyl-4-chlorophenoxy) propionic acid equivalent 1.5 pounds per gallon or 16.4%	
***3,6-dichloro-o-anisic acid equivalent 1.2 pounds per gallon or 2.1%	

CAUTION: Keep Out of Reach of Children
See Back Panel for Additional Cautions
*Trimec® is a registered trademark of P.B.I.—Gordon Corporation. U.S. Patent No. 3,284,186

CONTENTS 1 GALLON

14

MANUFACTURED BY

PBI - GORDON CORPORATION

KANSAS CITY, KANSAS

WEEDS C
icide is
weeds su
WEED, S
WEED, Q
tion to th
leaf weed
below.

Do not pl
or other
result. Se
turf when
Augustine
weeds are
dead, 3-4

CAUTION:
contact w
avoid eye
with eyes
water.

Avoid con
bles, flowe
trees and
contamin
water. Do
these plan
with fertil
fungicides
dichondra
able clove
sprayers f
less likely
underlaid
and shrub
ous to St

When cor
oughly an
troy by
burying i
U.S.D.A.

BENTGRASS BROADLEAF HERBICIDE

Kills: DANDELIONS KNOTWEED HENBIT
CHICKWEED PLANTAINS SPURGE
and Many Other Broadleaf Weeds

ACTIVE INGREDIENTS:	
*Dimethylamine salt of 2,4-dichloro-phenoxyacetic acid	6.590%
**Dimethylamine salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	19.870%
***Dimethylamine salt of Dicamba (3,6-dichloro-o-anisic acid)	2.636%
INERT INGREDIENTS:	70.904%
Total	100.000%
*2,4-dichlorophenoxyacetic acid equivalent 0.5 pounds per gallon or 5.4%	
**2-(2-methyl-4-chlorophenoxy) propionic acid equivalent 1.5 pounds per gallon or 16.4%	
***3,6-dichloro-o-anisic acid equivalent 0.2 pounds per gallon or 2.1%	

*Trimec® is a registered trademark of P.B.I.—Gordon Corporation. U.S. Patent No. 3,284,186

840571

MANUFACTURED BY

PBI - GORDON CORPORATION

KANSAS CITY, KANSAS

Do not allow spray to get on vegetable or ornamental plants since injury may result. Some injury can be expected to turf when used on Centipede or St. Augustine grass lawns. "Spot Spray" weeds only. Clover present will be damaged if sprayed.

[illegible]

Avoid drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not contaminate domestic or irrigation water. Do not pour spray solutions near these plants. Do not store in contact with fertilizers, seeds, insecticides, or fungicides. Do not spray on carpetgrass, dichondra nor lawns or turf where desirable clovers are present. Use only lawn sprayers for this use. Coarse sprays are less likely to drift. Do not apply to areas underlaid by roots of desirable trees and shrubs. This product may be injurious to St. Augustine grass.

When container is empty, wash thoroughly and destroy. Never re-use. Destroy by perforating or crushing, and burying in a safe place. Do not burn.

U.S.D.A. Reg. No. 2217-529 840-571

15