TRIMEC" 13 WEED-'N-FEED

A 20-10-5 Lawn Fertilizer Plus TRIMEC™ a New Patented Herbicidal Concentrate (U. S. Patent 22/7-5.323,284,186) Containing 2, 4-D Plus MCPH ACCEPTED

and Dicamba.

- KILLS WEEDS -- FEEDS THE LAWN -

FOR ECONOMIC POISON REDISTERS ED HN7-R N TO ATTACHE & COMMENTS

CHICKWEED, DANDELION, KNOTWEED, PLANT-AINS, HENBIT, SPURGE and many other weeds as listed.

KEEP FROM FREEZING

*Dimethylamine salt of 2, 4-dichlorophenoxy-	0.4029
acetic acid	0.693%
**Dimethylamine salt of 2-(2-methyl-4-chloro- phenoxy) propionic acid	0.314%
***Dimethylamine salt of Dicamba (3, 6-dichloro-	0.0700
o-anisic acid)	0.072° _o
INERT INGREDIENTS:	98.921%
TOTAL	100.000%
*Equivalent to 2, 4- dichlorophenoxyacetic acid	57% or 1 lb. per acre
*Equivalent to 2, 4- dichlorophenoxyacetic acid **Equivalent to 2- 2-methyl-4-chlorophenoxy) propionic acid	.26% or 0.45 lbs, per acre
***Equivalent to 3, 6-dichloro-o-anisic acid	.06% or 0.10 lbs, per acre

CAUTION: Keep Out of Reach of Children

See Back Panel for Additional Cautions

NET WEIGHT 20 POUNDS

FOR FERTILIZER GUARANTEE SEE REVERSE SIDE

GORDON CORPORATION 300 South Third Street Kansas City, Kansas 66118

U.S.D.A. 2217-532

572-770

WEED-'N-FEED

In addition to the 20-10-5 fertilizer, this product contains TRIMEC Turf Herbicide. The fertilizer supplies a generous portion of the plant food needed for normal season's growth and the herbicical controls hard-to-kill weeds such as chickweed, black medic, ground ivy, knotweed, plantain dandclions, henbit, spurge, and most other

The weed killing benefits from IRIMEC Turf Herbicide are especially important because excellent control results from minimum amounts of chemical. However if adverse low moisture conditions prevail and weeds are in a state of poor growth, possible ratreatment may be necessary with a TRIMEC figuid formulation when con ditions improve.

WHEN TO APPLY: for best results apply when weeds are growing vigorously in the spring or early fall after heavy rains.

The material may be used on bluegrass, fescue, rye, Bermuda and zoysia lawns. Normally, at this time there is sufficient moisture for excellent response from the fertilizer as well as very effective weed control.

TRIMEC 13 Weed-'N-Feed is a remarkably effective lawn food which combines the advantages of both fast and long lasting feeding action plus the broad range of weed control of the TRIMEC. The fertilizer produces a thick, green turf while killing weeds to make way for turf growth. Weeds contacted by the product stop growing, gradually die and disappear from the lawn.

- COVERS 5,000 SQ. FT. -

HOW MUCH TO USE: This 20 lb. bag of TRIMEC 13 Weed-'N-Feed should be used on 5,000 sq. ft. Apply evenly with a lawn spreader either as a one pass application or a two pass application, criss-crossing the area at half the rate each time.

To get maximum weed killing results do not take mow or water the lawn for at least 24 hours after spreading the product

Lawns which are heavily overrun by weeds and are in poor condition may require more than one application of this product. A suggested second application could be made in approximately 30 days.

CAUTION: Avoid inhaling dust or contact with skin, eyes and clothing. Do not use this product where desirable clovers are present or allow the product to "wind drift" on flowers, vegetables or ornamental shrubbery. Do not apply to newly seeded lawns. During application close spreader openings when turning. Apply when the air is calm. Keep away from fertilizers, seeds, insecticides or fungicides. Do not apply to areas underlaid by roots of desirable trees and shrubs. Spreader setting should be calibrated as follows:

Scott	6
Lawn Beauty	5
Jackson	71:
Sears	4

The above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply on 12 lb per 100 sq. ft. Use normal rate of walk when applying to avoid an error on rate of application.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment, will vary. Seller makes no claims other than those stated on this label.

Fertilizer Guarantee

Total Nitrogen inot less than	20°。
Water Insoluble Nitrogen not less than	5°.,
Available Phosphoric Acid not less than	10°。
Saluble Poterh not less than	5°°

T.M. P.B.I., K. C., K.

TRIMEC^M 13 WEED-'N-FEED

A 20-10-5 Lawn Fertilizer Plus TRIMECTM a New Patented Herbicidal Concentrate (U. S. Patent 22/7-532 3,284,186) Containing 2, 4-D Plus MCPF ACCEPTED and Dicamba.

-KILLS WEEDS-- FEEDS THE LAWN -

UNDER THE FEBERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR LCONOMIC POISON REGISTER.

CHICKWEED, DANDELION, KNOTWEED, PLANT AINS, HENEIT, SPURGE and mapy other words as listed.

KEEP FROM FREEZING ACTIVE INGREDIENTS: *Dimethylamine salt of 2, 4-dichlarophenoxy-*Equivalent to 2, 4- dichlorophenoxyacetic acid *Equivalent to 2, 200 consists acid *Equivalent to 2, 4- dichloro-o-anisis acid *Equivalent to 3, 6-dichloro-o-anisis acid *Constant *Cons

CAUTION: Keep Out of Reach of Children

NET WEIGHT 20 POUNDS

FOR FERTILIZER GUARANTEE SEE REVERSE SIDE

GORDON CORPORATION 300 South Third Street Kansas City, Kansas 66118

U.S.D.A. 2217-532

572-770

WEED-'N-FEED

In addition to the 20-10-5 fertilizer, this product contains TRIMEC Turf Herbicide. The fertilizer supplies a generous portion of the plant food needed for normal sequences growth and the herbicide controls hard-to-kill weeds such as chickweed, block madic, ground tay, knotweed, plantain, dandations, herbit, sprage, and most other common lawn meeds.

The weed killing benefits from TRIMEC Turf Herbicide are especially important because excellent control results from minimum amounts of chemical. However, if adverse low moisture conditions prevail and weeds are in a state of poor growth, possible retreatment may be necessary with a TRIMEC liquid formulation when con-

WHEN TO APPLY: For best results apply when weeds are growing vigorously in the spring or early fall after heavy rains.

The material may be used an bluegrass, fescue, eye, Bermuda and zoysia lawns. Normally, at this time there is sufficient moisture for excellent response from the fertilizer as well as very effective weed control.

TRIMEC 13 Weed-'N-Feed is a remarkably effective lawn food which combines the advantages of both fast and long lasting feeding action plus the broad range of weed control of the TRIMEC. The fertilizer produces a thick, green turf while killing weeds to make way for turf growth. Weeds contacted by the product stop growing, gradually die and disappear from the lawn

- COVERS 5,000 SQ. FT. -

HOW MUCH TO USE: This 20 lb. bog of TRIMEC 13 Weed-'N-Feed should be used on 5,000 sq. ft. Apply evenly with a lawn spreader either as a one pass application or a two pass application, criss-crossing the area at half the rate each time.

To get maximum weed killing results, do not rake, maw, or water the lawn for at least 24 hours after spreading the product.

Lawns which are heavily overrun by weeds and are in poor condition may require more than one application of this product. A suggested second application could be made in approximately 30 days.

CAUTION: Avoid inhaling dust or contact with skin, eyes and clothing.

Do not use this product where desirable clovers are present or allow the product to "wind strift" on flowers, vegetables or arnamental strubbery. Do not apply to newly seeded lowns. During application close spreader openings when turning. Apply when the air is calm. Keep away from fertilizers, seeds, insecticides or fungicides. Do not apply to areas underlaid by roots of desirable trees and strubs. Spreader setting should be calibrated as follows:

Scott	_	
Lawn Beauty		·
Jackson		· · · · · · · · · · · · · · · · · · ·
Sears		

The above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply on 3½ lb. per 100 sq. ft. Use normal rate of walk when applying to uvoid an error on rate of application.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, composibility with other chemicals, and condition of application equipment, will vary, Seller makes no claims other than those stated on this label.

Total Nitrogen (not less than) Water Insoluble Nitrogen (not less than) Available Phosphoric Acid (not less than)		 20 5
Saluble Potash (not less than)		 5

T.M.--P.B.I., K. C., X.

30

•	C

TRIMEC 13 WEED-'N-FEED

A 20-10-5 Lawn Fertilizer Plus TRIMEC a New Patented Herbicidal Concentrate (U. S. Patent 3,284,186) Containing 2, 4-D Plus MCPR and Dicamba.

- KILLS WEEDS -- FEEDS THE LAWN -

CHICKWEED, DANDELION, KNOTWEED, PLANT-AINS, HENBIT, SPURGE and many other weeds as listed.

ACTIVE NOREDIEN'

To methylumine such to 2 em 4 ma

per of program is

Tomethy on a social bloom is

Ouncesty of a social bloom is

Tomethy on a social bloom is

INERT NOREDIENT.

TOTAL

Equipment 4 distance 4 characteristics

CAUTION: Keep Out of Peach of Children

NET WEIGHT 20 POUNDS

FOR FERTILIZER GUARANTEE SEE RELEN .

GORDON CORPORATION
300 South Third Street
Kansas City, Kansas 66118

WEED-'N-FEED

AMEN TO Arely

AMEN TO Arely

The methode

T

- COVERS 5,000 SQ. FT. -

Hen More for a control of the contro

3...