



BL 10,000 LAWN WEED KILLER

Contains *TRIMEC® Herbicide

KEEP FROM FREEZING

One Quart Covers 10800 sq. ft.

Kills: DANDELION, KNOTWEED, CLOVER, HENBIT, PLANTAINS, SPURGE, POISON IVY and most other broadleaf weeds.

ACTIVE INGREDIENTS

*Dimethylammonium salt of 2,4-Dichlorophenoxyacetic acid	12.11%
**Dimethylammonium salt of 2-methoxy-4-chlorophenoxyacetic acid	5.84%
***Diethylammonium salt of 6-methoxy-2-naphthoic acid	1.34%
INERT INGREDIENTS	80.71%
TOTAL	100.00%

THIS PRODUCT CONTAINS

1. 2,4-Dichlorophenoxyacetic acid (2,4-D) 12.11%
2. 2-Methoxy-4-chlorophenoxyacetic acid (2-M) 5.84%
3. 6-Methoxy-2-naphthoic acid (6-M) 1.34%
4. Diethylammonium salt of 6-methoxy-2-naphthoic acid (6-M) 1.34%
5. Dimethylammonium salt of 2,4-Dichlorophenoxyacetic acid (2,4-D) 12.11%
6. Dimethylammonium salt of 2-methoxy-4-chlorophenoxyacetic acid (2-M) 5.84%

CAUTION: Keep Out of Reach of Children
See Back Panel for Additional Cautions

NET CONTENTS ONE QUART

EPA REG. NO. 227-531
EPA EST. NO. 2217-KS-1

879/681

*Trimec is a registered trademark of P.B.I.—Gordon Corporation, U.S. Patent No. 3,284,186



CONTROLS

BEDSTRAW
BLACK MEDIC
BUCKHORN
CHICORY
CHICKWEED
CLOVER
DANDELION
DOCK
GROUND IVY
HEAL-ALL
HENBIT
KNOTWEED
LAMBSQUARTER
LESPEDeza
MALLOW
MORNING GLORY
PEPPERGRASS
PIGWEEED
PLANTAINS
POISON IVY
POISON OAK
PURSLANE
RAGWEED
SHEPHERD'S PURSE
SPEEDWELL
SPURGE
WILD CARROT
WILD LETTUCE
WILD ONION
YARROW

and many others

DIRECTIONS FOR USE

WHERE TO USE: BL 10,000 is a selective herbicide for use on broadleaf weeds in lawns. It is effective against many types of weeds such as DANDELION, KNOTWEED, CLOVER, HENBIT, PLANTAIN, SPURGE, POISON IVY, and many others. It is also effective against some types of grasses such as CRICKET GRASS, BROMUS, and SETARIA. It is not effective against clover, legumes, or other broadleaf plants. It is not effective against grasses that have a deep root system such as ST. AUGUSTINE GRASS, PALM BEACH GRASS, and FLORIDA PALM GRASS. It is not effective against mosses or lichens.

WHEN TO USE: Spray at any time during the growing season when weeds are actively growing. Treat CRICKET GRASS, BROMUS, and SETARIA in the fall or in the spring, as needed. On new lawns wait until the turf has reached a height of 2 inches before making any spray treatment. "Spot Spray" weed treatment, however, may be made at any time with a hose-end sprayer. Spraying in the weeds at ground level. Wait 3 weeks before putting new grass seed or sod down in the bare spots. Prior weed control is recommended. Apply during drought or just before rain. For best results water the lawn within 24 hours after treatment.

HOW MUCH TO USE—ENTIRE LAWN

HOSE END SPRAYER: Use a hose-end sprayer designed for lawns. Put recommended amount of chemical in bottle and add water to indicated level. Column 2 and spray on area indicated. For example—to spray 1700 sq. feet, measure 5 oz. (10 tbsp.) in jar and add water to the 10 gallons level and mix. Turn on hose and spray as evenly as possible over 1,700 sq. feet.

PRESSURE SPRAYERS: Measure indicated amount of chemical into tank and dilute with water according to the following chart. Use a spray pattern which gives small spray droplets without any fine mist and cover the area indicated.

Col. 1 BL 10,000 to Use, (Tbsp.)	Col. 2 Fill Bottle To (Gallons)	Col. 3 Area to Treat (Sq. Ft.)	Amt. BL 10,000 to Use, (Tbsp.)	Amt. of Water in Sprayer, (Gallons)	Area to be Sprayed (Sq. Ft.)
1	1/2	170	2	1	335
2	1	340	4	2	670
5	2 1/2	850	8	4	1300
10	5	1700	12	6	2000
15	7 1/2	2550			
20	10	3400			
32	16	5440			

NOTE: Whether using a hose-end sprayer or pressure sprayer, avoid sprays which are too fine because they can drift and damage ornamental or garden plants.

HOW MUCH TO USE: SPOT SPRAY

To spray small areas or individual weeds do not use hose-end sprayers. Mix 1 oz. (2 tbsp.) in 1 gal. water in pressure sprayer and spray as required being certain to "wet" each weed.

—FOR COMMERCIAL USE—

HOW MUCH TO USE—ENTIRE LAWN: Apply BL 10,000 at the rate of 1 gallon per acre or 1 quart per 10800 sq. ft. in sufficient water for adequate coverage.

HOSE END SPRAYER: Use sprayer designed for lawns. Put recommended amount of chemical in sprayer bottle and add water to indicated level and spray on specified area.

PRESSURE SPRAYERS: Mix 2 fl. oz. 4 tbsp. in each gallon of water and uniformly spray each gallon of dilute spray on about 675 sq. ft. of lawn.

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin, and clothing. In case of contact, flush with water. Avoid contamination of feed or foodstuffs.

Avoid drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees, and other desirable plants. Do not contaminate domestic or irrigation water. Do not put spray solution near these plants. Do not store in contact with fertilizers, seeds, insecticides, or fungicides. Do not spray on carpetgrass, dichondra, nor lawns or turf where desirable bentgrass or clovers are present. Use only lawn sprayers. Coarse sprays are less likely to drift. Do not apply to areas underlain by roots of desirable trees and shrubs. This product may be injurious to St. Augustine grass.

DO NOT REUSE CONTAINER WHEN EMPTY. WASH THOROUGHLY AND DESTROY. DO NOT BURN.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment will vary, Seller makes no claims other than those stated on this label.



BL 10,000 LAWN WEED KILLER

Contains **TRIMEC Herbicide**


KEEP FROM FREEZING

One Quart Covers 10,000 Sq. Ft.

Kills: DANDELION, KNOTWEED, CLOVER, HENBIT, PLANTAINS, SPURGE, POISON IVY and most other broadleaf weeds

CAUTION: Keep Out of Reach of Children

NET CONTENTS ONE QUART



CONTROLS

BEDSTRAW
BLACK MEDIC
BUCKHORN
CHICORY
CHICKWEED
CLOVER
DANDELION
DOCK
GROUND IVY
HEAL ALL
HENBIT
KNOTWEED
LAMBSQUARTER
LESPEDEZA
MALLOW
MORNING GLORY
PEPPERGRASS
PIGWEED
PLANTAINS
POISON IVY
POISON OAK
PURSLANE
RAGWEED
SHEPHERD'S PURSE
SPEEDWELL
SPURGE
WILD CARROT
WILD LETTUCE
WILD ONION
YARROW

and many others

INSTRUCTIONS FOR USE

Apply BL 10,000 to the lawn in the early fall or early spring, before the weeds begin to grow. Apply to the lawn in the early fall or early spring, before the weeds begin to grow. Apply to the lawn in the early fall or early spring, before the weeds begin to grow.

WHEN TO USE

HOW MUCH TO USE - ENTIRE LAWN

Area	Amount
10,000 Sq. Ft.	1 Quart
20,000 Sq. Ft.	2 Quarts
30,000 Sq. Ft.	3 Quarts
40,000 Sq. Ft.	4 Quarts
50,000 Sq. Ft.	5 Quarts
60,000 Sq. Ft.	6 Quarts
70,000 Sq. Ft.	7 Quarts
80,000 Sq. Ft.	8 Quarts
90,000 Sq. Ft.	9 Quarts
100,000 Sq. Ft.	10 Quarts

HOW MUCH TO USE - SPOT SPRAY

FOR COMMERCIAL USE

HOW MUCH TO USE - ENTIRE LAWN

HOW MUCH TO USE - SPOT SPRAY

HOW MUCH TO USE - SPOT SPRAY