

2217-536

3/27/2009

1/7



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
Ariel Rios Building
1200 Pennsylvania Ave., NW
Washington, D.C. 20460

EPA Reg. Number:
2217-536

Date of Issuance:
MAR 27 2009

NOTICE OF PESTICIDE:
Registration
[X] Reregistration
(under FIFRA, as amended)

Term of Issuance:

Name of Pesticide Product:
Gordon's Broadleaf Weed and
Brush Killer 879

Name and Address of Registrant (include ZIP Code):

PBI / Gordon Corporation
1217 West 12th Street
Kansas City, Missouri 64101

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is reregistered in accordance with FIFRA provided that you:

- 1) Submit and/or cite all data required for registration/reregistration review of your product when the Agency requires all registrants of similar products to submit data.

Signature of Approving Official:

Handwritten signature: Joanne I. Miller

Joanne I Miller
Product Manager 23
Herbicide Branch
Registration Division (7505P)

Date:

MAR 27 2009

- 2) To page 3, Broadcast applications to woody plants section add "Limited to 1 application per year".
- 3) Per the acute toxicity review, change the signal word from "CAUTION" TO "DANGER".
- 4) Per the acute toxicity review, add to the label "Note to Physician Probable mucosal damage may contraindicate the use of gastric lavage".
- 5) Revise the Hazards to Humans and Domestic Animals section to "DANGER Corrosive. Causes irreversible eye damage. Harmful if swallowed. Harmful if absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin. Wear goggles or faceshield, long-sleeved shirt, long pants, shoes, socks, and chemical-resistant gloves made of any waterproof material"
- 6) On page 2, delete "and other similar noncrop areas" you must specify use areas.
- 7) On page 3, change "recommended amount of product" to "specified amount of product".
- 8) To limitations on spot treatments, add "Do not make more than 2 spot treatments" (MCPPEP RED).
- 9) Per the acute toxicity review, child resistant packaging is triggered for this product (Category 1 eye).
- 10) The font size of DANGER and KEEP OUT OF REACH CHILDREN must be in compliance with 40 CFR 156.10.

Submit one copy of the revised final printed label for the record. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. If you have any questions please call Erik Kraft at 703-308-9358 or email at Kraft.Erik@epa.gov.

# GORDON'S BROADLEAF WEED & BRUSH KILLER 879

## EPA Reg. No. 2217-536

### ACTIVE INGREDIENT:

2,4-D, dimethylamine salt (CAS 2008-39-1) .....	12.10%
Mecoprop-p, dimethylamine salt (CAS 66423-09-4) .....	2.92%
Dicamba, dimethylamine salt (CAS 2300-66-5) .....	1.34%
INERT INGREDIENTS .....	83.64%
TOTAL .....	100.00%

### THIS PRODUCT CONTAINS:

0.87 lb. 2,4-Dichlorophenoxyacetic acid equivalent per gallon or 10.05%

0.21 lb. (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per gallon or 2.42%

0.10 lb. 3,6-dichloro-o-anisic acid equivalent per gallon or 1.11%

Isomer Specific by AOAC Methods.

TRIMEC® is a registered trademark of PBI/GORDON CORPORATION.

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

MAR 27 2009

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

2217-536

**STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.**

## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear protective eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

First Aid	
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If on skin or clothing:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15 - 20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>

<b>If swallowed:</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call toll-free, 1-877-800-5556 for emergency medical treatment information.</p>	

**Environmental Hazards**

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**General Precautions and Restrictions:**

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.
- Do not allow people or pets to enter the treated area until sprays have dried.

**USE PRECAUTIONS:**

Do not apply this product through any type of irrigation system. Do not spray on carpetgrass, dichondra, nor on lawns or turf where desirable clovers are present. Do not exceed specified dosages for any area. Do not spray while grass is emerging from dormancy. Do not apply to newly seeded lawns until well established. New seed can be sown 3 to 4 weeks after application. Some injury can be expected to turf if used on St. Augustinegrass or centipedegrass; spot spray weeds on these grasses. Clover present will be damaged if sprayed. After using this product, clean sprayer with soap or detergent and water.

**Other Use Precautions:**

- Do not apply as a fine mist because of potential for injury to desirable plants.
- Do not use this product on or near desirable plants, including contact of spray on exposed root systems or adventitious shoots within the drip line of desirable trees and shrubs, since injury may result.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day. Rinse applicator over lawn area only.

**BROADLEAF WEEDS/WHERE TO USE:**

Gordon's Broadleaf Weed & Brush Killer 879 may be used on bahiagrass, bermudagrass, bluegrass, fescue, perennial ryegrass or zoysiagrass lawns, vacant lots, playgrounds and other similar noncrop areas where broadleaf weeds are present. This product is especially effective on hard-to-kill weeds such as poison ivy, poison oak, sheep sorrel and spurge. In addition, it controls most other broadleaf weeds, including sensitive weeds like chickweed, clover, dandelion, knotweed, and plantain. A partial list is given on the side panel.

**Limitations on broadcast applications to residential turfgrass:**

The maximum application rate is 3.0 fl.oz. of product per 1,000 sq.ft. per application (0.88 lbs 2,4-D ae, 0.21 lb MCP-P ae and 0.10 lb dicamba ae per acre per application). The maximum number of broadcast applications is limited to 2 per year with a minimum of 30 days between applications. The maximum seasonal rate is 6.0 fl.oz. of product per 1,000 sq.ft. (1.77 lbs 2,4-D ae, 0.43 lb MCP-P ae and 0.20 lb dicamba ae per acre).

**WHEN TO USE:**

1. Spray during the growing season when weeds are actively growing.
2. On new lawns, wait until the grass has reached a height of 2 inches before making an overall spray treatment. Wait 3 to 4 weeks before seeding or planting stolons, plugs, or sprigs.
3. Poor weed control may result if spray is applied during drought or just before rain.
4. For best results, mow before treating.
5. Do not water lawn within 24 hours after treatment.

**HOW MUCH TO USE (ENTIRE LAWN) HOSE END SPRAYER:**

Use a hose end sprayer designed for lawns. Put recommended amount of product (Column 1) in bottle and add water to indicated level (Column 2), and spray on area shown (Column 3). For example, to spray 850 square feet measure 5 tablespoons (2.5 fluid ounces) in jar, add water to the 5 gallon level, mix, and turn on hose and spray over 850 square feet

Column 1		Column 2	Column 3
Amount to Use:		Fill Bottle To: (Gallons)	Area to Treat (Square Feet)
(Tablespoons)	(Fluid Ounces)		
1	1/2	1	170
2	1	2	340
5	2.5	5	850
10	5	10	1,700
15	7.5	15	2,550
20	10	20	3,400
32	16	32	5,440

**HOW MUCH TO USE (ENTIRE LAWN) PRESSURE-SPRAYER:**

Measure indicated amount of product into tank and dilute with water according to the following chart. Use a spray pattern which gives small spray droplets without any fine mist. Cover the area indicated.

Amount of Product to Use		Amount of Water in Sprayer (Gallons)	Area to be Sprayed (Square Feet)
(Tablespoons)	(Fluid Ounces)		
2	1	1/2	335
4	2	1	670
8	4	2	1,300
12	6	3	2,000

**HOW MUCH TO USE (SPOT TREATMENTS):**

To spray small areas or individual weeds, do not use a hose end sprayer. Mix 1 fluid ounce (2 tablespoons) with a half-gallon of water in pressure sprayer and spray as required being certain to wet each weed.

**Limitations on spot treatments to residential turfgrass:**

Spot treatment is defined as a treatment area no greater than 1,000 sq.ft. per acre. The maximum application rate is 3.0 fl.oz. per 1,000 sq.ft. per application (0.21 lbs MCP-P acid equivalent per acre).

**Broadcast applications to woody plants:** Apply to trees and brush when foliage is fully expanded and plants are actively growing.

6/7

Apply 1.5 to 2.2 gallons of product per acre with adequate water or apply a 1.2 to 4.6% %vol/vol spray solution as a full cover spray. Use the lower spray concentrations in the range for susceptible species and use the higher spray concentrations within the range for hard-to-control species, for mature plants during the late summer or under adverse environmental conditions (e.g. drought).

Spray broadleaf weeds, woody plants or mixed brush uniformly and thoroughly by wetting all leaves, stems, bark and root collars.

The maximum noncropland application rate for tree, brush and woody plant control is 2.2 gallons of product per acre per application per site. The maximum seasonal application rate for trees, brush and woody plant control is 2.2 gallons of product per acre per application per site.

**For Backpack sprayers, knapsack sprayers, and hand-pressurized pump sprayers.**  
 Instructions for preparing 1 to 3 gallons of spray solution at 1.2 to 4.6% spray concentration with water for high volume foliar applications.

Gallons of Water	Amount Of Product Needed for Spray Concentration of :			
	1.2%	1.5%	2.3%	4.6%
1	3 tablespoons	4 tablespoons	6 tablespoons	12 tablespoons
2	3 fl.oz.	4 fl.oz.	6 fl.oz.	12 fl.oz.
3	4.5 fl.oz.	6 fl.oz.	9 fl.oz.	18 fl.oz.

Equal measures: 1 fl.oz. = 2 Tablespoons (Tbs.) = 6 Teaspoons (tsp.)

**CONTROLS:**

Sensitive Weeds:			
Bedstraw Black Medic Buckhorn Chickweed	Clover Dandelion Knotweed Lambsquarters	Peppergrass Plantain Purslane	Ragweed Shepherdspurse Wild Lettuce
Hard-To-Kill Weeds:			
Chicory Dock Ground Ivy Healall Lespedeza	Mallow Morningglory Oxalis Pigweed	Poison Ivy Poison Oak Sheep Sorrel Speedwell	Spurge Wild Carrot Wild Onion Yarrow
Brush:			
Ash Aspen Birches Black Cherry	Brambles Elms Gooseberry Honeylocust	Kudzu Multiflora Rose Oak Poison Ivy	Poison Oak Shortleaf Pine Thistle Willows

**STORAGE AND DISPOSAL**

**PESTICIDE STORAGE:** Keep from freezing. Store in original container in a locked storage area inaccessible to children and pets. Do not store near food or feedstuffs.

**DISPOSAL: If Empty**—Do not reuse this container. Place in trash or offer for recycling if available. **If Partly Filled**—Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

7/7

## **LIMITED WARRANTY AND DISCLAIMER**

FOR USE ONLY AS DIRECTED.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY AND DISCLAIMER cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

## **APPENDIX**

### **1. Statements which may appear on different label components depending on packaging configuration.**

- See next panel for additional Precautionary Statements and First Aid
- Net Contents: \_\_\_\_\_
- EPA Est. No. \_\_\_\_\_

### **2. Advertising claims that may be presented on container labeling, advertisements, brochures, and other marketing/sales promotional materials:**

- Good Housekeeping Seal of Approval



- Kills to the root
- Kills the root
- Starts working within hours
- Kills poison ivy, poison oak, kudzu & woody weeds
- Use along fences, driveways, patios & homes
- The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Manufacturer, and Buyer assumes the risk of any such use.
- One quart covers 10,000 square feet
- To control broadleaf weeds in lawns
- Controls Ash, Aspen, Brambles, Clover, Dandelion, Henbit, Knotweed, Kudzu, Plantain, Poison Ivy, Poison Oak, Spurge and other broadleaf weeds and brush.
- Keep From Freezing

## **DOCUMENT CONTROL INFORMATION**

1. Unique Label Identifier: 002217-00536.20080807.proposed.doc

2. Reason for Issue: Various changes pertaining to re-registration. Re-format label.