8 10 2011



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

AUG 1 0 2011

James L. Kunstman, Ph.D. PBI/Gordon Corporation Post Office Box 014090 Kansas City, Missouri 64101

Subject: Label Notification; Per PR-Notice 98-10 Gordon's Broadleaf Weed & Brush Killer 879 EPA Reg. No. 2217-536 Date Submitted: July 28, 2011 Proposed Alternate Brand Name: GroundWork Concentrate Poison Ivy & Brush Killer

Dear Mr. Kunstman:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated July 28, 2011 for the product referenced above. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions regarding this letter, please contact Jasmine Branch at (703) 347-0351 or <u>branch.jasmine@epa.gov</u>.

Sincerely

Kathryn Montague Product Manager 23 Herbicide Branch Registration Division (7505P)

Please read instructions on re	verse neinre commenn	na form	Form A	nnroved OMB No 2070-	0060. Approval Expires 2-28-95
€ЕРА	Environme	- United States ntal Protection shington, DC 20460		Amendment	OPP Identifier Number
	A	Application for	Pesticide - Sec	tion I	
1. Company/Product Numb	per 2217-536		2. EPA Product M Kathryn V	lanager V. Montague	3. Proposed Classification
4. Company/Product (Nam Gordon's Broa	^{e)} dleaf Weed & B	rush Killer	PM# Product Man	ager—Team 23	X None Restricted
5. Name and Address of A PBI/Gordon Corporati Post Office Box 01409 Kansas City, Missouri	on 90		(b)(i), my product EPA Reg. No Product Name		
		Sec	ction – II		
Amendment - Explain I Resubmission in respo	nse to Agency letter da	ated	Final printe Agency lett "Me Too" A Other - Exp	AUG	FICATION: 1 0 2011
NOTIFICATION: Labeling notification p Section II (A) Brand N 1. We ask to add t	ames.			son Ivy & Brush Kill	
······································	·····	Sec	tion – III	e man to <u>manage</u>	<u>gordon.com</u> 1700. 010-421-2701
1. Material This Product Will I	Be Packaged In:		·····	· · · · · · · · · · · · · · · · · · ·	······································
Child-Resistant Packaging Yes*	Unit Packaging Yes Xo			2. Type of Contain Metal Plastic Glass	ner
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per If "Ye container Pack	es" No. per kage wgt. Container	Paper Other (Spe	ecify)
3. Location of Net Contents Inf		4. Size(s) Retail Conta 1 QUART AN	ainer ND 1 GALLON	5. Location of Label Dire	ections
		5 7			npanying product
6. Manner in Which Label is A	ffixed to Product	Lithograph Paper glued Stenciled	Other		ccc_c
		Paper glued Stenciled Stec	tion – IV	сс((с с с (с с	
1. Contact Point (Complete ite Name		Paper glued Stenciled Stenciled Sec Intification of individua Title	tion – IV	<u>د د در د</u> essary, to process this app د درتواع:	
1. Contact Point (Complete ite Name James L. K I certify that the statemen I acknowledge that any k both under applicable law	ms directly below for id unstman, Ph.D. ts I have made on this nowingly false or misled	Paper glued Stenciled Stenciled Sec Intertification of individual Title D Certification form and all attachmer ading statement may b	ition – IV It to be contacted, if nec irector of Regulator Ints thereto are true, accu	essary, to process this app c c c c c essary, to process this app c c c c c c y Services	ccc c Δication.) C Shone Nc. (Incluse Area Code) C δ 816-460-6292 6. Date Application C Received C
1. Contact Point (Complete ite Name James L. K I certify that the statemen I acknowledge that any k	ms directly below for id unstman, Ph.D. ts I have made on this nowingly false or misle	Paper glued Stenciled Stenciled Sec Ientification of individua Title D Certification form and all attachmer ading statement may b 3. Title	ition – IV It to be contacted, if nec irector of Regulator Ints thereto are true, accu	<u>essary, to process this app</u> v Services urate and complete. روز در در سprisonment or	$\frac{c \cdot c \cdot c}{c}$ $c \cdot c \cdot $

EPA F	orm	8570-1	(Rev.	3-94)	Previo	ous e	edition	s ar	e obs	olete.		
			•									



1217 WEST 12th STREET P.O. BOX 014090 KANSAS CITY, MISSOURI 64101-0090 816-421-4070 · 1-800-821-7925 FAX: 816-474-0462

> ι ι ιιςιι

July 28, 2011

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard (South Building) 2777 South Crystal Drive Arlington, VA 22202-4501 Attn: Ms. Kathryn V. Montague, PM-23

Dear Ms Montague:

NOTIFICATION: Labeling notification per PRN 98-10: Notifications Non-notifications and Minor Formulation Amendments. Section II (A) Brand Names.

- I. Alternate brand name for Gordon's Broadleaf Weed & Brush Killer 879 (EPA Reg. No. 2217-536):
- 1. We ask to add this alternate brand name: GroundWork Concentrate Poison Ivy & Brush Killer
- 2. One (1) copy of the proposed labeling is enclosed for your review.

II. Certification statement:

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR_Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Section 12 and 14 of FIFRA.

III. Enclosures:

- 1. Application for Pesticide Amendment (EPA Form 8570-1)
- 2. One (1) copy the draft labeling.

If you have any questions, please call me at 816-460-6292 or contact me at jkunstman@pbigordon.com.

Sincerely,

. I ha

James L. Kunstman, Ph.D. Director of Regulatory Services

GORDON'S BROADLEAF WEED & BRUSH KILLER 879

NOTIFICATION

4049

EPA Reg. No. 2217-536

AUG 1 0 2011

Alternate Brand Names: GroundWork Concentrate Poison Ivy & Brush Killer

ACTIVE INGREDIENT: 2,4-D, dimethylamine salt (CAS 2008-39-1) 12.109 Mecoprop-p, dimethylamine salt (CAS 66423-09-4) 2.929 Dicamba, dimethylamine salt (CAS 2300-66-5) 1.349 INERT INGREDIENTS 83.649 TOTAL 100.009	2% 4% <u>4%</u>
--	-----------------------

THIS PRODUCT CONTAINS:

0.87 lb 2,4-Dichlorophenoxyacetic acid equivalent per gallon or 10.05%

0.21 lb (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per gallon or 2.42%

0.10 lb 3,6-dichloro-o-anisic acid equivalent per gallon or 1.11%

Isomer Specific by AOAC Methods.

TRIMEC® is a registered trademark of PBI/GORDON CORPORATION.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin. Harmful if swallowed. Avoid contact with skin, eyes or clothing. Wear long-sleeved shirt, long pants, and shoes plus socks. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

First Aid				
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 			
lf on skin or on clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice. 			



1 of 6 002217-00536.20110728.notif-proposed-highlighted.doc

If swallowed:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
	t container or label with you when calling a poison control center or doctor or going for may also call toll-free, 1-877-800-5556 for emergency medical treatment information.

Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

[Environmental Hazards (alternate per PRN 2008-1)

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or runoff into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PRECAUTIONS AND RESTRICTIONS:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until sprays have dried.
- Do not exceed specified dosages for any area.
- Do not spray on carpetgrass, dichondra, nor on lawns or turf where desirable clovers are present. Clover present will be damaged if sprayed.
- Some injury can be expected to turf if used on St. Augustinegrass or centipedegrass; spot spray weeds on these grasses.
- Do not apply to newly seeded lawns until well established. New seed can be sown 3 to 4 weeks after application.
- Do not spray while grass is emerging from dormancy.
- Do not apply this product through any type of irrigation system.
- Do not apply as a fine mist because of potential for injury to desirable plants.
- Do not use this product on or near desirable plants, including contact of spray on exposed root systems or adventitious shoots within the drip line of desirable trees and shrubs, since injury may result.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. To prevent product run-off, do not over water the treated area(s) to the

point of runoff or apply when raining or when rain is expected that day. Rinse applicator over lawn area only.

• After using this product, clean sprayer with soap or detergent and water.

BROADLEAF WEEDS/WHERE TO USE:

Gordon's Broadleaf Weed & Brush Killer 879 may be used on bahiagrass, bermudagrass, bluegrass, fescue, perennial ryegrass or zoysiagrass lawns, vacant lots, playgrounds where broadleaf weeds are present. This product is especially effective on hard-to-kill weeds such as poison ivy, poison oak, sheep sorrel and spurge. In addition, it controls most other broadleaf weeds, including sensitive weeds like chickweed, clover, dandelion, knotweed, and plantain. A partial list is given on the side panel.

Limitations on broadcast applications to residential turfgrass:

The maximum application rate is 3.0 fl.oz. of product per 1,000 sq.ft. per application (0.88 lb 2,4-D ae, 0.21 lb MCPP-p ae and 0.10 lb dicamba ae per acre per application). The maximum number of broadcast applications is limited to 2 per year with a minimum of 30 days between applications. The maximum seasonal rate is 6.0 fl.oz. of product per 1,000 sq.ft. (1.77 lb 2,4-D ae, 0.43 lb MCPP-p ae and 0.20 lb dicamba ae per acre).

WHEN TO USE:

- 1. Spray during the growing season when weeds are actively growing.
- 2. On new lawns, wait until the grass has reached a height of 2 inches before making an overall spray treatment. Wait 3 to 4 weeks before seeding or planting stolons, plugs, or sprigs.
- 3. Poor weed control may result if spray is applied during drought or just before rain.
- 4. For best results, mow before treating.
- 5. Do not water lawn within 24 hours after treatment.

HOW MUCH TO USE (ENTIRE LAWN) HOSE END SPRAYER :

Use a hose end sprayer designed for lawns. Put specified amount of product (Column 1) in bottle and add water to indicated level (Column 2), and spray on area shown (Column 3). For example, to spray 850 square feet measure 5 tablespoons (2.5 fluid ounces) in jar, add water to the 5 gallon level, mix, and turn on hose and spray over 850 square feet

Colu	mn 1	Column 2	Column 3	
Amount to Use:		Fill Bottle To:	Area to Treat	
(Tablespoons)	(Fluid Ounces)	(Gallons)	(Square Feet)	
1	1/2	1	170	
2	1	2	340	
5	2.5	5	850	
10	5	10	1,700	
15	7.5	15	2,550	
20	10	20	3,400	
32	16	32	5,440	

HOW MUCH TO USE (ENTIRE LAWN) PRESSURE-SPRAYER:

Measure indicated amount of product into tank and dilute with water according to the following chart. Use a spray pattern which gives small spray droplets without any fine mist. Cover the area indicated.

Amount of Product to Use		Amount of Water in	Area to be Sprayed	
(Tablespoons)	(Fluid Ounces)	Sprayer (Gallons)	(Square Feet)	
2	1	1/2	335	
4	2	1	670	
8	4	2	1,300	
12	6	3	2,000	

HOW MUCH TO USE (SPOT TREATMENTS):

To spray small areas or individual weeds, do not use a hose end sprayer. Mix 1 fluid ounce (2 tablespoons) with a half-gallon of water in pressure sprayer and spray as required being certain to wet each weed.

Limitations on spot treatments to residential turfgrass:

Spot treatment is defined as a treatment area no greater than 1,000 sq.ft. per acre. The maximum application rate is 3.0 fl.oz. per 1,000 sq.ft. per application (0.21 lb MCPP-p acid equivalent per acre). The maximum number of spot treatments is limited to 2 per year with a minimum of 30 days between applications.

Broadcast applications to woody plants: Apply to trees and brush when foliage is fully expanded and plants are actively growing.

Apply 1.5 to 2.2 gallons of product per acre with adequate water or apply a 1.2 to 4.6% %vol/vol spray solution as a full cover spray. Use the lower spray concentrations in the range for susceptible species and use the higher spray concentrations within the range for hard-to-control species, for mature plants during the late summer or under adverse environmental conditions (e.g. drought).

Spray broadleaf weeds, woody plants or mixed brush uniformly and thoroughly by wetting all leaves, stems, bark and root collars.

The maximum noncropland application rate for tree, brush and woody plant control is 2.2 gallons of product per acre per application per site. The maximum seasonal application rate for trees, brush and woody plant control is 2.2 gallons of product per acre per application per site. Limited to 1 application per year

For Backpack sprayers, knapsack sprayers, and hand-pressurized pump sprayers.

Instructions for preparing 1 to 3 gallons of spray solution at 1.2 to 4.6% spray concentration with water for high volume foliar applications.

Gallons of	Amount Of Product Needed for Spray Concentration of :						
Water	1.2%	1.5%	2.3%	4.6%			
1	3 tablespoons	4 tablespoons	6 tablespoons	12 tablespoons			
2	3 fl.oz.	4 fl.oz.	6 fl.oz.	12 fl.oz.			
3	4.5 fl.oz.	6 fl.oz.	9 fl.oz.	18 fl.oz.			

CONTROLS:

Sensitive Weeds:			
Bedstraw Black Medic Buckhorn Chickweed	Clover Dandelion Knotweed Lambsquarters	Peppergrass Plantain Purslane	Ragweed Shepherdspurse Wild Lettuce
Hard-To-Kill Weeds			
Chicory Dock Ground Ivy Healall Lespedeza	Mallow Morningglory Oxalis Pigweed	Poison Ivy Poison Oak Sheep Sorrel Speedwell	Spurge Wild Carrot Wild Onion Yarrow
Brush:			And the second second second second
Ash Aspen Birches Black Cherry	Brambles Elms Gooseberry Honeylocust	Kudzu Multiflora Rose Oak Poison Ivy	Poison Oak Shortleaf Pine Thistle Willows

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Keep from freezing. Store in original container in a locked storage area inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or <u>www.website.com</u> for disposal instructions. Never place unused product down any indoor or outdoor drain.

8 of y

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTIAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY AND DISCLAIMER cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

APPENDIX

1. Statements which may appear on different label components depending on packaging configuration.

- · See next panel for additional Precautionary Statements and First Aid
- Net Contents: _____
- EPA Est. No. _____

2. Advertising claims that may be presented on container labeling, advertisements, brochures, and other marketing/sales promotional materials:

Good Housekeeping Seal of Approval



- · Kills to the root
- Kills the root
- Starts working within hours
- Kills poison ivy, poison oak, kudzu & woody weeds
- · Use along fences, driveways, patios & homes
- The Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Manufacturer, and Buyer assumes the risk of any such use.

- One quart covers 10,000 square feet
- To control broadleaf weeds in lawns
- Controls Ash, Aspen, Brambles, Clover, Dandelion, Henbit, Knotweed, Kudzu, Plantain, Poison Ivy, Poison Oak, Spurge and other broadleaf weeds and brush.

9of9

• Keep From Freezing

DOCUMENT CONTROL INFORMATION

- 1. Unique Label Identifier: 002217-00536.20110728.notif-proposed-highlighted.doc
- 2. Reason for Issue: Alternate Brand Name