2217-537		, , ,	- 23		-98 7			
Please read instructions on re	Environment	Inited States			Registr Amenda	ation	1	opines 05-31-98 Indifier Number
v.	Ap	plication f	or Pestic	de - Secti			<u> </u>	
1. Company/Product Nur	nber 2217-537		2. EP/	A Product Mar Joanne	•	3. P	roposed Cia	ssification
4. Company/Product (Na	_	la.	PM#	(DM	22)	🔼	None	Restrict
Gordon's Trimec <sup>®</sup> Spot Weeder  5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation PO Box 014090			I -	(PM 23)  6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:				
Kansas City, Missou	ri 64101		EPA I	Reg. No				,
Check if th	is is a new address		Produ	ct Name				
			Section -	<u></u>		110		
Amendment - Explain	below.			Final printed la Agency letter	abels in response		TIFICATI	
Resubmission in respo	onse to Agency letter dated		— Ш	"Me Too" Appl	ication.	MA	Y 2 1 H	<i>77</i> 0
Notification - Explain b	elow.			Other - Explain	a below.			
NOTIFICATION per Plants dosage rates, or methodological notification is consister have been made to the U.S.C.Sec. 1001 to will with the terms of PR lenforcement action and	nods of application. on the with the provisions a labeling or the conficulty Ifully make any false Notice 95-2 and 40 C	One (1) copy of PR Notice dential staten statement to CFR 152.46,	y of the pro 95-2 and E nent of form the EPA. I this produc	oposed labe PA regulation ula of this profurther unde t may be in	I is enclosed ons at 40 CFF oduct. I understand that if t	(Refer to the Refer to the Reference of	to pages and no cat it is a v cation is a	4 & 5). The other change vicilation of 1 not consisted
emorcement action and	u penames under Sec		Section - I			<del>.</del>	<del></del>	<u>.</u>
Material This Product Will	Be Packaged In:		ection - i	<u>.                                    </u>		<del></del>		
Child-Resistant Packaging Yes* No * Certification must be submitted	1	). per   11	Nater Soluble P Yes No 1 "Yes" Package wgt.	No. per container	2. Type of C  Meta Plas  Glas  Papo	al itic ss		
3. Location of Net Contents Inf  Label Con	formation 4.	Size(s) Retail Co	ontainer		5. Location of Labo On Label On Labelng a			
6. Manner in Which Label is A	ffixed to Product [	Litrograph Pacer glued Stenciled		Other	·			
			ection - l'					
Contact Point (Complete iter     Name     Crai	<i>ms directly below for identifi</i> g Martens	Cation of individu	1	ed, if necessary  Regulatory			No. (Include 816/460-	e Area Code) -6287
I certify that the statemen	nts I have made on this form nowingly false or misleading		ents thereto are	true, accurate a	and complete.		6. Date App	plicación :

**Craig Martens** 

both under applicable law.

2. Signature

4. Typed Name

3. Title

5. Date

Manager of Regulatory Services

May 5, 1998

# **GORDON'S TRIMEC® SPOT WEEDER**

### A TRIMEC® TURF HERBICIDE FORMULATION

Ready-to-Use, No Mixing, No Pouring. Aim at Weed & Spray

### — KEEP FROM FREEZING —

### **ACTIVE INGREDIENTS:**

*Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid	0.593%
**Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy)propionic acid	0.287%
***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)	0.066%
INERT INGREDIENTS	99.054%
TOTAL	100 000%

#### THIS PRODUCT CONTAINS:

- \*0.493% 2,4-Dichlorophenoxyacetic acid equivalent.
- \*\*0.237% 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent.

Isomer Specific by AOAC Methods.

TRIMEC<sup>®</sup> is a registered trademark of PBI/GORDON CORPORATION.

# **KEEP OUT OF REACH OF CHILDREN**

## CAUTION

See back panel for additional Precautionary Statements.

## NET CONTENTS: (1 Quart, 24 Fl. Oz., 0.5 or 1 U.S. Gallon)

908/ AP050598
EPA REG. NO. 2217-537
EPA EST. NO. 2217-KS-1
MANUFACTURED BY:
pbi/gondon

EANSAS CTTY, MO 6410s

<sup>\*\*\*0.055% 3,6-</sup>dichloro-o-anisic acid equivalent.



# READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

#### **PRECAUTIONARY STATEMENTS**

#### **Hazards to Humans & Domestic Animals**

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wear goggles when applying this product. When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves.

After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

#### **Statement Of Practical Treatment**

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF IN EYES: Flush eyes with plenty of water. Get medical attention.

#### **ENVIRONMENTAL HAZARDS:**

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater. Do not contaminate domestic or irrigation waters. Do not apply when weather conditions favor drift from target area.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried or dust has settled.

#### STORAGE AND DISPOSAL

STORAGE: Store in original container in a locked storage area inaccessible to children and pets.

PESTICIDE DISPOSAL: Securely wrap container in several layers of newspapers and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

#### **OTHER USE PRECAUTIONS:**

Do not allow spray to drift onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result. Do not pour spray solutions near these plants. Avoid fine mist sprays. Coarse spray droplets are less likely to wind drift and cause damage to nontarget plants. Do not spray roots of desirable trees and shrubs. Do not exceed specified dosage; be particularly careful within dripline of tree and other ornamental species. This product is intended for spot spraying individual weeds only.

#### WHAT IT IS & HOW TO USE IT:

Gordon's Trimec<sup>®</sup> Spot Weeder contains Trimec<sup>®</sup> turf herbicide, a combination of three proven weed killers 2,4-D, Mecoprop and Dicamba. Together they control a wide range of broadleaf lawn weeds; some of which are listed on this label.

Use to spot treat weeds in the lawn. For best results, apply when weeds are actively growing. Do not water within 24 hours after spraying. Use as is. Do not mix. Do not dilute. Aim at weed and spray. Only a short burst is needed. Overspraying only wastes the product and may cause damage to grasses such as centipedegrass, St. Augustinegrass, and Floratam. Effects begin to show after a few days and weeds gradually die. Up to 4 weeks may be required for complete kill. Be patient, Gordon's Thinec Spot Weeder works slowly. Repeat in 3 to 4 weeks if necessary.

For lawns with many weeds, requiring an overall treatment, spray with Acme Trimec<sup>®</sup> Lawn Weed Killer, a concentrate you'll have to mix with water in your hose end or hand-operated sprayer.

#### **CONTROLS:**


Bedstraw	Ground Ivy	Prickly Lettuce
Black Medic	Healail	Poison Ivy
Buckhorn	Henbit	Poison Oak
Canada Thistle	Knotweed	Purslane
Chickweed	Lambsquarters	Ragweed
Chicory	Lespedeza	Sheep Sorrel
Clover	Matchweed	Shepherdspurse
Cudweed	Morningglory	Speedwell
Curled Dock	Mustard	Spurge
Dandelion	Oxalis	Wild Carrot
Dollarweed	Pennywort Pennywort	Wild Garlic
English Daisy	Pepperweed	Wild Lettuce
Filaree	Pigweed	Wild Onion
Fleabane	Plantain	Yагтоw

#### LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.



### APPENDIX

- I. The following instructions would appear on the bag, or be enclosed with the bag containing the trigger sprayer, or would appear on the container label.
- A. SUPPLEMENTAL LABELING FOR USE WITH ATTACHED TRIGGER SPRAYER.

#### **DIRECTIONS FOR USE OF TRIGGER SPRAYER**

- 1. Remove sprayer from bag.
- 2. Unscrew cap from bottle and remove the foil seal.
- 3. Making sure that tube is properly inserted through hole in cap, insert tube into bottle and screw on cap.
- 4. Open spray nozzle approximately one full turn.
- 5. TO PRIME With sprayer directed at the target area, operate trigger until spray begins (approximately 10 to 15 times).
- 6. Adjust the sprayer nozzle for desired spray pattern.

#### STORAGE OF TRIGGER SPRAYER

- 1. Close spray nozzle.
- 2. Hook the trigger on or under the bottle handle so that trigger is above the level of contents.
- 3. To prevent clogging of trigger, remove sprayer from bottle and pump clean water through the hose and trigger.
- B. SUPPLEMENTAL LABELING FOR USE WITH ATTACHED TRIGGER SPRAYER.

#### SPRAYER INSTRUCTIONS

#### How to prime and care for your sprayer.

- 1. After shaking product well, remove cap from container and replace with sprayer hose and cap assembly. Tighten securely.
- 2. Turn sprayer nozzle one half turn counter-clockwise. Hold sprayer below the level of container and prime by pumping trigger 10 15 times until product is dispensed. Adjust nozzle to coarse stream.
- 3. To store, turn nozzle to "OFF" position and store with sprayer above level of liquid in container to prevent leakage.
- II. Advertising claims that may be used by supplemental registrants and be presented on the container label.
  - ★ Kills 33+ weed types, mots and all
  - Water-based or Water-based formulation
  - ♦ Kills the weeds, not the lawn
  - Kills the root.
  - Kills the entire weed or plant roots and all.
  - Kills a wide range of broadleaf weeds roots and all.
  - Controls (Number) weeds! (Listing of weeds may include the following.)

		WEEDS -	
Annual yellow sweetclover	Cockie	Musk thistle	Spany amuranth
Aster	Cockicher	Mustard	Spiny cocklebut
Austrian fieldcress	Compos malicin	Narrowical plantain	Spiny sowthistle
Bodstraw	Creeping jenny	Narrowleaf veich	Sported catsear
Beggarticks	Cudweed	Nettle	Spotted spurge
Betony, Florida	Curly dock	Orange hawkweed	Spurweed
Bindweed, field	Daisy, English	Oriental cocklebur	Stinging nettle
Bird vetch	Daisy fleabane	Oxalis	Strawberry, India mock
Bitter wintercress	Daisy, oxeye	Parsley-piert	Tall nettle
Bittercress, hairy	Dandelion	Parsnip	Tall vervain
Bitterweed	Dichoudra	Pearlwort	Tansy ragwort
Black-eyed Susan	Dogbane	Pennycress	Tansy mustard
Black medic	Dogfennei	Pennywort	Tanweed
Black mustard	Dollarweed	Peppergrass	Thistle
Blackseed plantain	Elderberry	Pepperweed	Trailing crownvetch
Blessed thistle	False dandelion	Pigweed	Tumble mustard
Bloodflower milkweed	False flax	Pineywoods bedstraw	Tumble pigweed
Blue lettuce	False sunflower	Plains coreopsis (tickseed)	Velvetleaf
Blue vervain	Fiddleneck	Plantain	Venice mallow
Bracted plantain	Florida pusley	Poison ivv	Virginia buttonweed
Brassbuttons	Frenchweed	Poison oak	Virginia creeper
Bristly extengue	Galinsoga	Pokeweed	Virginia pepperweed
Broadleaf dock	Goathead	Poorjoe	Water pennywort
Broadleaf plantain	Goldenrod	Prairie sunflower	Wavyleaf builthistle
Broomweed	Ground avy	Prickly lettuce	Western clematis
Buckhorn	Gumweed	Prickly sida	Western salsify
Buckhorn plantain	Hairy fleabane	Prostrate knotweed	White mustard
Bulbous battercup	Hawkweed	Prostrate pigweed	Wild aster
Buli thistle	Healali	Prostrate spurge	Wild buckwheat
Bull nettle	Heartleaf drymary	Prostrate vervain	Wild carrot
Burclover	Heathas≥r	Puncturevine	Wild four-o'clock
Burdock	Hedge bindweed	Purslane, common	Wild gartic
Burning nettle	Hedge mustard	Ragweed	Wild geranium
Burweed	Hemp	Red sorrel	Wild lettuce
Buttercup	Henbit	Redroot pigweed	Wild marigold
Buttonweed	Hoary cress	Redstem filarec	Wild mustard
Canada thistle	Hoary plantain	Rough cinquefoil	Wild onion
Carolina geranium	Hoary vervain	Rough fleabane	Wild parsnip
Carpetweed	Horse nettle	Russian pigweed	Wild radish
Catchweed bedstraw	hmsorweed	Russian thistle	Wild rape
Catnip	Knawei	Scarlet pimpernel	Wild strawberry
Catsear	Knotweed	Scotch thistle	Wild sweet potato
Chickweed, common	Kochia	Sheep sorrel	Wild vetch
Chickweed, mouseear	Lambsquarters	Shepherdspurse	Woodsorrel
Chicory	Lespedeza	Slender plantain	Woolly croton
Cinquefoil	Mallow Mariow	Smallflower galinsoga	Woolly morninggiory
Clover, crimson	Matchweed	Smooth dock	Woolly plantain
0.0000000000000000000000000000000000000	Mexicanweed	555666655555555555555555555555555555555	Wormsecd
Clover, hop	Milk setch	Smooth pigweed	W0000000000000000000000000000000000000
Clover, red	00000000000000000000000000000000000000	Sorrel (sour dock)	Yarrow
Clover, strawberry	Morningglory	Sowthistle	Yellow rocket
Clover, sweet	Mouscear hawkweed	Spanish needles	Yellowflower properweed
Clover, white	Mingwort	Speedwell	and other broadleaf weeds