2217-537		TIGTIFIC	ATION	70-0060. Approval Expires 02-28-95		
Please read instructions on re	everse before completing form. United St Environmental Pro Washington, D	<sup>ates</sup> tection Agency	Orm Approved. OMB No. 20 Registrati	on OPP Identifier Number		
	Applicat	ion for Pesticide -	Section I			
1. Company/Product Number		2. EPA Product Manager		3. Proposed Classification		
2217-537		Joanne I. Miller				
4. Company/Product (Name) Gordon's Trimec <sup>®</sup> Spot Weeder		(PM#		None Restricted		
5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation PO Box 014090 Kansas City, Missouri 64101 Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No Product Name				
		Section - II		<u></u>		
Amendment - Explain below.		Final Agen	Final printed labels in response to Agency letter dated <b>NOTLEICATION</b>			
Notification - Explain b	onse to Agency letter dated		oo" Application.	MAR 2 9 2002		
Explanation: Use additional page(s) if necessary. (For section I and Section II.) <b>NOTIFICATION per PR Notice 98-10:</b> 1) We ask to add one (1) advertising claim that are consistent with the Directions for Use previously-approved. This claim may be presented on the container labels of supplemental registrants. One (1) copy of the proposed label is enclosed (Please refer to page 5). This notification is consistent with the provisions of PRN 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PRN 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Section 12 and 14 of FIFRA.						
		Section - III		······································		
1. Material This Product Will	Be Packaged In:					
Child-Resistant Packaging Yes*	Unit Packaging Yes No	Water Soluble Packagi	ng 2. Type of Con Metal Plastic Glass	tainer		
* Certification must be submitted	If "Yes" No. per Unit Packaging wgt. container	If "Yes" No. p Package wgt. conta		Specify)		
3. Location of Net Contents Information       4. Size(s) Retail Container       5. Location of Label Directions         Label       Container       0n Label         On Label       On Label						
6. Manner in Which Label is A	ffixed to Product Lithog	glued led	Other			
Section - IV						
1. Contact Point (Complete ite	ms directly delow for identification (	of individual to be contacted, Title				
Craig Martens		Manager of Regu	Manager of Regulatory Services			
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 6. Date Application: 7. Received 7. (Stampec)						
2. Signature A Mark Manthas		3. Title Manager of Regulatory Services				
4. Typed Name Craig Martens		5. Date March 12, 2002				

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

٩,

## **GORDON'S TRIMEC® SPOT WEEDER**

NOTIFICATION

MAR 2 9 2002

A TRIMEC<sup>®</sup> TURF HERBICIDE FORMULATION

Ready-to-Use, No Mixing, No Pouring. Aim at Weed & Spray

- KEEP FROM FREEZING -

#### ACTIVE INGREDIENTS:

Dimethylamine salt of 2,4-dichlorophenoxyacetic acid	0.593%	
Dimethylamine salt of 2-(2-methyl-4-chlorophenoxy)propionic acid	0.287%	
Dimethylamine salt of dicamba (3,6-dichloro-o-anisic acid)		
INERT INGREDIENTS:	<u>99.054%</u>	
TOTAL	100.000%	

THIS PRODUCT CONTAINS: 0.493% 2,4-dichlorophenoxyacetic acid equivalent. 0.237% 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent. 0.055% 3,6-dichloro-o-anisic acid equivalent. Isomer Specific by AOAC Methods. TRIMEC<sup>®</sup> is a registered trademark of PBI/GORDON CORPORATION.

## **KEEP OUT OF REACH OF CHILDREN**

## CAUTION

See back panel for additional Precautionary Statements.

### NET CONTENTS: (1 Quart, 24 Fl.Oz., 0.5 or 1 U.S. Gallon)

908/ AP031202 EPA REG. NO. 2217-537 EPA Est. No. 2217-KS-1 MANUFACTURED BY: Concentration All Employee Owned Company 1217 West 12th Street Karines City, Missouri 84 101





#### PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals

**CAUTION:** Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wear goggles when applying this product. When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves.

After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

#### Statement Of Practical Treatment

**IF ON SKIN:** Wash with plenty of soap and water. Get medical attention if irritation persists. **IF IN EYES:** Flush eyes with plenty of water. Get medical attention.

[OPTIONAL CONSUMER ACCESS TELEPHONE NUMBERS:] For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1-800-858-7378.

#### **ENVIRONMENTAL HAZARDS:**

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater. Do not contaminate domestic or irrigation waters. Do not apply when weather conditions favor drift from target area.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried or dust has settled.

#### STORAGE AND DISPOSAL

**STORAGE:** Store in original container in a locked storage area inaccessible to children and pets. **PESTICIDE DISPOSAL:** Securely wrap container in several layers of newspapers and discard in trash. **CONTAINER DISPOSAL:** Do not reuse container. Rinse thoroughly before discarding in trash.

#### **USE PRECAUTIONS:**

Do not allow spray to drift onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result. Do not pour spray solutions near these plants. Avoid fine mist sprays. Coarse spray droplets are less likely to drift and cause damage to nontarget plants. Do not spray roots of desirable trees and shrubs. Do not exceed specified dosage; be particularly careful within dripline of tree and other ornamental species. This product is intended for spot spraying individual weeds only.

#### WHAT IT IS & HOW TO USE IT:

Gordon's Trimec<sup>®</sup> Spot Weeder contains Trimec<sup>®</sup> turf herbicide, a combination of three proven weed killers 2,4-D, mecoprop and dicamba. Together they control a wide range of broadleaf lawn weeds; some of which are listed on this label.

Use to "spot-treat" weeds in the lawn. For best results, apply when weeds are actively growing. Do not water within 24 hours after spraying. Use as is. Do not mix. Do not dilute. Aim at weed and spray. Only a short burst is needed. Overspraying only wastes the product and may cause damage to grasses such as centipedegrass, St. Augustinegrass, and Floratam. Effects begin to show after a few days and weeds gradually die. Up to 4 weeks may be required for complete kill. Be patient, Gordon's Trimec<sup>®</sup> Spot weeks weeks if necessary.

For lawns with many weeds, requiring an overall treatment, spray with Acme Trimec<sup>®</sup> Lawn Weed Killer, a concentrate you'll have to mix with water in your hose end or hand-operated sprayer.

4/10

#### CONTROLS:

	-	WEEDS -	
Annual yellow sweetclover	Cockle	Musk thistle	Spiny amaranth
Aster	Cocklebur	Mustard	Spiny cocklebur
Austrian fieldcress	Common mullein	Narrowleaf plantain	Spiny sowthistle
Bedstraw	Creeping jenny	Narrowleaf vetch	Spotted catsear
Beggarticks	Cudweed	Nettle	Spotted spurge
Betony, Florida	Curly dock	Orange hawkweed	Spurweed
Bindweed, field	Daisy, English	Oriental cocklebur	Stinging nettle
Bird vetch	Daisy fleabane	Oxalis	Strawberry, India mock
Bitter wintercress	Daisy, oxeye	Parsley-piert	Tall nettle
Bittercress, hairy	Dandelion	Parsnip	Tall vervain
Bitterweed	Dichondra	Pearlwort	Tansy ragwort
Black-eyed Susan	Dogbane	Pennycress	Tansy mustard
Black medic	Dogfennel	Pennywort	Tanweed
Black mustard	Dollarweed	Peppergrass	Thistle
Blackseed plantain	Elderberry	Pepperweed	Trailing crownvetch
Blessed thistle	False dandelion	Pigweed	Tumble mustard
Bloodflower milkweed	Falseflax	Pineywoods bedstraw	Tumble pigweed
Blue lettuce	False sunflower	Plains coreopsis (tickseed)	Velvetleaf
Blue vervain	Fiddleneck	Plantain	Venice mallow
Bracted plantain	Florida pusley	Poison ivy	Virginia buttonweed
Brassbuttons	Frenchweed	Poison oak	Virginia creeper
Bristly oxtongue	Galinsoga	Pokeweed	Virginia pepperweed
Broadleaf dock	Goathead	Poorjoe	Water pennywort
Broadleaf plantain	Goldenrod	Provide Prairie sunflower	Wavyleaf bullthistle
Broomweed	Ground ivy	Prickly lettuce	Western clematis
Buckhorn	Gumweed	Prickly sida	Western salsify
Buckhorn plantain	Hairy fleabane	Prostrate knotweed	White mustard
Bulbous buttercup	Hawkweed		Wild aster
Bull thistle	Healall	Prostrate pigweed Prostrate spurge	Wild buckwheat
Bullnettle		Prostrate vervain	Wild carrot
Burclover	Heartleaf drymary Heathaster	Prostrate vervain Puncturevine	Wild four-o'clock
Burdock			
	Hedge bindweed	Purslane, common	Wild garlic
Burning nettle Burweed	Hedge mustard	Ragweed	Wild geranium Wild lettuce
	Hemp Henbit	Red sorrel	
Buttercup		Redroot pigweed	Wild marigold
Buttonweed Canada thistle	Hoary cress	Redstem filaree	Wild mustard
	Hoary plantain	Rough cinquefoil	Wild onion
Carolina geranium	Hoary vervain	Rough fleabane	Wild parsnip
Carpetweed	Horsenettle	Russian pigweed	Wild radish
Catchweed bedstraw	Jimsonweed	Russian thistle	Wild rape
Catnip	Knawel	Scarlet pimpernel	Wild strawberry
Catsear	Knotweed	Scotch thistle	Wild sweet potato
Chickweed, common	Kochia	Sheep sorrel	Wild vetch
Chickweed, mouseear	Lambsquarters	Shepherdspurse	Woodsorrel
Chicory	Lespedeza	Slender plantain	Woolly croton
Cinquefoil	Mallow	Smallflower galinsoga	Woolly morningglory
Clover, crimson	Matchweed	Smooth dock	Woolly plantain
Clover, hop	Mexicanweed	Smooth pigweed	Wormseed
Clover, red	Milk vetch	Sorrel	Yarrow
Clover, strawberry	Morningglory	Sowthistle	Yellow rocket * *
Clover, sweet	Mouseear hawkweed	Spanishneedles	Yellowflower pepperweed ,,
Clover, white	Mugwort	Speedwell	and other broadleaf weeds

-

# 5/6

#### LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.



#### APPENDIX

- I. The following instructions would appear on the bag, or be enclosed with the bag containing the trigger sprayer, or would appear on the container label.
- A. SUPPLEMENTAL LABELING FOR USE WITH ATTACHED TRIGGER SPRAYER.

#### DIRECTIONS FOR USE OF TRIGGER SPRAYER

- 1. Remove sprayer from bag.
- Unscrew cap from bottle and remove the foil seal.
   Making sure that tube is properly inserted through hole in cap, insert tube into bottle and screw on cap.
- 4. Open spray nozzle approximately one full turn.
- 5. TO PRIME With sprayer directed at the target area, operate trigger until spray begins (approximately 10 to 15 times).
- 6. Adjust the sprayer nozzle for desired spray pattern.

#### STORAGE OF TRIGGER SPRAYER

- 1. Close spray nozzle.
- 2. Hook the trigger on or under the bottle handle so that trigger is above the level of contents.
- To prevent clogging of trigger, remove sprayer from bottle and pump clean water through the hose and trigger.

#### B. SUPPLEMENTAL LABELING FOR USE WITH ATTACHED TRIGGER SPRAYER.

#### SPRAYER INSTRUCTIONS

#### How to prime and care for your sprayer.

- 1. After shaking product well, remove cap from container and replace with sprayer hose and cap assembly. Tighten securely.
- 2. Turn sprayer nozzle one half turn counter-clockwise. Hold sprayer below the level of container and prime by pumping trigger 10 15 times until product is dispensed. Adjust nozzle to coarse stream.
- 3. To store, turn nozzle to "OFF" position and store with sprayer above level of liquid in container to prevent leakage.
- II. Advertising claims that may be used by supplemental registrants and be presented on the container label.
  - Kills (Controls) (Number) weed types, roots and all
  - Water-based or Water-based formulation
  - Kills the weeds, not the lawn
  - Kills the root.
  - Kills the entire weed or plant roots and all.
  - Kills (Controls) a wide range of broadleaf weeds roots and all.
  - Controls (Kills) (desired weed species from attached listing may be inserted here.) and many other broadleaf lawn weeds.
  - Kills (Controls) (desired weed species from attached listing may be inserted here.) and over (Number) broadleaf weeds
  - Kills (Number) weeds
  - Kills weed roots
  - Starts working overnight
  - Rainfast in 6 hours
  - Rainproof in 6 hours
  - Effective for the control of clover, dandelions, and many other broadleat weeds.