2217-537 Please read instructions on reverse before completing form. 4-2	3-2/702 Form Approved. OMB No. 2070-0060. Approval Expires 02-
United States Environmental Protection Washington, DC 20460	Registration OPP Identifier Num
Application for	Pesticide - Section I
1. Company/Product Number	2. EPA Product Manager 3. Proposed Classification
2217-537	Joanne I. Miller
4. Company/Product (Name)	PM# X None Rest
Gordon's Trimec® Spot Weeder 5. Name and Address of Applicant (Include ZIP Code)	(PM 23) 6. Expedited Review. In accordance with FIFRA Section 3(c)(3)
PBI/Gordon Corporation PO Box 014090	(b)(i), my product is similar or identical in composition and labelin EPA Reg. No.
Kansas City, Missouri 64101	Product Name
Check if this is a new address	<u> </u>
Se Se	etion - II
Amendment - Explain below.	Final printed labels in response to Agency letter dated NOTIFICATION
Resubmission in response to Agency letter dated	"Me Too" Application.
Notification - Explain below.	Other - Explain below. APR 2 3 2012
Explanation: Use additional page(s) if necessary. (For section I and Se	etion II.)
U.S.C. Sec. 1001 to willfully make any false statement to the with the terms of PRN 98-10 and 40 CFR 152.46, this	t of formula of this product. I understand that it is a violation of EPA. I further understand that if this notification is not considered that it this notification is not considered to the subject of
enforcement action and penalties under Section 12 and 14 o	
Sec	
1. Material This Product Will Be Packaged In:	tion - III
1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Water	r Soluble Packaging 2. Type of Container Motel
1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Wate Yes' Yes	r Soluble Packaging Yes 2. Type of Container Metal Plastic
1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Wate Yes No No No	r Soluble Packaging Yes No Glass
1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Wate Per No No No No No Per If "Yes" No. per If "Yes"	FIFRA. Ition - III It Soluble Packaging Yes No In Soluble Packaging Yes In Metal In Plastic In Glass In Sign No. per In Glass In Paper In In Paper In Paper In In Paper In I
1. Material This Product Will Be Packaged In: Child-Resistant Packaging Yes* No No * Certification must be submitted Unit Packaging Yes No If "Yes" Unit Packaging wgt. container	FIFRA. Ition - III It Soluble Packaging Yes No No S'' No. per age wgt. container Other (Specify)
1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Wate Per No No If "Yes" No. per If "Yes"	FIFRA. Ition - III It Soluble Packaging Yes No No S'' Age wgt. S'' Soluble Packaging Plastic Glass Paper Other (Specify) Iner St. Location of Label Directions On Label
1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Wate Per Ves No	FIFRA. Ition - III IT Soluble Packaging Yes No No Si' No. per age wgt. container Other (Specify) Inner Stion - III 2. Type of Container Metal Plastic Plastic Glass The paper Other (Specify) Inner Stion - III Other (Specify)
1. Material This Product Will Be Packaged In: Child-Resistant Packaging Yes* No No * Certification must be submitted 1. Material This Product Will Be Packaged In: Unit Packaging Yes No No No Packaging wgt. No. per container If "Yes" Unit Packaging wgt. 4. Size(s) Retail Container	FIFRA. Ition - III IT Soluble Packaging Yes No No Si' No. per age wgt. container Other (Specify) Inner J. Type of Container Metal Plastic Glass Paper Other (Specify) Inner On Label On Labeling accompanying product
1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Yes* No No No No * Certification must be submitted Unit Packaging wgt. 3. Location of Net Contents Information 4. Size(s) Retail Container Label Container 6. Manner in Which Label is Affixed to Product Lithograph Paper glued Stenciled	FIFRA. Ition - III It Soluble Packaging Yes No No No Sir No. per age wgt. container Other (Specify) Iner Other Other Other
1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Water Packaging No	FIFRA. Ition - III It Soluble Packaging Yes No Plastic Glass S' No. per age wgt. container Other (Specify) Inner St. Location of Label Directions On Label On Labeling accompanying product Other
1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Water Packaging No No No If "Yes" Unit Packaging Water Container If "Yes" Unit Packaging wgt. Container Pack 3. Location of Net Contents Information Label Container Container Label Container Annual Label Stenciled Stenciled Stenciled Stenciled Name Title	FIFRA. Ition - III It Soluble Packaging Yes No No No Sir No. per age wgt. container Other (Specify) Iner Other Other Other
1. Material This Product Will Be Packaged In: Child-Resistant Packaging	### Pistic ### Plastic ###
1. Material This Product Will Be Packaged In: Child-Resistant Packaging	### PIFRA. ### PI Soluble Packaging Yes No Metal

GORDON'S TRIMEC® SPOT WEEDER

A TRIMEC® TURF HERBICIDE FORMULATION

Ready-to-Use, No Mixing, No Pouring. Aim at Weed & Spray

— KEEP FROM FREEZING —

ACTIVE INGREDIENTS:

Dimethylamine salt of 2,4-dichlorophenoxyacetic acid	0.593%
Dimethylamine salt of 2-(2-methyl-4-chlorophenoxy)propionic acid	0.287%
Dimethylamine salt of dicamba (3,6-dichloro-o-anisic acid)	0.066%
INERT INGREDIENTS:	99.054%
TOTAL	100.000%

THIS PRODUCT CONTAINS:

0.493% 2,4-dichlorophenoxyacetic acid equivalent.

0.237% 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent.

0.055% 3,6-dichloro-o-anisic acid equivalent.

Isomer Specific by AOAC Methods.

TRIMEC® is a registered trademark of PBI/GORDON CORPORATION.

KEEP OUT OF REACH OF CHILDREN

CAUTION

NOTIFICATION

APR 2 3 2012

See back panel for additional Precautionary Statements.

NET CONTENTS: (1 Quart, 24 Fl.Oz., 0.5 or 1 U.S. Gallon)

908/ AP032002
EPA REG. NO. 2217-537
EPA Est. No. 2217-KS-1
MANUFACTURED BY:



READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wear goggles when applying this product. When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves.

After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

Statement Of Practical Treatment

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF IN EYES: Flush eyes with plenty of water. Get medical attention.

[OPTIONAL CONSUMER ACCESS TELEPHONE NUMBERS:] For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1-800-858-7378.

ENVIRONMENTAL HAZARDS:

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater. Do not contaminate domestic or irrigation waters. Do not apply when weather conditions favor drift from target area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried or dust has settled.

STORAGE AND DISPOSAL

STORAGE: Store in original container in a locked storage area inaccessible to children and pets. **PESTICIDE DISPOSAL:** Securely wrap container in several layers of newspapers and discard in trash. **CONTAINER DISPOSAL:** Do not reuse container. Rinse thoroughly before discarding in trash.

USE PRECAUTIONS:

Do not allow spray to drift onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result. Do not pour spray solutions near these plants. Avoid fine mist sprays. Coarse spray droplets are less likely to drift and cause damage to nontarget plants. Do not spray roots of desirable trees and shrubs. Do not exceed specified dosage; be particularly careful within dripline of tree and other ornamental species. This product is intended for spot spraying individual weeds only.

WHAT IT IS & HOW TO USE IT:

Gordon's Trimec[®] Spot Weeder contains Trimec[®] turf herbicide, a combination of three proven weed killers 2,4-D, mecoprop and dicamba. Together they control a wide range of broadleaf lawn weeds; some of which are listed on this label.

Use to "spot-treat" weeds in the lawn. For best results, apply when weeds are actively growing. Do not water within 24 hours after spraying. Use as is. Do not mix. Do not dilute. Aim at weed and spray. Only a short burst is needed. Overspraying only wastes the product and may cause damage to grasses such as centipedegrass, St. Augustinegrass, and Floratam. Effects begin to show after a few days and weeds gradually die. Up to 4 weeks may be required for complete kill. Be patient, Gordon's Trimec® Spot Weeder works slowly. Repeat in 3 to 4 weeks if necessary.

4/6

For lawns with many weeds, requiring an overall treatment, spray with Acme Trimec[®] Lawn Weed Killer, a concentrate you'll have to mix with water in your hose end or hand-operated sprayer.

CONTROLS:

- WEEDS -				
Annual yellow sweetclover	Cockle	Musk thistle	Spiny amaranth	
Aster	Cocklebur	Mustard	Spiny cocklebur	
Austrian fieldcress	Common mullein	Narrowleaf plantain	Spiny sowthistle	
Bedstraw	Creeping jenny	Narrowleaf vetch	Spotted catsear	
Beggarticks	Cudweed	Nettle	Spotted spurge	
Betony, Florida	Curly dock	Orange hawkweed	Spurweed	
Bindweed, field	Daisy, English	Oriental cocklebur	Stinging nettle	
Bird vetch	Daisy fleabane	Oxalis	Strawberry, India mock	
Bitter wintercress	Daisy, oxeye	Parsley-piert	Tall nettle	
Bittercress, hairy	Dandelion	Parsnip	Tall vervain	
Bitterweed	Dichondra	Pearlwort	Tansy ragwort	
Black-eyed Susan	Dogbane	Pennycress	Tansy mustard	
Black medic	Dogfennel	Pennywort	Tanweed	
Black mustard	Dollarweed	Peppergrass	Thistle	
Blackseed plantain	Elderberry	Pepperweed	Trailing crownvetch	
Blessed thistle	False dandelion	Pigweed	Tumble mustard	
Bloodflower milkweed	Falseflax	Pineywoods bedstraw	Tumble pigweed	
Blue lettuce	False sunflower	Plains tickseed coreopsis	Velvetleaf	
Blue vervain	Fiddleneck	Plantain	Venice mallow	
Bracted plantain	Florida pusley	Poison ivy	Virginia buttonweed	
Brassbuttons	Frenchweed	Poison oak	Virginia creeper	
Bristly oxtongue	Galinsoga	Pokeweed	Virginia pepperweed	
Broadleaf dock	Goathead	Poorjoe	Wavyleaf bullthistle	
Broadleaf plantain	Goldenrod	Prairie sunflower	Western clematis	
Broomweed	Ground ivy	Prickly lettuce	Western salsify	
Buckhorn	Gumweed	Prickly sida	White mustard	
Buckhorn plantain	Hairy fleabane	Prostrate knotweed	Wild aster	
Bulbous buttercup	Hawkweed	Prostrate pigweed	Wild buckwheat	
Bull thistle	Healall	Prostrate spurge	Wild carrot	
Bullnettle	Heartleaf drymary	Prostrate vervain	Wild four-o'clock	
Burclover	Heathaster	Puncturevine	Wild garlic	
Burdock	Hedge bindweed	Purslane, common	Wild geranium	
Burning nettle	Hedge mustard	Ragweed	Wild lettuce	
Burweed	Hemp	Red sorrel	Wild marigold	
Buttercup	Henbit	Redroot pigweed	Wild mustard	
Buttonweed	Hoary cress	Redstem filaree	Wild onion	
Canada thistle	Hoary plantain	Rough cinquefoil	Wild parsnip	
Carolina geranium	Hoary vervain	Rough fleabane	Wild radish	
Carpetweed	Horsenettle	Russian pigweed	Wild rape	
Catchweed bedstraw	Jimsonweed	Russian thistle	Wild strawberry	
Catnip	Knawel	Scarlet pimpernel	Wild sweet potato	
Catsear	Knotweed	Scotch thistle	Wild vetch	
Chickweed, common	Kochia	Sheep sorrel	Woodsorrel	
Chickweed, mouseear	Lambsquarters	Sheperdspurse	Woolly croton	
Chicory	Lespedeza	Slender plantain	Woolly morningglory	
Cinquefoil	Mallow	Smallflower galinsoga	Woolly plantain	
Clover, crimson	Matchweed	Smooth dock	Wormseed	
Clover, hop	Mexicanweed	Smooth pigweed	Yarrow	
Clover, red	Milk vetch	Sorrel	Yellow rocket	
Clover, strawberry	Morningglory	Sowthistle	Yellowflower pepperweed	
Clover, sweet	Mouseear hawkweed	Spanishneedles	and other	
Clover, white	Mugwort	Speedwell	broadleaf weeds	

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

APPENDIX

- I. The following instructions would appear on the bag, or be enclosed with the bag containing the trigger sprayer, or would appear on the container label.
- A. SUPPLEMENTAL LABELING FOR USE WITH ATTACHED TRIGGER SPRAYER.

DIRECTIONS FOR USE OF TRIGGER SPRAYER

- 1. Remove sprayer from bag.
- 2. Unscrew cap from bottle and remove the foil seal.
- 3. Making sure that tube is properly inserted through hole in cap, insert tube into bottle and screw on cap.
- 4. Open spray nozzle approximately one full turn.
- 5. TO PRIME With sprayer directed at the target area, operate trigger until spray begins (approximately 10 to 15 times).
- 6. Adjust the sprayer nozzle for desired spray pattern.

STORAGE OF TRIGGER SPRAYER

- Close spray nozzle.
- 2. Hook the trigger on or under the bottle handle so that trigger is above the level of contents.
- 3. To prevent clogging of trigger, remove sprayer from bottle and pump clean water through the hose and trigger.
- B. SUPPLEMENTAL LABELING FOR USE WITH ATTACHED TRIGGER SPRAYER.

SPRAYER INSTRUCTIONS

How to prime and care for your sprayer.

- 1. After shaking product well, remove cap from container and replace with sprayer hose and cap assembly. Tighten securely.
- 2. Turn sprayer nozzle one half turn counter-clockwise. Hold sprayer below the level of container and prime by pumping trigger 10 15 times until product is dispensed. Adjust nozzle to coarse stream.
- 3. To store, turn nozzle to "OFF" position and store with sprayer above level of liquid in container to prevent leakage.
- II. Advertising claims that may be used by supplemental registrants and be presented on the container label.
 - Kills (Controls) (Number) weed types, roots and all
 - Water-based or Water-based formulation

- Kills the weeds, not the lawn
- Kills the root.
- Kills the entire weed or plant roots and all.
- Kills (Controls) a wide range of broadleaf weeds roots and all.
- ◆ Controls (Kills) (<u>desired weed species from attached listing may be inserted here.</u>) and many other broadleaf lawn weeds. .
- Kills (Controls) (<u>desired weed species from attached listing may be inserted here.</u>) and over (<u>Number</u>) broadleaf weeds
- Kills (Number) weeds
- Kills weed roots
- Starts working overnight
- Rainfast in 6 hours
- · Rainproof in 6 hours
- Effective for the control of clover, dandelions, and many other broadleaf weeds.
- ◆ (Controls) Kills (Number) types of weeds.
- Controls (Number) of weed species that infest turfgrass.
- ◆ Controls (Number) of major pests in many types of lawns (turfgrass).

