2217-537 Please read instructions on re	everse before completi	•	TIFICH		8/5/20 pproved. 6MB No	702 5. 2070-006	0. Approval	l/( Expires 02-28-9
<b>⊕</b> EPA		United State Probability of the United States United States States United States State	tection Age	псу	Registr Amend		OPP Ide	ntifier Number
		Applicati	on for Pesti	cide - Sec	tion I			
1. Company/Product Numl	ber 2217-537		2. E	PA Product Ma Joann	anager e I. Miller	3. F	Proposed Cla	ssification
Company/Product (Name)     Gordon's Trimec® Spot Weeder			PM#	PM# (PM 23)			None	Restricted
5. Name and Address of A PBI/Gordon Corporati PO Box 014090 Kansas City, Missouri Check if thi	on	P Code)	(b)(i) EPA	, my product i A Reg. No	iew. In accorda s similar or iden	tical in co		. , , ,
			Section	- 11			Non	
Amendment - Explain  Resubmission in respo	onse to Agency letter d	dated		Final printed labels in response to Agency letter dated  "Me Too" Application.  Other - Explain below.				
other weeds as listed" supplemental registrants. This notification is consihave been made to the U.S.C. Sec. 1001 to will with the terms of PRN enforcement action and	2) "Kills Poisons. One (1) copy of istent with the prolabeling or the colfully make any fall 198-10 and 40 C	I Ivy, Pois f the propositions of I nfidential s se stateme DFR 152.4	on Oak." The sed label is end PRN 98-10 and statement of for ent to the EPA. 6, this product	ese claims national classes of the contract of this in the contract of the con	nay be preser e refer to page tions at 40 CF product. I unde derstand that if	nted on 5). R 152.46 erstand th this notif	the contain, and no onat it is a vication is r	ner labels of ther changes riolation of 18 not consistent
			Section -	-				
Material This Product Will I Child-Resistant Packaging     Yes*     No	Be Packaged In: Unit Packaging Yes No		Water Soluble Yes	Packaging	2. Type of Met	tal stic		
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container	Gla		)	
3. Location of Net Contents Inf  Label Cor	formation ntainer	4. Size(s) Re	etail Container		5. Location of La On Label On Labeling			
6. Manner in Which Label is Al	ffixed to Product	Lithogr Paper (  Stencil	glued	Other _				
·		<del>,</del>	Section -				. , .	1
<ol> <li>Contact Point (Complete iter Name</li> </ol>	ms airectly below for la	dentification o	Title	ontacted, if nece	essary, to process	T		Area Code)
Craig Martens			Manager of Regulatory Services			10.001.01	ephone Nc. ( <i>In lude Area Code</i> ) 816/460-6287	
i certify that the statemen I acknowledge that any kr both under applicable law	nowingly false or misle	ading statem	attachments theret ent may be punisha				6 Date App Received (Sta	
· / / / / / / / / / / / / / / / / / / /			Title     Manager of Regulatory Services				• • • •	
4. Typed Name Craig Martens			5. Date					
ED. E. 05=0.4 (D. 0.0A)				l				

# **GORDON'S TRIMEC® SPOT WEEDER**

## A TRIMEC® TURF HERBICIDE FORMULATION

Ready-to-Use, No Mixing, No Pouring. Aim at Weed & Spray

— KEEP FROM FREEZING —	NOTIFICATION		
	AUG 0 5 2002		
ACTIVE INGREDIENTS:			
Dimethylamine salt of 2,4-dichlorophenoxyacetic acid	0.593%		
Dimethylamine salt of 2-(2-methyl-4-chlorophenoxy)propionic acid	0.287%		
Dimethylamine salt of dicamba (3,6-dichloro-o-anisic acid)	0.066%		
INERT INGREDIENTS:	<u>99.054%</u>		
TOTAL	100.000%		

#### THIS PRODUCT CONTAINS:

0.493% 2,4-dichlorophenoxyacetic acid equivalent.

0.237% 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent.

0.055% 3,6-dichloro-o-anisic acid equivalent.

Isomer Specific by AOAC Methods.

TRIMEC® is a registered trademark of PBI/GORDON CORPORATION.

## **KEEP OUT OF REACH OF CHILDREN**

## CAUTION

See back panel for additional Precautionary Statements.

NET CONTENTS: (1 Quart, 24 Fl.Oz., 0.5 or 1 U.S. Gallon)

908/ AP072202 EPA REG. NO. 2217-537 EPA Est. No. 2217-KS-1 MANUFACTURED BY:





# READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

#### **PRECAUTIONARY STATEMENTS**

#### Hazards to Humans and Domestic Animals

**CAUTION:** Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wear goggles when applying this product. When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves.

After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

#### **Statement Of Practical Treatment**

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF IN EYES: Flush eyes with plenty of water. Get medical attention.

[OPTIONAL CONSUMER ACCESS TELEPHONE NUMBERS:] For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1-800-858-7378.

#### **ENVIRONMENTAL HAZARDS:**

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater. Do not contaminate domestic or irrigation waters. Do not apply when weather conditions favor drift from target area.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried or dust has settled.

#### STORAGE AND DISPOSAL

**STORAGE:** Store in original container in a locked storage area inaccessible to children and pets. **PESTICIDE DISPOSAL:** Securely wrap container in several layers of newspapers and discard in trash. **CONTAINER DISPOSAL:** Do not reuse container. Rinse thoroughly before discarding in trash.

#### **USE PRECAUTIONS:**

Do not allow spray to drift onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result. Do not pour spray solutions near these plants. Avoid fine mist sprays. Coarse spray droplets are less likely to drift and cause damage to nontarget plants. Do not spray roots of desirable trees and shrubs. Do not exceed specified dosage; be particularly careful within dripline of tree and other ornamental species. This product is intended for spot spraying individual weeds only:

#### WHAT IT IS & HOW TO USE IT:

Gordon's Trimec<sup>®</sup> Spot Weeder contains Trimec<sup>®</sup> turf herbicide, a combination of three proven weed killers 2,4-D, mecoprop and dicamba. Together they control a wide range of broadleaf lawn weeds; some of which are listed on this label.

Use to "spot-treat" weeds in the lawn. For best results, apply when weeds are actively growing. Do not water within 24 hours after spraying. Use as is. Do not mix. Do not dilute. Aim at weed and spray. Only a short burst is needed. Overspraying only wastes the product and may cause damage to grasses such as centipedegrass, St. Augustinegrass, and Floratam. Effects begin to show after a few days and weeds gradually die. Up to 4 weeks may be required for complete kill. Be patient, Gordon's Trimec. Spot Weeder works slowly. Repeat in 3 to 4 weeks if necessary.

4/6

For lawns with many weeds, requiring an overall treatment, spray with Acme Trimec® Lawn Weed Killer, a concentrate you'll have to mix with water in your hose end or hand-operated sprayer.

### CONTROLS:

- WEEDS -									
Annual yellow sweetclover	Cockle	Musk thistle	Spiny amaranth						
Aster	Cocklebur	Mustard	Spiny cocklebur						
Austrian fieldcress	Common mullein	Narrowleaf plantain	Spiny sowthistle						
Bedstraw	Creeping jenny	Narrowleaf vetch	Spotted catsear						
Beggarticks	Cudweed	Nettle	Spotted spurge						
Betony, Florida	Curly dock	Orange hawkweed	Spurweed						
Bindweed, field	Daisy, English	Oriental cocklebur	Stinging nettle						
Bird vetch	Daisy fleabane	Oxalis	Strawberry, India mock						
Bitter wintercress	Daisy, oxeye	Parsley-piert	Tall nettle						
Bittercress, hairy	Dandelion	Parsnip	Tall vervain						
Bitterweed	Dichondra	Pearlwort	Tansy ragwort						
Black-eyed Susan	Dogbane	Pennycress	Tansy mustard						
Black medic	Dogfennel	Pennywort	Tanweed						
Black mustard	Dollarweed	Peppergrass	Thistle						
Blackseed plantain	Elderberry	Pepperweed	Trailing crownvetch						
Blessed thistle	False dandelion	Pigweed	Tumble mustard						
Bloodflower milkweed	Falseflax	Pineywoods bedstraw	Tumble pigweed						
Blue lettuce	False sunflower	Plains tickseed coreopsis	Velvetleaf						
Blue vervain	Fiddleneck	Plantain	Venice mallow						
Bracted plantain	Florida pusley	Poison ivy	Vernee manow Virginia buttonweed						
Brassbuttons	Frenchweed	Poison oak	Virginia creeper						
Bristly oxtongue	Galinsoga	Pokeweed	Virginia pepperweed						
Broadleaf dock	Goathead	Poorjoe	Wavyleaf bullthistle						
Broadleaf plantain	Goldenrod	Prairie sunflower	Western clematis						
Broomweed	Ground ivy								
Buckhorn	Gumweed	Prickly lettuce Prickly sida	Western salsify White mustard						
Buckhorn plantain	Hairy fleabane	Prostrate knotweed	Wild aster						
Bulbous buttercup	Hawkweed		Wild buckwheat						
Bull thistle	Healall	Prostrate pigweed	Wild carrot						
Bullnettle	Heartleaf drymary	Prostrate spurge Prostrate vervain	Wild four-o'clock						
Burclover	Heathaster	Puncturevine							
Burdock	Hedge bindweed	Purslane, common	Wild garlic Wild geranium						
Burning nettle	Hedge mustard	Ragweed	Wild lettuce						
Burweed	Hemp	Red sorrel	Wild marigold						
Buttercup	Henbit	Redroot pigweed	Wild marigord Wild mustard						
Buttonweed	Hoary cress	Redstem filaree	Wild onion						
Canada thistle	Hoary plantain	Rough cinquefoil	Wild parsnip						
Carolina geranium	Hoary vervain	Rough fleabane	Wild radish						
Carpetweed	Horsenettle	Russian pigweed	Wild rape						
Catchweed bedstraw	Jimsonweed	Russian thistle	Wild strawberry						
Catnip	Knawel	Scarlet pimpernel	Wild sweet potato						
Catsear	Knotweed	Scotch thistle	Wild vetch						
Chickweed, common	Kochia	Sheep sorrel	Woodsorrel						
Chickweed, mouseear		-	•						
	Lambsquarters	Sheperdspurse	Woolly croton						
Chicory Cinquefoil	Lespedeza Mallow	Slender plantain Smallflower galinsoga	Woolly morningglory						
Clover, crimson	Matchweed	Smooth dock	Woolly plantain Wormseed						
Clover, crimson Clover, hop	Mexicanweed		Yarrow						
•		Smooth pigweed							
Clover, red	Milk vetch	Sorrel	Yellow rocket						
Clover, strawberry	Morningglory	Sowthistle	Yellowflower pepperweed						
Clover, sweet	Mouseear hawkweed	Spanishneedles	and other						
Clover, white	Mugwort	Speedwell	broadleaf weeds						

5/6

#### LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

# 6/6

#### **APPENDIX**

- I. The following instructions would appear on the bag, or be enclosed with the bag containing the trigger sprayer, or would appear on the container label.
- A. SUPPLEMENTAL LABELING FOR USE WITH ATTACHED TRIGGER SPRAYER.

#### **DIRECTIONS FOR USE OF TRIGGER SPRAYER**

- 1. Remove sprayer from bag.
- 2. Unscrew cap from bottle and remove the foil seal.
- 3. Making sure that tube is properly inserted through hole in cap, insert tube into bottle and screw on cap.
- 4. Open spray nozzle approximately one full turn.
- 5. TO PRIME With sprayer directed at the target area, operate trigger until spray begins (approximately 10 to 15 times).
- 6. Adjust the sprayer nozzle for desired spray pattern.

#### STORAGE OF TRIGGER SPRAYER

- 1. Close spray nozzle.
- 2. Hook the trigger on or under the bottle handle so that trigger is above the level of contents.
- 3. To prevent clogging of trigger, remove sprayer from bottle and pump clean water through the hose and trigger.
- B. SUPPLEMENTAL LABELING FOR USE WITH ATTACHED TRIGGER SPRAYER.

#### SPRAYER INSTRUCTIONS

#### How to prime and care for your sprayer.

- 1. After shaking product well, remove cap from container and replace with sprayer hose and cap assembly. Tighten securely.
- 2. Turn sprayer nozzle one half turn counter-clockwise. Hold sprayer below the level of container and prime by pumping trigger 10 15 times until product is dispensed. Adjust nozzle to coarse stream.
- 3. To store, turn nozzle to "OFF" position and store with sprayer above level of liquid in container to prevent leakage.

# II. Advertising claims that may be used by supplemental registrants and be presented on the container label.

- Kills (Controls) (Number) weed types, roots and all
- Water-based or Water-based formulation
- Kills the weeds, not the lawn
- Kills the root.
- Kills the entire weed or plant roots and all.
- Kills (Controls) a wide range of broadleaf weeds roots and all.
- Controls (Kills) (<u>desired weed species from attached listing may be inserted here,</u>) and many other broadleaf lawn weeds.
- Kills (Controls) (<u>desired weed species from attached listing may be inserted here,</u>) and over (<u>Number</u>) broadleaf weeds
- ♦ Kilis (Number) weeds
- Kills weed roots
- · Starts working overnight
- Rainfast in 6 hours
- Rainproof in 6 hours
- Effective for the control of clover, dandelions, and many other broadleaf weeds.
- ◆ (Controls) Kills (Number) types of weeds.
- Controls (Number) of weed species that infest turfgrass.
- Controls (Number) of major pests in many types of lawns (turfgrass).
- Controls dandelion, chickweed, and many other weeds as listed.
- Kills (Controls) Poison Ivv. Poison Oak.